BROWDY AND NEIMARK, P.L.L.C.
ATTORNEYS AT LAW
PATENT AND TRADEMARK CAUSES
SUITE 300
624 NINTH STREET, N.W.
WASHINGTON, D.C. 20001-5303
TELEPHONE (202)-628-5197

TELECOPIER FACSIMILE
(202) 737-3528
(202) 393-1012

E MAIL
mail@browdyneimark.com

PATENT AGENT
ALLEN C. YUN, PH.D.

ALVIN BROWDY (1917-1998)
SHERIDAN NEIMARK
ROGER L. BROWDY

ANNE M. KORNBAU
NORMAN J. LATKER
NICK BROMER*
(*PA BAR ONLY)

OF COUNSEL
IVER P. COOPER

January 10, 2000

Hon. Commissioner of Patents
and Trademarks
Washington, DC 20231

RE: New Divisional Patent Application in U.S.
Applicant(s): Takanori OKURA et al.
Title: GENOMIC DNA ENCODING A POLYPEPTIDE CAPABLE OF INDUCING THE PRODUCTION OF INTERFERON-γ
Atty's Docket: OKURA=1A

Sir:

Attached herewith is the above-identified application for Letters Patent including:

[X] Specification (29 pages), claims (4 pages) and abstract (1 page)
[X] 1 Sheet Drawings (Figure 1)
[X] Formal [ ] Informal
[X] Declaration and Power of Attorney (pages)
[ ] Newly executed [X] Copy from prior application no. 08/884,324
[X] Preliminary Amendment
[ ] Computer-readable Sequence Listing
[ ] Supplemental Preliminary Amendment
[ ] Information Disclosure Statement with ( ) references
[ ] A verified statement to establish small entity status under 37 CFR §1.9 and 37 CFR §1.27 (page(s))
[X] A check in the amount of $ 760.00 (check no. 24556) to cover:
[X] The filing fee calculated as follows (including any preliminary amendment for entry prior to calculation of the filing fee):

CLAIMS AS FILED				
FOR	NUMBER FILED	NUMBER EXTRA	RATE	BASIC FEE $ 760.00
TOTAL CLAIMS	17 - 20	= 0	x 18	--
INDEPENDENT CLAIMS	3 - 3	= 0	x 78	--
[ ] Multiple Dependent Claim Presented			x260	--
[ ] Reduction of ½ for small entity				-$
		TOTAL FILING FEE		$ 760.00

[ ] Any additional fee required by the filing of an enclosed preliminary or supplemental preliminary amendment (for entry after calculation of the filing fee) has been calculated as shown below:

	CLAIMS REMAINING AFTER AMENDMENT	HIGHEST NO. PREVIOUSLY PAID FOR	PRESENT EXTRA	RATE	CALCULATION
TOTAL		-	=	X $18.00	$
INDEP		-	=	x 78.00	$
[ ] Multiple Dependent Claim Presented				x $260.00	$
Total of Above Calculations =					$
Reduction by ½ for filing by small entity					-$
Total Additional Fee =					$

[ ] Other Fees: _____.
[ ] Other Attachments: _____.
[X] Return Receipt Postcard (in duplicate)

The following statements are applicable:

[X] The benefit under 35 U.S.C. §119 is claimed of the filing date of: Application No. 185305/1996 in Japan on 27 June 1996. A certified copy of said priority document [ ] is attached [X] was filed in progenitor case 08/884,324 on October 6, 1997.

[X] The present application is a [ ] Continuation [X] Division [ ] Continuation-in-part of prior application No. 08/884,324.

[X] Incorporation By Reference. The entire disclosure of the prior application, from which a copy of the oath or declaration is supplied herewith, is considered as being part of the disclosure of the accompanying application and is hereby incorporated by reference therein.

[ ] A signed statement deleting inventor(s) named in the prior application is attached.

[X] The prior application was assigned to: KABUSHIKI KAISHA HAYASHIBARA SEIBUTSU SAGAKU KENKYUJO, 2-3, 1-chome, Shimoishii, Okayama-shi, Okayama, Japan.

[ ] Amend the specification by inserting before the first line the sentence: --This is a ___ continuation ___ division of copending parent application Serial No. , filed _____.--

[X] Certain documents were previously cited or submitted to the Patent and Trademark Office in the following prior application 08/884,324, which is relied upon under 35 U.S.C. §120. Applicants identify these documents by attaching hereto a form PTO-1449 listing these documents, and request that they be considered and made of record in accordance with 37 CFR §1.98(d). Per Section 1.98(d), copies of these documents need not be filed in this application.

[ ] A verified statement claiming small entity status is enclosed in progenitor application no._____ , filed _____. Status is still proper and desired.

[X] The paper copy of the Sequence Listing in this application is identical to the computer-readable copy of the Sequence Listing filed June 27, 1997, in application no. 08/884,324. In accordance with 37 CFR §1.821(e), please use the last-filed computer readable form filed in that application as the computer readable form for the instant application. It is understood that the Patent and Trademark Office will make the necessary change in application number and filing date for the instant application. A paper copy of the Sequence Listing is included in the originally-filed specification of the instant application (or included in a separately filed preliminary amendment for incorporation into the specification).

[ ] The undersigned attorney of record hereby revokes the powers of attorney of:

[ ] The undersigned attorney of record hereby appoints associate power of attorney, to prosecute this application and to transact all business in the Patent and Trademark Office in connection therewith to:

[X] The Commissioner is hereby authorized to charge payment of the following additional fees associated with this communication or credit any overpayments to Deposit Account No. 02-4035:
- [X] Any additional filing fees required under 37 CFR §1.16.
- [X] Any patent application processing fees under 37 CFR §1.17.

[X] The Commissioner is hereby authorized to charge payment of the following fees, based on any paper filed during the pendency of this application or any CPA thereof, to effect any amendment, petition, or other action requested in said paper or credit any overpayments to Deposit Account No. 02-4035:
- [X] Any patent application processing fees under 37 CFR §1.17.
- [ ] The issue fee set in 37 CFR §1.18 at or before mailing the Notice of Allowance, pursuant to 37 CFR §1.311(b).
- [X] Any filing fees under 37 CFR §1.16 for presentation of extra claims.
- [X] If a paper is untimely filed in this or any CPA thereof by Applicant(s), the Commissioner is hereby petitioned under 37 CFR §1.136(a) for the minimum extension of time required to make said paper timely. In the event a petition for extension of time is made under the provisions of this paragraph, the Commissioner is hereby requested to charge any fee required under 37 CFR §1.17 to Deposit Account 02-4035.

[X] The Commissioner is hereby authorized to credit any overpayment of fees accompanying this paper to Deposit Account No. 02-4035.

Respectfully submitted,
BROWDY AND NEIMARK, P.L.L.C.

By: _____
Allen C. Yun
Registration No. 37,971

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

ATTY.'S DOCKET: OKURA=1A

In re Application of:	)	Art Unit:
	)	
Takanori OKURA et al.	)	Examiner:
	)	
Serial No.: NOT YET ASSIGNED (Divisional of 08/884,324)	)	Washington, D.C.
	)	
Filed: ON EVEN DATE HEREWITH	)	January 10, 2000
	)	
For: GENOMIC DNA ENCODING A POLYPEPTIDE CAPABLE OF...	)	

PRELIMINARY AMENDMENT

Honorable Commissioner of Patents and Trademarks
Washington, D.C. 20231

Sir:

Contemporaneous with the filing of this case and prior to calculation of a filing fee and examination on the merits, kindly amend as follows:

IN THE SPECIFICATION

Page 1, after the title and before "Background of the Invention", insert -- CROSS-REFERENCE TO RELATED APPLICATIONS

This is a divisional of copending parent application serial no. 08/884,324, filed June 27, 1997.--

Page 12, line 24, after "ggc-3'", insert --(SEQ ID NO:16)--; and

line 26, after "tgc-3'", insert --(SEQ ID NO:17)--.

Page 13, line 13, after "ggt-3'", insert --(SEQ ID NO:18)--; and

line 15, after "tgc-3'", insert --(SEQ ID NO:19)--.

Page 14, line 16, after "tcc-3'", insert --(SEQ ID NO:20)--; and

line 25, after "cac-3'", insert --(SEQ ID NO:21)--.

Page 15, line 14, after "cgg-3'", insert --(SEQ ID NO:22)--; and

line 18, after "ttg-3'", insert --(SEQ ID NO:23)--.

Page 16, line 12, after "tgc-3'", insert --(SEQ ID NO:24)--; and

line 16, after "-3'", insert --(SEQ ID NO:25)--.

Page 17, line 4, after "atc-3'", insert --(SEQ ID NO:26)--;

line 8, after "ttg-3'", insert --(SEQ ID NO:27)--;

line 22, after "ctc-3'", insert --(SEQ ID NO:28)--; and

line 26, after "ttg-3'", insert --(SEQ ID NO:29)--.

Page 18, line 11, after "tcc-3'", insert --(SEQ ID NO:30)--; and

line 20, after "tac-3'", insert

--(SEQ ID NO:31)--.

Page 19, line 11, change eukalyotic" to read --eukaryotic--;

line 25, delete "Patent Kokai No. 193,098/96", and insert therefor --patent application--.

Page 20, line 15, after "gta-3'", insert --(SEQ ID NO:32)--; and

line 18, after "ttg-3'", insert --(SEQ ID NO:33)--.

Page 21, line 5, after "-3'", insert --(SEQ ID NO:34)--; and

line 8, after "atc-3'", insert --(SEQ ID NO:35)--.

Page 22, line 19, change "abut" to read --about--.

Page 26, line 20, delete "or without"; and

line 21, delete "or 50 units/ml recombinant human interleukin 2".

Page 27, lines 17-18 from the bottom, delete "The IFN-γ production is enhanced in combination with concanavalin A or interleukin 2 as a cofactor."

REMARKS

The amendments to the specification are made to provide consistency with the specification as amended in the parent application.

Division of 08/884,324

Favorable consideration is respectfully solicited.

Respectfully submitted,

BROWDY AND NEIMARK, P.L.L.C.
Attorneys for Applicant(s)

By: 
Allen C. Yun
Registration No. 37,971

ACY:pr

624 Ninth Street, N.W.
Suite 300
Washington, D.C. 20001
Facsimile: (202) 737-3528
Telephone: (202) 628-5197

f:\AMK.pr\amd\okura1A.wpd

Genomic DNA encoding a polypeptide capable of inducing the production of interferon-γ

Background of the Invention

Field of the Invention

The present invention relates to a genomic DNA, more particularly, a genomic DNA encoding a polypeptide capable of inducing the production of interferon-γ (hereinafter abbreviated as "IFN-γ") by immunocompetent cells.

Description of the Prior Art

The present inventors successfully isolated a polypeptide capable of inducing the production of IFN-γ by immunocompetent cells and cloned a cDNA encoding the polypeptide, which is disclosed in Japanese Patent Kokai No.27,189/96 and 193,098/96. Because the present polypeptide possesses the properties of enhancing killer cells' cytotoxicity and inducing killer cells' formation as well as inducing IFN-γ, a useful biologically active protein, it is expected to be widely used as an agent for viral diseases, microbial diseases, tumors and/or immunopathies, etc.

It is said that a polypeptide generated by a gene expression may be partially cleaved and/or glycosylated by processing with intracellular enzymes in human cells. A polypeptide to be used in therapeutic agents should be preferably processed similarly as in human cells, whereas human cell lines generally have a disadvantage of less producing the present polypeptide, as described in Japanese Patent Application No.269,105/96. Therefore, recombinant DNA techniques should be

applied to obtain the present polypeptide in a desired amount. To produce the polypeptide processed similarly as in human cells using recombinant DNA techniques, mammalian cells should be used as the hosts.

Summary of the Invention

In view of foregoing, the first object of the present invention is to provide a DNA which efficiently expresses the polypeptide production when introduced into a mammalian host cell.

The second object of the present invention is to provide a transformant into which the DNA is introduced.

The third object of the present invention is to provide a process for preparing a polypeptide, using the transformant.

[Means to Attain the Object]

The present inventors' energetic studies to attain the above objects succeeded in the finding that a genomic DNA encoding the present polypeptide efficiently expresses the polypeptide production when introduced into mammalian host cells. They found that the polypeptide thus obtained possessed significantly higher biological activities than that obtained by expressing a cDNA encoding the polypeptide in *Escherichia coli*.

The first object of the present invention is attained by a genomic DNA encoding a polypeptide with the amino acid sequence of SEQ ID NO:1 (where the symbol "Xaa" means "isoleucine" or "threonine") or its homologous one, which

induces interferon-γ production by immunocompetent cells.

The second object of the present invention is attained by a transformant formed by introducing the genomic DNA into a mammalian host cell.

The third object of the present invention is attained by a process for preparing a polypeptide, which comprises (a) culturing the transformant in a nutrient medium, and (b) collecting the polypeptide from the resultant culture.

Brief Explanation of the Accompanying Drawings

FIG.1 is a restriction map of a recombinant DNA containing a genomic DNA according to the present invention.

Explanation of the symbols are as follows: The symbol "*Hin* dIII" indicates a cleavage site by a restriction enzyme *Hin* dIII, and the symbol "HuIGIF" indicates a genomic DNA according to the present invention.

Detailed Description of the Invention

The followings are the preferred embodiments according to the present invention. This invention is made based on the identification of a genomic DNA encoding the polypeptide with the amino acid sequence of SEQ ID NO:1 or its homologous one, and the finding that the genomic DNA efficiently expresses the polypeptide with high biological activities when introduced into mammalian host cells. The genomic DNA of the present invention usually contains two or more exons, at least one of which possesses a part of or the whole of the nucleotide sequence of

SEQ ID NO:2. The wording "a part" includes a nucleotide and a sequential nucleotides consisting of two or more nucleotides in SEQ ID NO:2. Examples of the exons are SEQ ID NOs:3 and 4. Human genomic DNA may contain additional exons with SEQ ID NOs:5 to 7. Since the present genomic DNA is derived from a mammalian genomic DNA, it contains introns, as a distinctive feature in mammalian genomic DNAs. The present genomic DNA usually has two or more introns such as SEQ ID NOs:8 to 12.

More particular examples of the present genomic DNA include DNAs with SEQ ID NOs:13 and 14 or complementary sequences thereunto. The DNAs with SEQ ID NOs:13 and 14 are substantially the same. The DNA with SEQ ID NO:14 contains coding regions for a leader peptide, consisting of the nucleotides 15,607th-15,685th, 17,057th-17,068th and 20,452nd-20,468th, coding regions for the present polypeptide, consisting of the nucleotides 20,469th-20,586th, 21,921st-22,054th and 26,828th-27,046th, and regions as introns, consisting of the nucleotides 15,686th-17,056th, 17,069-20,451st, 20,587th-21,920th and 22,055th-26,827th. The genomic DNA with SEQ ID NO:13 is suitable for expressing the polypeptide in mammalian host cells.

Generally in this field, when artificially expressing a DNA encoding a polypeptide in a host, one or more nucleotides in a DNA may be replaced by different ones, and appropriate promoter(s) and/or enhancer(s) may be linked to the DNA to improve the expressing efficiency or the properties of the expressed polypeptide. The present genomic DNA can be altered similarly as above. Therefore, as far as not substantially changing in the biological activities of the expressed

polypeptides, the present genomic DNA should include DNAs encoding functional equivalents of the polypeptide, formed as follows: One or more nucleotides in SEQ ID NOs:3 to 14 are replaced by different ones, the untranslated regions and/or the coding region for a leader peptide in the 5'- and/or 3'-termini of SEQ ID NOs:3, 4, 5, 6, 7, 13 and 14 are deleted, and appropriate oligonucleotides are linked to either or both ends of SEQ ID NO:13.

The present genomic DNA includes general DNAs which are derived from a genome containing the nucleotide sequences as above, and it is not restricted to its sources or origins as far as it is once isolated from its original organisms. For example, the present genomic DNA can be obtained by chemically synthesizing based on SEQ ID NOs:2 to 14, or by isolating from a human genomic DNA. The isolation of the present genomic DNA from such a human genomic DNA comprises (a) isolating a genomic DNA from human cells by conventional methods, (b) screening the genomic DNA with probes or primers, which are chemically synthesized oligonucleotides with a part of or the whole of the nucleotide sequence of SEQ ID NO:2, and (c) collecting a DNA to which the probes or primers specifically hybridize. Once the present genomic DNA is obtained, it can be unlimitedly replicated by constructing a recombinant DNA with an autonomously replicable vector by conventional method and then introducing the recombinant DNA into an appropriate host such as a microorganism or an animal cell before culturing the transformant or by applying a PCR method.

The present genomic DNA is very useful in producing the polypeptide by recombinant DNA techniques since it

efficiently expresses the polypeptide with high biological activities when introduced into mammalian host cells. The present invention further provides a process for preparing a polypeptide using a specific genomic DNA, comprising the steps of (a) culturing a transformant formed by introducing the present genomic DNA into mammalian host cells, and (b) collecting the polypeptide which induces IFN-γ production by immunocompetent cells from the resultant culture.

The following explains the process for preparing the polypeptide according to the present invention. The present genomic DNA is usually introduced into host cells in the form of a recombinant DNA. The recombinant DNA, comprising the present genomic DNA and an autonomously replicable vector, can be relatively easily prepared by conventional recombinant DNA techniques when the genomic DNA is available. The vectors, into which the present genomic DNA can be inserted, include plasmid vectors such as pcD, pcDL-SRα, pKY4, pCDM8, pCEV4 and pME18S. The autonomously replicable vectors usually further contain appropriate nucleotide sequences for the expression of the present recombinant DNA in each host cell, which include sequences for promoters, enhancers, replication origins, transcription termination sites, splicing sequences and/or selective markers. Heat shock protein promoters or IFN-α promoters, as disclosed in Japanese Patent Kokai No.163,368/95 by the same applicant of this invention, enables to artificially regulate the present genomic DNA expression by external stimuli.

To insert the present genomic DNA into vectors, conventional methods used in this field can be arbitrarily used: Genes containing the present genomic DNA and autonomously

replicable vectors are cleaved with restriction enzymes and/or ultrasonic, and the resultant DNA fragments and the resultant vector fragments are ligated. To cleave genes and vectors by restriction enzymes, which specifically act on nucleotides, more particularly, *Acc*I, *Bam*HI, *Bgl*II, *Bst*XI, *Eco*RI, *Hind*III, *Not*I, *Pst*I, *Sac*I, *Sal*I, *Sma*I, *Spe*I, *Xba*I, *Xho*I, etc., facilitate the ligation of the DNA fragments and the vector fragments. To ligate the DNA fragments and the vector fragments, they are, if necessary, first annealed, then treated with a DNA ligase *in vivo* or *in vitro*. The recombinant DNAs thus obtained can be unlimitedly replicated in hosts derived from microorganisms or animals.

Any cells conventionally used as hosts in this field can be used as the host cells: Examples of such are epithelial, interstitial and hemopoietic cells, derived from human, monkey, mouse and hamster, more particularly, 3T3 cells, C127 cells, CHO cells, CV-1 cells, COS cells, HeLa cells, MOP cells and their mutants. Cells which inherently produce the present polypeptide also can be used as the host cells: Example of such are human hemopoietic cells such as lymphoblasts, lymphocytes, monoblasts, monocytes, myeloblasts, myelocytes, granulocytes and macrophages, and human epithelial and interstitial cells derived from solid tumors such as pulmonary carcinoma, large bowel cancer and colon cancer. More particular examples of the latter hemopoietic cells are leukemia cell lines such as HBL-38 cells, HL-60 cells ATCC CCL240, K-562 cells ATCC CCL243, KG-1 cells ATCC CCL246, Mo cells ATCC CRL8066, THP-1 cells ATCC TIB202, U-937 cells ATCC CRL1593.2, described by J. Minowada et al. in

"*Cancer Research*", Vol.10, pp.1-18 (1988), derived from leukemias or lymphoma including myelogenous leukemias, promyelocytic leukemias, monocytic leukemias, adult T-cell leukemias and hairy cell leukemias, and their mutants. The present polypeptide-processibility of these leukemia cell lines and their mutants is so distinguished that they can easily yield the polypeptide with higher biological activities when used as hosts.

To introduce the present DNA into the hosts, conventional methods such as DEAE-dextran method, calcium phosphate transfection method, electroporation method, lipofection method, microinjection method, and viral infection method as using retrovirus, adenovirus, herpesvirus and vaccinia virus, can be used. The polypeptide-producing clones in the transformants can be selected by applying the colony hybridization method or by observing the polypeptide production after culturing the transformants in culture media. For example, the recombinant DNA techniques using mammalian cells as hosts are detailed in "*Jikken-Igaku-Bessatsu Saibo-Kogaku Handbook* (The handbook for the cell engineering)" (1992), edited by Toshio KUROKI, Masaru TANIGUCHI and Mitsuo OSHIMURA, published by YODOSHA. CO., LTD., Tokyo, Japan, and "*Jikken-Igaku-Bessatsu Biomanual Series 3 Idenshi Cloning Jikken-Ho* (The experimental methods for the gene cloning)" (1993), edited by Takahi YOKOTA and Ken-ichi ARAI, published by YODOSHA CO., LTD., Tokyo, Japan.

The transformants thus obtained secrete the present polypeptide intracellularly and/or extracellularly when cultured

in culture media. As the culture media, conventional ones used for mammalian cells can be used. The culture media generally comprise (a) buffers as a base, (b) inorganic ions such as sodium ion, potassium ion, calcium ion, phosphoric ion and chloric ion, (c) micronutrients, carbon sources, nitrogen sources, amino acids and vitamins, which are added depending on the metabolic ability of the cells, and (d) sera, hormones, cell growth factors and cell adhesion factors, which are added if necessary. Examples of individual media include 199 medium, DMEM medium, Ham's F12 medium, IMDM medium, MCDB 104 medium, MCDB 153 medium, MEM medium, RD medium, RITC 80-7 medium, RPMI-1630 medium, RPMI-1640 medium and WAJC 404 medium. The cultures containing the present polypeptide are obtainable by inoculating the transformants into the culture media to give a cell density of 1×10^4 - 1×10^7 cells/ml, more preferably, 1×10^5 - 1×10^6 cells/ml, and then subjecting to suspension- or monolayer-cultures at about 37°C for 1-7 days, more preferably, 2-4 days, while appropriately replacing the culture media with a fresh preparation of the culture media. The cultures thus obtained usually contain the present polypeptide in a concentration of about 1-100 μg/ml, which may vary depending on the types of the transformants or the culture conditions used.

While the cultures thus obtained can be used intact as an IFN-γ inducer, they are usually subjected to a step for separating the present polypeptide from the cells or the cell debris using filtration, centrifugation, etc. before use, which may follow a step for disrupting the cells with supersonication, cell-lytic enzymes and/or detergents if desired, and to a step for purifying the polypeptide. The cultures from which the

cells or cell debris are removed are usually subjected to conventional methods used in this field for purifying biologically active polypeptides, such as salting-out, dialysis, filtration, concentration, separatory sedimentation, ion-exchange chromatography, gel filtration chromatography, adsorption chromatography, chromatofocusing, hydrophobic chromatography, reversed phase chromatography, affinity chromatography, gel electrophoresis and/or isoelectric focusing. The resultant purified polypeptide can be concentrated and/or lyophilized into liquids or solids depending on final uses. The monoclonal antibodies disclosed in Japanese Patent Kokai No.231,598/96 by the same applicant of this invention are extremely useful to purify the present polypeptide. Immunoaffinity chromatography using monoclonal antibodies yields the present polypeptide in a relatively high purity at the lowest costs and labors.

The polypeptide obtainable by the process according to the present invention exerts strong effects in the treatment and/or the prevention for IFN-γ- and/or killer cell-susceptive diseases since it possesses the properties of enhancing killer cells' cytotoxicity and inducing killer cells' formation as well as inducing IFN-γ, a useful biologically active protein, as described above. The polypeptide according to the present invention has a high activity of inducing IFN-γ, and this enables a desired amount of IFN-γ production with only a small amount. The polypeptide is so low toxic that it scarcely causes serious side effects even when administered in a relatively-high dose. Therefore, the polypeptide has an advantage that it can readily induce IFN-γ in a desired amount without strictly

controlling the dosage. The uses as agents for susceptive diseases are detailed in Japanese Patent Application No.28,722/96 by the same applicant of this invention.

The present genomic DNA is also useful for so-called "gene therapy". According to conventional gene therapy, the present DNA can be introduced into patients with IFN-γ- and/or killer cell-susceptive diseases by directly injecting after the DNA is inserted into vectors derived from viruses such as retrovirus, adenovirus and adeno-associated virus or is incorporated into cationic- or membrane fusible-liposomes, or by self-transplanting lymphocytes which are collected from patients before the DNA is introduced. In adoptive immunotherapy with gene therapy, the present DNA is introduced into effector cells similarly as in conventional gene therapy. This can enhance the cytotoxicity of the effector cells to tumor cells, resulting in improvement of the adoptive immunotherapy. In tumor vaccine therapy with gene therapy, tumor cells from patients, into which the present genomic DNA is introduced similarly as in conventional gene therapy, are self-transplanted after proliferated *ex vivo* up to give a desired cell number. The transplanted tumor cells act as vaccines in the patients to exert a strong antitumor immunity specifically to antigens. Thus, the present genomic DNA exhibits considerable effects in gene therapy for diseases including viral diseases, microbial diseases, malignant tumors and immunopathies. The general procedures for gene therapy are detailed in "*Jikken-Igaku-Bessatsu Biomanual UP Series Idenshichiryo-no-Kisogijutsu* (Basic techniques for the gene therapy)" (1996), edited by Takashi

ODAJIMA, Izumi SAITO and Keiya OZAWA, published by YODOSHA CO., LTD., Tokyo, Japan.

The following examples explain the present invention, and the techniques used therein are conventional ones used in this field: For example, the techniques are described in "*Jikken-Igaku-Bessatsu Saibo-Kogaku Handbook* (The handbook for the cell engineering)", (1992), edited by Toshio KUROKI, Masaru TANIGUCHI and Mitsuo OSHIMURA, published by YODOSHA CO., LTD., Tokyo, Japan, and "*Jikken-Igaku-Bessatsu Biomanual Series 3 Idenshi Clonong Jikken-Ho* (The experimental methods for the gene cloning)" (1993), edited by Takahi YOKOTA and Ken-ichi ARAI, published by YODOSHA CO., LTD., Tokyo, Japan.

Example 1

Cloning genomic DNA and determination of nucleotide sequence

Example 1-1

Determination of partial nucleotide sequence

Five ng of "PromoterFinder™ DNA PvuII LIBRARY", a human placental genomic DNA library commercialized by CLONTECH Laboratories, Inc., California, USA, 5 µl of 10 x Tth PCR reaction solution, 2.2 µl of 25 mM magnesium acetate, 4 µl of 2.5 mM dNTP-mixed solution, one µl of the mixed solution of 2 unit/µl rTth DNA polymerase XL and 2.2 µg/µl Tth Start Antibody in a ratio of 4:1 by volume, 10 pmol of an oligonucleotide with the nucleotide sequence of 5'-CCATCCTAATACGACTCACTATAGGGC-3' as an adaptor primer, and 10 pmol of an oligonucleotide with the nucleotide sequence of 5'-TTCCTCTTCCCGAAGCTGTGTAGACTGC-3' as an anti-sense primer, which was chemically synthesized based on the sequence of the nucleotides 88th-115th in SEQ ID NO:2, were

mixed and volumed up to 50 µl with sterilized distilled water. After incubating at 94°C for one min, the mixture was subjected to 7 cycles of incubations at 94°C for 25 sec and at 72°C for 4 min, followed by 32 cycles of incubations at 94°C for 25 sec at 67°C for 4 min to perform PCR.

The reaction mixture was diluted by 100 folds with sterilized distilled water. One µl of the dilution, 5 µl of 10 x Tth PCR reaction solution, 2.2 µl of 25 mM magnesium acetate, 4 µl of 2.5 mM dNTP-mixed solution, one µl of the mixed solution of 2 unit/µl rTth DNA polymerase XL and 2.2 µg/µl Tth Start Antibody in a ratio of 4:1 by volume, 10 pmol of an oligonucleotide with the nucleotide sequence of 5'-CTATAGGGCACGCGTGGT-3' as a nested primer, and 10 pmol of an oligonucleotide with the nucleotide sequence of 5'-TTCCTCTTCCCGAAGCTGTGTAGACTGC-3' as an anti-sense primer, which was chemically synthesized similarly as above, were mixed and volumed up to 50 µl with sterilized distilled water. After incubating at 94°C for one min, the mixture was subjected to 5 cycles of incubations at 94°C for 25 sec and at 72°C for 4 min, followed by 22 cycles of incubations at 94°C for 25 sec and at 67°C for 4 min to perform PCR for amplifying a DNA fragment of the present genomic DNA. The genomic DNA library and reagents for PCR used above were mainly from "PromoterFinder™ DNA WALKING KITS", commercialized by CLONTECH Laboratories, Inc., California, USA

An adequate amount of the PCR product thus obtained was mixed with 50 ng of "pT7 Blue(R)", a plasmid vector commercialized by Novagen, Inc., WI, USA, and an adequate amount of T4 DNA ligase, and 100 mM ATP was added to give a final

concentration of one mM, followed by incubating at 16°C for 18 hr to insert the DNA fragment into the plasmid vector. The obtained recombinant DNA was introduced into an *Escherichia coli* JM109 strain by the competent cell method to form a transformant, which was then inoculated into L-broth medium (pH 7.2) containing 50 µg/ml ampicillin and cultured at 37°C for 18 hr. The cells were isolated from the resulting culture, and then subjected to the conventional alkali-SDS method to collect a recombinant DNA. The dideoxy method analysis confirmed that the recombinant DNA contained the DNA fragment with a sequence of the nucleotides 5,150th-6,709th in SEQ ID NO:14.

Example 1-2

Determination of partial nucleotide sequence

PCR was performed in the same conditions as the first PCR in Example 1-1, but an oligonucleotide with the nucleotide sequence of 5'-GTAAGTTTTCACCTTCCAACTGTAGAGTCC-3', which was chemically synthesized based on the nucleotide sequence of the DNA fragment in Example 1-1, was used as an anti-sense primer.

The reaction mixture was diluted by 100 folds with sterilized distilled water. One µl of the dilution was placed into a reaction tube, and PCR was performed in the same conditions as used in the second PCR in Example 1-1 to amplify another DNA fragment of the present genomic DNA, but an oligonucleotide with the nucleotide sequence of 5'-GGGATCAAGTAGTGATCAGAAGCAGCACAC-3', which was chemically synthesized based on the nucleotide sequence of the DNA fragment in Example 1-1, was used as an anti-sense primer.

The DNA fragment was inserted into the plasmid vector similarly as in Example 1-1 to obtain a recombinant DNA. The

recombinant DNA was replicated in *Escherichia coli* before being collected. The analysis of the collected recombinant DNA confirmed that it contained the DNA fragment with a sequence of the nucleotides 1st-5,228th in SEQ ID NO:14.

Example 1-3

Determination of partial nucleotide sequence

0.5 µg of a human placental genomic DNA, commercialized by CLONTECH Laboratories, Inc., California, USA, 5 µl of 10 x PCR reaction solution, 8 µl of 2.5 mM dNTP-mixed solution, one µl of the mixed solution of 5 unit/µl "TAKARA LA Taq POLYMERASE" and 1.1 µg/µl "TaqStart ANTIBODY" in a ratio of 1:1 by volume, both of them are commercialized by Takara Syuzo Co., Tokyo, Japan, 10 pmol of an oligonucleotide with the nucleotide sequence of 5'-CCTGGCTGCCAACTCTGGCTGCTAAAGCGG-3' as a sense primer, chemically synthesized based on a sequence of the nucleotides 46th-75th in SEQ ID NO:2, and 10 pmol of an oligonucleotide with the nucleotide sequence of 5'-GTATTGTCAATAAATTTCATTGCCACAAAGTTG-3' as an anti-sense primer, chemically synthesized based on a sequence of the nucleotides 210th-242nd in SEQ ID NO:2, were mixed and volumed up to 50 µl with sterilized distilled water. After incubating at 94°C for one min, the mixture was subjected to 5 cycles of incubations at 98°C for 20 sec and at 68°C for 10 min, followed by 25 cycles of incubations at 98°C for 20 sec and 68°C for 10 min, with adding 5 sec in times to every cycle, and finally incubated at 72°C for 10 min to amplify further DNA fragment of the present genomic DNA. The reagents for PCR used above were mainly from "TAKARA LA PCR KIT VERSION 2", commercialized by Takara Syuzo Co., Tokyo, Japan.

The DNA fragment was inserted into the plasmid vector similarly as in Example 1-1 to obtain a recombinant DNA. The recombinant DNA was replicated in *Escherichia coli* before being collected. The analysis of the collected recombinant DNA confirmed that it contained the DNA fragment with a sequence of the nucleotides 6,640th-15,671st in SEQ ID NO:14.

Experiment 1-4

Determination of partial nucleotide sequence

PCR was performed in the same conditions as the PCR in Example 1-3 to amplify further another DNA fragment of the present genomic DNA; but an oligonucleotide with the nucleotide sequence of 5'-AAGATGGCTGCTGAACCAGTAGAAGACAATTGC-3', chemically synthesized based on a sequence of the nucleotide 175th-207th in SEQ ID NO:2, was used as a sense primer, an oligonucleotide with the nucleotide sequence of 5'-TCCTTGGTCAATGAAGAGAACTTGGTC-3', chemically synthesized based on a sequence of nucleotides 334th-360th in the SEQ ID NO:2, was used as an anti-sense primer, and after incubating at 98°C for 20 sec, the reaction mixture was subjected to 30 cycles of incubations at 98°C for 20 sec and at 68°C for 3 min, followed by incubating at 72°C for 10 min.

The DNA fragment was inserted into the plasmid vector similarly as in Example 1-1 to obtain a recombinant DNA. The recombinant DNA was replicated in *Escherichia coli* before being collected. The analysis of the collected recombinant DNA confirmed that it contained the DNA fragment with a sequence of the nucleotides 15,604th-20,543rd in SEQ ID NO:14.

Example 1-5

Determination of partial nucleotide sequence

PCR was performed in the same conditions as the PCR in Example 1-4 to amplify further another DNA fragment of the present genomic DNA, but an oligonucleotide with the nucleotide sequence of 5'-CCTGGAATCAGATTACTTTGGCAAGCTTGAATC-3', chemically synthesized based on the sequence of the nucleotide 273rd-305th in SEQ ID NO:2, was used as a sense primer, and an oligonucleotide with the nucleotide sequence of 5'-GGAAATAATTTTGTTCTCACAGGAGAGAGTTG-3', chemically synthesized based on the sequence of nucleotides 500th-531st in the SEQ ID NO:2, was used as an anti-sense primer.

The DNA fragment was inserted into the plasmid vector similarly as in Example 1-1 to obtain a recombinant DNA. The recombinant DNA was replicated in *Escherichia coli* before being collected. The analysis of the collected recombinant DNA confirmed that it contained the DNA fragment with a sequence of the nucleotides 20,456th-22,048th in SEQ ID NO:14.

Example 1-6

Determination of partial nucleotide sequence

PCR was performed in the same conditions as the PCR in Example 1-4 to amplify further another DNA fragment of the present genomic DNA, but an oligonucleotide with the nucleotide sequence of 5'-GCCAGCCTAGAGGTATGGCTGTAACTATCTC-3', chemically synthesized based on the sequence of the nucleotide 449th-479th in SEQ ID NO:2, was used as a sense primer, and an oligonucleotide with the nucleotide sequence of 5'-GGCATGAAATTTTAATAGCTAGTCTTCGTTTTG-3', chemically synthesized based on the sequence of nucleotides 745th-777th in the SEQ ID NO:2, was used as an anti-sense primer.

The DNA fragment was inserted into the plasmid vector

similarly as in Example 1-1 to obtain a recombinant DNA. The recombinant DNA was replicated in *Escherichia coli* before being collected. The analysis of the collected recombinant DNA confirmed that it contained the DNA fragment with a sequence of the nucleotides 21,996th-27,067th in SEQ ID NO:14.

Example 1-7

Determination of partial nucleotide sequence

PCR was performed in the same conditions as the first PCR in Example 1-2 to amplify further another DNA fragment in the present genomic DNA, but an oligonucleotide with the nucleotide sequence of 5'-GTGACATCATATTCTTTCAGAGAAGTGTCC-3', chemically synthesized based on the sequence of the nucleotide 575th-604th in SEQ ID NO:2, was used as a sense primer.

The reaction mixture was diluted by 100 folds with sterilized distilled water. One μl of the dilution was placed into a reaction tube, and PCR was performed in the same conditions as the second PCR in Example 1-2 to amplify further another DNA fragment of the present genomic DNA, but an oligonucleotide with the sequence of 5'-GCAATTTGAATCTTCATCATACGAAGGATAC-3', chemically synthesized based on a sequence of the nucleotides 624th-654th in SEQ ID NO:2, was used as a sense primer.

The DNA fragment was inserted into the plasmid vector similarly as in Example 1-1 to obtain a recombinant DNA. The recombinant DNA was replicated in *Escherichia coli* before being collected. The analysis of the collected recombinant DNA confirmed that it contained the DNA fragment with a sequence of the nucleotides 26,914th-28,994th in SEQ ID NO:14.

Example 1-8

Determination of complete nucleotide sequence

Comparing the nucleotide sequence of SEQ ID NO:2, which was proved to encode the present polypeptide, as disclosed in Japanese Patent Kokai No.193,098/96 by the same applicant of this invention, with the partial nucleotide sequences identified in Examples 1-1 to 1-7, it was proved that the present genomic DNA contained the nucleotide sequence of SEQ ID NO:14. SEQ ID NO:14, consisting of 28,994 base pairs (bp), was extremely longer than the SEQ ID NO:2, consisting of only 471 bp. This suggested that SEQ ID NO:14 contained introns, a characteristic of eukalyotic cells.

It was examined where partial nucleotide sequences of SEQ ID NO:2, i.e., exons, and the donor and acceptor sites in introns, respectively consisting of the nucleotides of GT and AG, located in SEQ ID NO:14. Consequently, it was proved that SEQ ID NO:14 contained at least 5 introns, which located in the order of SEQ ID NOs:10, 11, 12, 8 and 9 in the direction from the 5'- to the 3'-termini. Therefore, the sequences between the neighboring introns must be exons, which were thought to be located in the order of SEQ ID NOs:5, 6, 3, 4 and 7 in the direction from the 5'- to the 3'-termini. It was also proved that SEQ ID NO:7 contained the 3'-untranslated region other than the exons. The features of the sequence elucidated as this are arranged in SEQ ID NO:14.

As disclosed in Japanese Patent Kokai No.193,098/96 by the same applicant of this invention, the present polypeptide is produced as a polypeptide with N-terminal amino acid of tyrosine other than methionine in human cells, which is observed in SEQ ID NO:1. This suggests that the present genomic DNA

contains a leader peptide region in the upstream of the 5'-terminus of the present polypeptide-encoding region. A sequence consisting of 36 amino acids encoded by the upstream of the nucleotides 20,469th-20,471st. which is the nucleotides of TAC, are described as a leader peptide in SEQ ID NO:14.

Example 2

Preparation of recombinant DNA pBGHuGF for expression

0.06 ng of the DNA fragment in Example 1-4 in a concentration of 3 ng/50 µl, 0.02 ng of the DNA fragment, obtained by the methods in Example 1-5, 5 µl of 10 x LA PCR reaction solution, 8 µl of 2.5 mM dNTP-mixed solution, one µl of the mixed solution of 5 unit/µl TAKARA LA Taq polymerase and 1.1 µg/µl TaqStart Antibody in a ratio of 1:1 by volume, 10 pmol of an oligonucleotide with the sequence of 5'-TCCGAAGCTTAAGATGGCTGCTGAACCAGTA-3' as a sense primer, chemically synthesized based on the nucleotide sequence of the DNA fragment in Example 1-4, and 10 pmol of an oligonucleotide with the nucleotide sequence of 5'-GGAAATAATTTTGTTCTCACAGGAGAGAGTTG-3' as an anti-sense primer, chemically synthesized based on the nucleotide sequence of the DNA fragment in Example 1-5, were mixed and volumed up to 50 µl with sterilized distilled water. After incubating at 94°C for one min, the mixture was subjected to 5 cycles of incubations at 98°C for 20 sec and at 72°C for 7 min, followed by 25 cycles of incubations at 98°C for 20 sec and 68°C for 7 min to perform PCR. The reaction mixture was cleaved by restriction enzymes *Hin*dIII and *Sph*I to obtain a DNA fragment of about 5,900 bp, with cleavage sites by *Hin*dIII and *Sph*I in its both termini.

PCR was performed in the same condition as above, but 0.02 ng of the DNA fragment in Example 1-5, 0.06 ng of the DNA fragment obtained in Example 1-6, an oligonucleotide with the nucleotide sequence of 5'-ATGTAGCGGCCGCGGCATGAAATTTTAATAGCTAGTC-3' as an anti-sense primer, chemically synthesized based on the nucleotide sequence of the DNA fragment in Example 1-6, and an oligonucleotide with the sequence of 5'-CCTGGAATCAGATTACTTTGGCAAGCTTGAATC-3' as a sense primer, chemically synthesized based on the DNA fragment in Example 1-6, were used. The reaction mixture was cleaved by restriction enzymes *Not*I and *Sph*I to obtain a DNA fragment of about 5,600 bp, with cleavage sites by *Not*I and *Sph*I in its both termini.

A plasmid vector "pRc/CMV", containing a *cytomegalovirus* promoter, commercialized by Invitrogen Corporation, San Diego, USA, was cleaved by restriction enzymes *Hind*III and *Not*I to obtain a vector fragment of about 5,500 bp. The vector fragment was mixed with the above two DNA fragments of about 5,900 bp and 5,600 bp, and reacted with T4 DNA ligase to insert the two DNA fragments into the plasmid vector. An *Escherichia coli* JM109 strain was transformed with the obtained recombinant DNA, and the transformant with the plasmid vector was selected by the colony hybridization method. The selected recombinant DNA was named as "pBGHuGF". As shown in FIG.1, the present genomic DNA, with the nucleotide sequence of SEQ ID NO:13, was ligated in the downstream of the cleavage site by the restriction enzyme *Hind*III in the recombinant DNA.

Example 3

Preparation of transformant using CHO cell as host

CHO-K1 cells ATCC CCL61 were inoculated into Ham's F12 medium (pH 7.2) containing 10 v/v % bovine fetal serum and proliferated by conventional manner. The proliferated cells were collected and washed with phosphate-buffered saline (hereinafter abbreviated as "PBS") followed by suspending in PBS to give a cell density of 1 x 10^7 cells/ml.

10 µg of the recombinant DNA pBGHuGF in Example 2 and 0.8 ml of the above cell suspension were placed in a cuvette and ice-chilled for 10 min. The cuvette was installed in "GENE PULSER", an electroporation device commercialized by Bio-Rad Laboratories Inc., Brussels, Belgium, and then pulsed once with an electric discharge. After pulsing, the cuvette was immediately took out and ice-chilled for 10 min. The cell suspension from the cuvette was inoculated into Ham's F12 medium (pH 7.2) containing 10 v/v % bovine fetal serum and cultured under an ambient condition of 5 v/v % CO_2 at 37°C for 3 days. To the culture medium was added G-418 to give a final concentration of 400 µg/ml, and the culturing was continued further 3 weeks under the same conditions. From abut 100 colonies formed, 48 colonies were selected, and a portion of each was inoculated into a well of culturing plates with Ham's F12 medium (pH7.2) containing 400 µg/ml G-418 and 10 v/v % bovine fetal serum and cultured similarly as above. Thereafter, to each well of the culturing plates was added 10 mM Tris-HCl buffer (pH 8.5) containing 5.1 mM magnesium chloride, 0.5 w/v % sodium deoxycholate, 1 w/v % NONIDET P-40, 10 µg/ml aprotinin and 0.1 w/v % SDS to lyse the cells.

50 µl aliquot of the cell lysates was mixed with one ml of glycerol and incubated at 37°C for one hour, before the

polypeptides in the cell lysates were separated by the SDS-polyacrylamide gel electrophoresis. The separated polypeptides were transferred to a nitrocellulose membrane in usual manner, and the membrane was soaked in the culture supernatant of the hybridoma H-1, disclosed in Japanese Patent Kokai No.231,598/96 by the same applicant of this invention, followed by washing with 50 mM Tris-HCl buffer containing 0.05 v/v % TWEEN 20 to remove an excessive mount of the monoclonal antibody. Thereafter, the nitrocellulose membrane was soaked in PBS containing rabbit-derived anti-mouse immunoglobulin antibody for one hr, which was labeled with horseradish peroxidase, followed by washing 50 mM Tris-HCl buffer (pH 7.5) containing 0.05 v/v % TWEEN 20 and soaking in 50 mM Tris-HCl buffer (pH 7.5) containing 0.005 v/v % hydrogen peroxide and 0.3 mg/ml diaminobenzidine to develop colorations. The clone, which highly produced the polypeptide, was selected based on the color development and named "BGHuGF".

Example 4

Production of polypeptide by transformant and its physicochemical properties

The transformant BGHuGF in Experiment 3 was inoculated into Ham's F12 medium (pH 7.2) containing 400 μg/ml G-418 and 10 v/v % bovine fetal serum, and cultured under an ambient condition of 5 v/v % CO_2 at 37°C for one week. The proliferated cells were collected, washed with PBS, and then washing with 10-fold volumes of ice-chilled 20 mM Hepes buffer (pH 7.4), containing 10 mM potassium chloride and 0.1 mM ethylendiaminetetraacetate bisodium salt, according to the method described in "*Proceedings of The National Academy of The*

Sciences of The USA", vol.86, pp.5,227-5,231 (1989), by M. J. Kostura et al. The cells thus obtained were allowed to stand in 3-fold volumes of a fresh preparation of the same buffer under an ice-chilling condition for 20 min and freezed at -80°C, succeeded by thawing to disrupt the cells. The resulting cells were centrifuged to collect the supernatant.

In parallel, THP-1 cells ATCC TIB 202, derived from a human acute monocytic leukemia, was similarly cultured and disrupted. Supernatant, obtained by centrifuging the resulting cells, was mixed with the supernatant obtained from the transformant BGHuGF and incubated at 37°C for 3 hr to react. The reaction mixture was applied to a column with "DEAE-SEPHAROSE", a gel for ion-exchange chromatography, commercialized by Pharmacia LKB Biotechnology AB, Upsalla, Sweden, equilibrated with 10 mM phosphate buffer (pH 6.6) before use. After washing the column with 10 mM phosphate buffer (pH 6.6), 10 mM phosphate buffer (pH 6.6) with a stepwise gradient of NaCl increasing from 0 M to 0.5 M was fed to the column, and fractions eluted by about 0.2 M NaCl were collected. The fractions were dialyzed against 10 mM phosphate buffer (pH 6.8) before applied to a column with "DEAE 5PW", a gel for ion-exchange chromatography, commercialized by TOSOH Corporation, Tokyo, Japan. To the column was fed 10 mM phosphate buffer (pH 6.8) with a linear gradient of NaCl increasing from 0 M to 0.5 M, and fractions eluted by about 0.2-0.3 M NaCl were collected.

While the obtained fractions were pooled and dialyzed against PBS, a gel for immunoaffinity chromatography with the monoclonal antibody were prepared according to the method disclosed in Japanese Patent Kokai No.231,598/96 by the same

applicant of this invention. After the gel were charged into a plastic column and washed with PBS, the above dialyzed solution was applied to the column. To the column was fed 100 mM glycine-HCl buffer (pH 2.5), and the eluted fractions, which contained a polypeptide capable of inducing the production of IFN-γ by immunocompetent cells, were collected. After the collected fractions were dialyzed against sterilized distilled water and concentrated with a membrane filtration, the resultant was lyophilized to obtain a purified solid polypeptide in a yield of about 15 mg/l-culture.

Example for Reference

Expression in Escherichia coli

As disclosed in Japanese Patent Kokai No.193,098/96, a transformant pKHuGF which was obtained by introducing a cDNA with the nucleotide sequence of SEQ ID NO:2 into Escherichia coli as a host, was inoculated into L-broth medium containing 50 μg/ml ampicillin and cultured at 37°C for 18 hr under shaking conditions. The cells were collected by centrifuging the resulting culture, and then suspended in a mixture solution (pH 7.2) of 139 mM NaCl, 7 mM NaH_2PO_4 and 3 mM Na_2HPO_4, followed by supersonicating to disrupt the cells. After the cell disruptants were centrifuged, the supernatant was subjected to purifying steps similarly as in Example 4-1 to obtain a purified solid polypeptide in a yield of about 5 mg/l-culture.

Comparing the yields of the polypeptides in Example for Reference and in Example 4-1 shows that the use of a transformant, which is formed by introducing a genomic DNA encoding the present polypeptide into a mammalian cell as a host, strongly elevates the yield of the polypeptide per

culture.

Example 4-2

Physicochemical property of polypeptide

Example 4-2(a)

Biological activity

Blood were collected from a healthy donor by using a syringe containing heparin, and then diluted with 2-fold volume of serum-free RPMI-1640 medium (pH 7.4). The blood was overlaid on ficoll, commercialized by Pharmacia LKB Biotechnology AB, Upsalla, Sweden, and centrifuged to obtain lymphocytes, which were then washed with RPMI-1640 medium containing 10 v/v % bovine fetal serum before being suspended in a fresh preparation of the same medium to give a cell density of 5×10^6 cells/ml. 0.15 ml aliquots of the cell suspension was distributed into wells of micro plates with 96 wells.

To the wells with the cells were distributed 0.05 ml aliquots of solutions of the polypeptide in Example 4-1, diluted with RPMI-1640 medium (pH 7.4) containing 10 v/v % bovine fetal serum to give desired concentrations. 0.05 ml aliquots of fresh preparations of the same medium with or without 2.5 μg/ml concanavalin A or 50 units/ml recombinant human interleukin 2 were further added to the wells, before culturing in a 5 v/v % CO_2 incubator at 37°C for 24 hr. After the cultivation, 0.1 ml of the culture supernatant was collected from each well and examined on IFN-γ by usual enzyme immunoassay. In parallel, a systems as a control using the polypeptide in Reference for that in Example 4-1 or using no polypeptide was treated similarly as above. The results were in Table 1. IFN-γ in Table 1 were expressed with international units (IU), calculated based on the

IFN-γ standard, Gg23-901-530, obtained from the International Institute of Health, USA

Table 1

Sample of polypeptide	IFN-γ production (IU/ml)
Example 4-2(a)	3.4×10^5
Example for Reference	1.7×10^5

Table 1 indicates that the lymphocytes as immunocompetent cells produce IFN-γ by the action of the present polypeptide. The IFN-γ production is enhanced in combination with concanavalin A or interleukin 2 as a cofactor.

It is more remarkable that the polypeptide in Example 4-1 could induce IFN-γ production more than that in Example for Reference. Considering this and the difference in the yields of the polypeptides, described in Example for Reference, it can be presumed: Even if DNAs could be substantially equivalent in encoding the same amino acid sequence, not only the expressing efficiencies of the DNAs may differ, but the products expressed by them may significantly differ in their biological activities as a result of post-translational modifications by intracellular enzymes, depending on types of the DNAs and their hosts; (a) one type is used a transformant formed by introducing a DNA, which is a cDNA, into a microorganisms as a host, and (b) other type is used a transformant formed by introducing the present genomic DNA into a mammalian cell as a host.

Example 4-2(b)

Molecular weight

SDS-polyacrylamide gel electrophoresis of the polypeptide in Example 4-1 in the presence of 2 w/v % dithiothreitol as a reducing agent, according to the method reported by U. K. Laemli et al., in "Nature", Vol.227, pp.680-685 (1970), exhibited a main band of a protein capable of inducing IFN-γ in a position corresponding to a molecular weight of about 18,000-19,500 daltons. The molecular weight makers used in the analysis were bovine serum albumin (67,000 daltons), ovalbumin (45,000 daltons), carbonic anhydrase (30,000 daltons), soy bean trypsin inhibitor (20,100 daltons) and α-lactoalbumin (14,000 daltons).

Example 4-2(c)

N-Terminal amino acid sequence

Conventional analysis using "MODEL 473A", a protein sequencer commercialized by Perkin-Elmer Corp., Norwalk, USA, revealed that the polypeptide in Example 4-1 had the amino acid sequence of SEQ ID NO:15 in the N-terminal region.

Judging collectively from this result as well as the information that SDS-polyacrylamide gel electrophresis exhibited a main band in a position corresponding to a molecular weight of about 18,000-19,500 daltons, and that the molecular weight calculated from the amino acid sequence of SEQ ID NO:1 was 18,199 daltons, it can be concluded that the polypeptide in Example 4-1 has the amino acid sequence of SEQ ID NO:6.

As is described above, the present invention is made based on the identification of a genomic DNA encoding the polypeptide which induces the production of IFN-γ by immunocompetent cells. The present genomic DNA efficiently express the present polypeptide when introduced into mammalian

host cells. The polypeptide features higher biological activities than that obtained by the cDNA expression in *Escherichia coli*. Therefore, the present genomic DNA is useful for the recombinant DNA techniques to prepare the polypeptide capable of inducing IFN-γ production by immunocompetent cells. The present genomic DNA is useful to gene therapy for diseases including viral diseases, bacterial-infectious diseases, malignant tumors and immunopathies.

Thus, the present invention is a significant invention which has a remarkable effect and gives a great contribution to this field.

While there has been described what is at present considered to be the preferred embodiments of the present invention, it will be understood the various modifications may be made therein, and it is intended to cover in the appended claims all such modifications as fall within the true spirits and scope of the invention.

WHAT IS CLAIMED IS:

1. A composition comprising an isolated DNA molecule comprising a nucleotide sequence encoding the amino acid sequences shown in SEQ ID NO:1, where Xaa is isoleucine or threonine, and a carrier capable of introducing the isolated DNA molecule into a mammalian cell, wherein said nucleotide sequence consists of the sequence of a fragment of human genomic DNA.

2. A method for treating IFN-γ and/or killer cell-susceptive diseases using gene therapy, comprising administering the composition according to claim 1 to a subject in need thereof.

3. A method for treating tumors using gene therapy, comprising the steps of:

transforming tumor cells obtained from a subject in need thereof with the composition according to claim 1;

proliferating the transformed tumor cells *ex vivo*; and

transplanting the proliferated transformed tumor cells into the subject in need thereof.

4. The composition according to claim 1, wherein the nucleotide sequence comprises an exon having the sequence shown in SEQ ID NO:3, 4, 5, 6, or 7.

5. The composition according to claim 1, wherein the nucleotide sequence comprises an intron having the sequence shown in SEQ ID NO:8, 9, 10, 11, or 12.

6. The composition according to claim 1, wherein the nucleotide sequence is the sequence shown in SEQ ID NO:13, 14, or 15.

7. The composition according to claim 1, wherein the carrier is a virus or liposome.

8. A method for treating IFN-γ and/or killer cell-susceptive diseases using gene therapy, comprising administering the composition according to claim 7 to a subject in need thereof.

9. A method for treating tumors using gene therapy, comprising the steps of:

transforming tumor cells obtained from a subject in need thereof with the composition according to claim 7;

proliferating the transformed tumor cells *ex vivo*; and

transplanting the proliferated transformed tumor cells into the subject in need thereof.

10. The composition according to claim 1, wherein the isolated DNA molecule is linked with a heterologous nucleotide sequence.

11. A method for treating IFN-γ and/or killer cell-susceptive diseases using gene therapy, comprising administering the composition according to claim 10 to a subject in need thereof.

12. A method for treating tumors using gene therapy, comprising administering the steps of:

transforming tumor cells obtained from a subject in need thereof with the composition according to claim 10;

proliferating the transformed tumor cells *ex vivo*; and

transplanting the proliferated transformed tumor cells into the subject in need thereof.

13. The composition according to claim 6, wherein the heterologous nucleotide sequence is of a virus vector.

14. A method for treating IFN-γ and/or killer cell-susceptive diseases using gene therapy, comprising administering the composition according to claim 13 to a subject in need thereof.

15. A method for treating tumors using gene therapy, comprising the steps of:

transforming tumor cells obtained from a subject in need thereof with the composition according to claim 13;

proliferating the transformed tumor cells *ex vivo*; and

transplanting the proliferated transformed tumor cells into the subject in need thereof.

16. A method for treating IFN-γ- and/or killer cell-susceptive diseases using gene therapy, comprising administering to a subject in need thereof an isolated DNA molecule comprising a nucleotide sequence encoding the amino acid sequence shown in SEQ ID NO:1, where Xaa is isoleucine or threonine, wherein the nucleotide sequence consists of the sequence of a fragment of human genomic DNA.

17. A method for treating tumors using gene therapy, comprising the steps of:

transforming tumor cells obtained from a subject in need thereof with an isolated DNA molecule comprising a nucleotide sequence encoding the amino acid sequence shown in SEQ ID NO:1, where Xaa is isoleucine or threonine, wherein the nucleotide sequence consists of the sequence of a fragment of human genomic DNA;

proliferating the transformed tumor cells *ex vivo*; and

transplanting the proliferated transformed tumor cells into the subject in need thereof.

Abstract of the Disclosure

Disclosed is a genomic DNA encoding a polypeptide capable of inducing the production of interferon-γ by immunocompetent cells. The genomic DNA efficiently expresses the polypeptide with high biological activities of such as inducing the production of interferon-γ by immunocompetent cells, enhancing killer cells' cytotoxicity and inducing killer cells' formation, when introduced into mammalian host cells. The high biological activities of the polypeptide facilitate its uses to treat and/or prevent malignant tumors, viral diseases, bacterial infectious diseases and immune diseases without serious side effects when administered to humans.

FIG. 1


HindIII
P CMV
Ampicillin
ColE1
SV40 pA
SV40 ori
Neomycin
pBGHuGF
17 kb
f1 ori
BGH pA
Not I
HuIGIF

 [X] Original [ ] Supplemental Atty.Docket:

Combined Declaration for Patent Application and Power of Attorney

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name; and that I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled

(insert full title here) GENOMIC DNA ENCODING A POLYPEPTIDE CAPABLE OF INDUCING THE PRODUCTION OF INTERFERON-GAMMA

the specification of which (check one)

[X] is attached hereto;

[ ] was filed in the United States under 35 U.S.C. §111 on _____, as USSN _____*; or

[ ] was/will be filed in the U.S. under 35 U.S.C. §371 by entry into the U.S. national stage of an international (PCT) application, PCT/_____; filed _____, entry requested on _____*; national stage application received USSN _____*; §371/§102(e) date _____* (*if known),

and was amended on _____ (if applicable).

(include dates of amendments under PCT Art. 19 and 34 if PCT)

I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above; and I acknowledge the duty to disclose to the Patent and Trademark Office (PTO) all information known by me to be material to patentability as defined in 37 C.F.R. § 1.56.

I hereby claim foreign priority benefits under 35 U.S.C. §§ 119, 365 of any prior foreign application(s) for patent or inventor's certificate, or prior PCT application(s) designating a country other than the U.S., listed below with the "Yes" box checked and have also identified below any such application having a filing date before that of the application on which priority is claimed:

(Number)	(Country)	(Day Month Year Filed)	[X] YES	[ ] NO
185305/1996	Japan	27th June 1996		
(Number)	(Country)	(Day Month Year Filed)	[ ] YES	[ ] NO
(Number)	(Country)	(Day Month Year Filed)	[ ] YES	[ ] NO

I hereby claim the benefit under 35 U.S.C. § 120 of any prior U.S. non-provisional Application(s) or prior PCT Application(s) designating the U.S. listed below, or under § 119(e) of any prior U.S. provisional applications listed below, and, insofar as the subject matter of each of the claims of this application is not disclosed in such U.S. or PCT application in the manner provided by the first paragraph of 35 U.S.C. §112, I acknowledge the duty to disclose to the PTO all information as defined in 37 C.F.R. §1.56(a) which occurred between the filing date of the prior application and the national filing date of this application:

(Application Serial No.)	(Day Month Year Filed)	(Status: patented, pending, abandoned)
(Application Serial No.)	(Day Month Year Filed)	(Status: patented, pending, abandoned)

I hereby appoint the following attorneys, with full power of substitution, association, and revocation, to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith.

SHERIDAN NEIMARK, REG. NO. 20,520 - ROGER L. BROWDY, REG. NO. 25,618 - ANNE M. KORNBAU, REG. NO. 25,884
NORMAN J. LATKER, REG. NO. 19,963 - IVER P. COOPER, REG. NO. 28,005 - ALLEN C. YUN, REG. NO. 37,971*
NICK S. BROMER, REG. NO. 33,478 -* Patent Agent

ADDRESS ALL CORRESPONDENCE TO	DIRECT ALL TELEPHONE CALLS TO:
BROWDY AND NEIMARK, P.L.L.C. 419 Seventh Street, N.W. Washington, D.C. 20004	BROWDY AND NEIMARK (202) 628-5197

The undersigned hereby authorizes the U.S. Attorneys or Agents named herein to accept and follow instructions from SUMA PATENT OFFICE as to any action to be taken in the U.S. Patent and Trademark Office regarding this application without direct communication between the U.S. Attorney or Agent and the undersigned. In the event of a change of the persons from whom instructions may be taken, the U.S. Attorneys or Agents named herein will be so notified by the undersigned.

 Atty.Docket:

Title: GENOMIC DNA ENCODING A POLYPEPTIDE CAPABLE OF INDUCING THE PRODUCTION OF INTERFERON-GAMMA

U.S. Application filed _____, Serial No. _____

PCT Application filed _____, Serial No. _____

I hereby further declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under 18 U.S.C. §1001 and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

FULL NAME OF FIRST INVENTOR	INVENTOR'S SIGNATURE	DATE
Takanori OKURA	Takanori Okura	Jun 17, '97
RESIDENCE: Okayama, Japan	CITIZENSHIP: Japanese	
POST OFFICE ADDRESS: 14-53, Kamino-cho 1-chome, Kojima, Kurashiki-shi, Okayama, Japan		
FULL NAME OF SECOND JOINT INVENTOR	INVENTOR'S SIGNATURE	DATE
Kakuji TORIGOE	Kakuji Torigoe	June 17, '97
RESIDENCE: Okayama, Japan	CITIZENSHIP: Japanese	
POST OFFICE ADDRESS: 1343-5, Fujito, Fujito-cho, Kurashiki-shi, Okayama, Japan		
FULL NAME OF THIRD JOINT INVENTOR	INVENTOR'S SIGNATURE	DATE
Masashi KURIMOTO	Masashi Kurimoto	June 17, '97
RESIDENCE: Okayama, Japan	CITIZENSHIP: Japanese	
POST OFFICE ADDRESS: 7-25, Gakunan-cho 2-chome, Okayama-shi, Okayama, Japan		
FULL NAME OF FOURTH JOINT INVENTOR	INVENTOR'S SIGNATURE	DATE
RESIDENCE	CITIZENSHIP	
POST OFFICE ADDRESS		
FULL NAME OF FIFTH JOINT INVENTOR	INVENTOR'S SIGNATURE	DATE
RESIDENCE	CITIZENSHIP	
POST OFFICE ADDRESS		
FULL NAME OF SIXTH JOINT INVENTOR	INVENTOR'S SIGNATURE	DATE
RESIDENCE	CITIZENSHIP	
POST OFFICE ADDRESS		
FULL NAME OF SEVENTH JOINT INVENTOR	INVENTOR'S SIGNATURE	DATE
RESIDENCE	CITIZENSHIP	
POST OFFICE ADDRESS		

ALL INVENTORS MUST REVIEW APPLICATION AND DECLARATION BEFORE SIGNING. ALL ALTERATIONS MUST BE INITIALED AND DATED BY ALL INVENTORS PRIOR TO EXECUTION. NO ALTERATIONS CAN BE MADE AFTER THE DECLARATION IS SIGNED. ALL PAGES OF DECLARATION MUST BE SEEN BY ALL INVENTORS.

SEQUENCE LISTING

(1) GENERAL INFORMATION:

(i) APPLICANT: Takanori OKURA
Kakuji TORIGOE
Masahi KURIMOTO

(ii) TITLE OF INVENTION: GENOMIC DNA ENCODING A POLYPEPTIDE CAPABLE OF INDUCING THE PRODUCTION OF INTERFERON-γ

(iii) NUMBER OF SEQUENCES: 35

(iv) CORRESPONDENCE ADDRESS:
(A) ADDRESSEE: BROWDY AND NEIMARK
(B) STREET: 419 Seventh Street, N.W., Suite 300
(C) CITY: Washington
(D) STATE: D.C.
(E) COUNTRY: USA
(F) ZIP: 20004

(v) COMPUTER READABLE FORM:
(A) MEDIUM TYPE: Floppy disk
(B) COMPUTER: IBM PC compatible
(C) OPERATING SYSTEM: PC-DOS/MS-DOS
(D) SOFTWARE: Patent In Release #1.0, Version #1.30

(vii) PRIOR APPLICATION DATA:
(A) APPLICATION NUMBER: JP 185,305/96
(B) FILING DATE: 27-JUN-1996

(viii) ATTORNEY/AGENT INFORMATION:
(A) NAME: BROWDY, Roger L.
(B) REGISTRATION NUMBER: 25,618
(C) REFERENCE/DOCKET NUMBER: OKURA=1

(ix) TELECOMMUNICATION INFORMATION:
(A) TELEPHONE: 202-628-5197
(B) TELEFAX: 202-737-3528

(2) INFORMATION FOR SEQ ID NO: 1:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 157 amino acids
(B) TYPE: amino acid
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 1:

```
Tyr Phe Gly Lys Leu Glu Ser Lys Leu Ser Val Ile Arg Asn Leu Asn
1               5                  10                  15
Asp Gln Val Leu Phe Ile Asp Gln Gly Asn Arg Pro Leu Phe Glu Asp
            20                  25                  30
Met Thr Asp Ser Asp Cys Arg Asp Asn Ala Pro Arg Thr Ile Phe Ile
        35                  40                  45
Ile Ser Met Tyr Lys Asp Ser Gln Pro Arg Gly Met Ala Val Thr Ile
    50                  55                  60
Ser Val Lys Cys Glu Lys Ile Ser Xaa Leu Ser Cys Glu Asn Lys Ile
65                  70                  75                  80
Ile Ser Phe Lys Glu Met Asn Pro Pro Asp Asn Ile Lys Asp Thr Lys
                85                  90                  95
Ser Asp Ile Ile Phe Phe Gln Arg Ser Val Pro Gly His Asp Asn Lys
            100                 105                 110
Met Gln Phe Glu Ser Ser Ser Tyr Glu Gly Tyr Phe Leu Ala Cys Glu
        115                 120                 125
```

```
Lys Glu Arg Asp Leu Phe Lys Leu Ile Leu Lys Lys Glu Asp Glu Leu
    130                 135                 140
Gly Asp Arg Ser Ile Met Phe Thr Val Gln Asn Glu Asp
145                 150                 155
```

(2) INFORMATION FOR SEQ ID NO: 2:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 1120 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: double
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA to mRNA

(iii) HYPOTHETICAL: No

(iv) ANTI-SENSE: No

(vi) ORIGINAL SOURCE:
(A)ORGANISM: human
(F)TISSUE TYPE: liver

(iX) FEATURE:
(A) NAME/KEY: 5'UTR
(B) LOCATION: 1..177
(C) IDENTIFICATION METHODS: E
(A) NAME/KEY: leader peptide
(B) LOCATION: 178..285
(C) IDENTIFICATION METHODS: S
(A) NAME/KEY: mat peptide
(B) LOCATION: 286..756
(C) IDENTIFICATION METHODS: S
(A) NAME/KEY: 3'UTR
(B) LOCATION: 757..1120
(C) IDENTIFICATION METHODS: E

(xi)SEQUENCE DESCRIPTION: SEQ ID NO:2:

```
GCCTGGACAG TCAGCAAGGA ATTGTCTCCC AGTGCATTTT GCCCTCCTGG CTGCCAACTC   60
TGGCTGCTAA AGCGGCTGCC ACCTGCTGCA GTCTACACAG CTTCGGGAAG AGGAAAGGAA  120
CCTCAGACCT TCCAGATCGC TTCCTCTCGC AACAAACTAT TTGTCGCAGG AATAAAG     177
ATG GCT GCT GAA CCA GTA GAA GAC AAT TGC ATC AAC TTT GTG GCA ATG     225
Met Ala Ala Glu Pro Val Glu Asp Asn Cys Ile Asn Phe Val Ala Met
    -35                 -30                 -25
AAA TTT ATT GAC AAT ACG CTT TAC TTT ATA GCT GAA GAT GAT GAA AAC     273
Lys Phe Ile Asp Asn Thr Leu Tyr Phe Ile Ala Glu Asp Asp Glu Asn
-20                 -15                 -10                 -5
CTG GAA TCA GAT TAC TTT GGC AAG CTT GAA TCT AAA TTA TCA GTC ATA     321
Leu Glu Ser Asp Tyr Phe Gly Lys Leu Glu Ser Lys Leu Ser Val Ile
                1                   5                  10
AGA AAT TTG AAT GAC CAA GTT CTC TTC ATT GAC CAA GGA AAT CGG CCT     369
Arg Asn Leu Asn Asp Gln Val Leu Phe Ile Asp Gln Gly Asn Arg Pro
        15                  20                  25
CTA TTT GAA GAT ATG ACT GAT TCT GAC TGT AGA GAT AAT GCA CCC CGG     417
Leu Phe Glu Asp Met Thr Asp Ser Asp Cys Arg Asp Asn Ala Pro Arg
    30                  35                  40
ACC ATA TTT ATT ATA AGT ATG TAT AAA GAT AGC CAG CCT AGA GGT ATG     465
Thr Ile Phe Ile Ile Ser Met Tyr Lys Asp Ser Gln Pro Arg Gly Met
45                  50                  55                  60
GCT GTA ACT ATC TCT GTG AAG TGT GAG AAA ATT TCA AYT CTC TCC TGT     513
Ala Val Thr Ile Ser Val Lys Cys Glu Lys Ile Ser Xaa Leu Ser Cys
                65                  70                  75
GAG AAC AAA ATT ATT TCC TTT AAG GAA ATG AAT CCT CCT GAT AAC ATC     561
Glu Asn Lys Ile Ile Ser Phe Lys Glu Met Asn Pro Pro Asp Asn Ile
            80                  85                  90
AAG GAT ACA AAA AGT GAC ATC ATA TTC TTT CAG AGA AGT GTC CCA GGA     609
```

```
Lys Asp Thr Lys Ser Asp Ile Ile Phe Phe Gln Arg Ser Val Pro Gly
        95                  100                 105

CAT GAT AAT AAG ATG CAA TTT GAA TCT TCA TCA TAC GAA GGA TAC TTT    657
His Asp Asn Lys Met Gln Phe Glu Ser Ser Ser Tyr Glu Gly Tyr Phe
    110                 115                 120
CTA GCT TGT GAA AAA GAG AGA GAC CTT TTT AAA CTC ATT TTG AAA AAA    705
Leu Ala Cys Glu Lys Glu Arg Asp Leu Phe Lys Leu Ile Leu Lys Lys
125                 130                 135                 140
GAG GAT GAA TTG GGG GAT AGA TCT ATA ATG TTC ACT GTT CAA AAC GAA    753
Glu Asp Glu Leu Gly Asp Arg Ser Ile Met Phe Thr Val Gln Asn Glu
                145                 150                 155
GAC TAGCTATTAA AATTTCATGC CGGGCGCAGT GGCTCACGCC TGTAATCCCA          806
Asp
GCCCTTTGGG AGGCTGAGGC GGGCAGATCA CCAGAGGTCA GGTGTTCAAG ACCAGCCTGA  866
CCAACATGGT GAAACCTCAT CTCTACTAAA AATACTAAAA ATTAGCTGAG TGTAGTGACG  926
CATGCCCTCA ATCCCAGCTA CTCAAGAGGC TGAGGCAGGA GAATCACTTG CACTCCGGAG  986
GTAGAGGTTG TGGTGAGCCG AGATTGCACC ATTGCGCTCT AGCCTGGGCA ACAACAGCAA 1046
AACTCCATCT CAAAAAATAA AATAAATAAA TAAACAAATA AAAAATTCAT AATGTGAAAA 1106
AAAAAAAAAA AAAA                                                   1120
```

(2) INFORMATION FOR SEQ ID NO: 3:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 135 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: double
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: Genomic DNA

(vi) ORIGINAL SOURCE:
(A) ORGANISM: human
(F) TISSUE TYPE: placenta

(iX) FEATURE:
(A) NAME/KEY: exon
(B) LOCATION: 1..135
(C) IDENTIFICATION METHODS: S

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 3:

```
 AA AAC CTG GAA TCA GAT TAC TTT GGC AAG CTT GAA TCT AAA TTA TCA     47
Glu Asn Leu Glu Ser Asp Tyr Phe Gly Lys Leu Glu Ser Lys Leu Ser
    -5                  1                   5                  10
GTC ATA AGA AAT TTG AAT GAC CAA GTT CTC TTC ATT GAC CAA GGA AAT     95
Val Ile Arg Asn Leu Asn Asp Gln Val Leu Phe Ile Asp Gln Gly Asn
                15                  20                  25
CGG CCT CTA TTT GAA GAT ATG ACT GAT TCT GAC TGT AGA G              135
Arg Pro Leu Phe Glu Asp Met Thr Asp Ser Asp Cys Arg Asp
            30                  35                  40
```

(2) INFORMATION FOR SEQ ID NO: 4:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 134 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: double
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: Genomic DNA

(vi) ORIGINAL SOURCE:
(A) ORGANISM: human
(F) TISSUE TYPE: placenta

(iX) FEATURE:
(A) NAME/KEY: exon
(B) LOCATION: 1..134
(C) IDENTIFICATION METHODS: S

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 4:

```
 AT AAT GCA CCC CGG ACC ATA TTT ATT ATA AGT ATG TAT AAA GAT AGC     47
Asp Asn Ala Pro Arg Thr Ile Phe Ile Ile Ser Met Tyr Lys Asp Ser
40                  45                  50                  55
CAG CCT AGA GGT ATG GCT GTA ACT ATC TCT GTG AAG TGT GAG AAA ATT     95
Gln Pro Arg Gly Met Ala Val Thr Ile Ser Val Lys Cys Glu Lys Ile
                60                  65                  70
TCA ACT CTC TCC TGT GAG AAC AAA ATT ATT TCC TTT AAG                134
Ser Thr Leu Ser Cys Glu Asn Lys Ile Ile Ser Phe Lys
            80                  85
```

(2) INFORMATION FOR SEQ ID NO: 5:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 87 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: double
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: Genomic DNA

(vi) ORIGINAL SOURCE:
(A) ORGANISM: human
(F) TISSUE TYPE: placenta

(iX) FEATURE:
(A) NAME/KEY: exon
(B) LOCATION: 1..87
(C) IDENTIFICATION METHODS: S

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 5:

```
GAATAAAG ATG GCT GCT GAA CCA GTA GAA GAC AAT TGC ATC AAC TTT GTG    50
         Met Ala Ala Glu Pro Val Glu Asp Asn Cys Ile Asn Phe Val
           -35                 -30                 -25
GCA ATG AAA TTT ATT GAC AAT ACG CTT TAC TTT ATA G                  87
Ala Met Lys Phe Ile Asp Asn Thr Leu Tyr Phe Ile Ala
       -20                 -15                 -10
```

(2) INFORMATION FOR SEQ ID NO:6:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 12 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: double
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: Genomic DNA

(vi) ORIGINAL SOURCE:
(A) ORGANISM: human
(F) TISSUE TYPE: placenta

(iX) FEATURE:
(A) NAME/KEY: exon
(B) LOCATION: 1..87
(C) IDENTIFICATION METHODS: S

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 6:

```
 CT GAA GAT GAT G                                                      12
Ala Glu Asp Asp Glu
-10
```

(2) INFORMATION FOR SEQ ID NO: 7:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 2167 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: double
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: Genomic DNA

(vi) ORIGINAL SOURCE:
(A) ORGANISM: human
(F) TISSUE TYPE: placenta

(iX) FEATURE:
(A) NAME/KEY: exon + 3'UTR
(B) LOCATION: 1..2167
(C) IDENTIFICATION METHODS: E

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 7:

```
GAA ATG AAT CCT CCT GAT AAC ATC AAG GAT ACA AAA AGT GAC ATC ATA      48
Glu Met Asn Pro Pro Asp Asn Ile Lys Asp Thr Lys Ser Asp Ile Ile
85                  90                  95                  100
TTC TTT CAG AGA AGT GTC CCA GGA CAT GAT AAT AAG ATG CAA TTT GAA      96
Phe Phe Gln Arg Ser Val Pro Gly His Asp Asn Lys Met Gln Phe Glu
                105                 110                 115
TCT TCA TCA TAC GAA GGA TAC TTT CTA GCT TGT GAA AAA GAG AGA GAC     144
Ser Ser Ser Tyr Glu Gly Tyr Phe Leu Ala Cys Glu Lys Glu Arg Asp
            120                 125                 130
CTT TTT AAA CTC ATT TTG AAA AAA GAG GAT GAA TTG GGG GAT AGA TCT     192
Leu Phe Lys Leu Ile Leu Lys Lys Glu Asp Glu Leu Gly Asp Arg Ser
        135                 140                 145
ATA ATG TTC ACT GTT CAA AAC GAA GAC TAGCTAT TAAAATTTCA TGCCGGGCGC   246
Ile Met Phe Thr Val Gln Asn Glu Asp
    150                 155
AGTGGCTCAC GCCTGTAATC CCAGCCCTTT GGGAGGCTGA GGCGGGCAGA TCACCAGAGG   306
TCAGGTGTTC AAGACCAGCC TGACCAACAT GGTGAAACCT CATCTCTACT AAAAATACAA   366
AAAATTAGCT GAGTGTAGTG ACCCATGCCC TCAATCCCAG CTACTCAAGA GGCTGAGGCA   426
GGAGAATCAC TTGCACTCCG GAGGTGGAGG TTGTGGTGAG CCGAGATTGC ACCATTGCGC   486
TCTAGCCTGG GCAACAACAG CAAAACTCCA TCTCAAAAAA TAAAATAAAT AAATAAACAA   546
ATAAAAAATT CATAATGTGA ACTGTCTGAA TTTTTATGTT TAGAAAGATT ATGAGATTAT   606
TAGTCTATAA TTGTAATGGT GAAATAAAAT AAATACCAGT CTTGAAAAAC ATCATTAAGA   666
AATGAATGAA CTTTCACAAA AGCAAACAAA CAGACTTTCC CTTATTTAAG TGAATAAAAT   726
AAAATAAAAT AAAATAATGT TTAAAAAATT CATAGTTTGA AAACATTCTA CATTGTTAAT   786
TGGCATATTA ATTATACTTA ATATAATTAT TTTTAAATCT TTTGGGTTAT TAGTCCTAAT   846
GACAAAAGAT ATTGATATTT GAACTTTCTA ATTTTTAAGA ATATCGTTAA ACCATCAATA   906
TTTTTATAAG GAGGCCACTT CACTTGACAA ATTTCTGAAT TTCCTCCAAA GTCAGTATAT   966
TTTTAAAATT CAGTTTGATC CTGAATCCAG CAATATATAA AAGGGATTAT ATACTCTGGC  1026
CAACTGACAT TCATCCTAGG AATGCAAAGA TGGTTTAATA TCCTAAAATC AATTAACATA  1086
ACATACTATA TTAATAAAGT ATCAAAACAG TATTCTCATC TTTTTTTCTT TTTTCACAAT  1146
TCCTTGGTTA CACTATCATC TCAATAGATG CAGAAAAAGC ATTTGACAAA ATCCAATTCA  1206
TAATAAAAAT TCTCAAACTT GAAAGAGAAC ATCATAAAGG CATCTATGAA AAACCTACAG  1266
CTAATATCAT ACTTAACGAT GAAAAACTGA ATTATTTTAC CCTAAGATCA AGAATAATGC  1326
AAGCATGTCA GCTCTTGCAA CTTCTATTCA ACATTGTACT GGAGGTTCTA GCCAGAGCAA  1386
CCATACAATA AATAAAAATA AAAGGCACCC AGATTAGAAA GGAAGTCTTT ATTTGCAGAC  1446
AACATGGTTC TTTATGCAGA AAACCGTCAG GAATACACAC ACATGTTAGA ACTAATAAGT  1506
TCAGCAAGGT TGCAGGTTGC AATATCAATA TGCAAAAATA CATTGAAGGC TGGGCTCAGT  1566
GGAGATGGCA TGTACCTTTC GTCCCAGCTA CTTGGGAGGC TGAGGTAGGA GGATCACTTG  1626
AGGTGAGGAG TTTGAGGCTA TAGTGCAATG TGATCTTGCC TGTGAATAGC CACTGCACTC  1686
GAGCCTAGGC AACAAAGTGA GACCCCGTCT CCAAAAAAAA AAATGGTATA TTGGTATTTC  1746
TGTATATGAA CAATGAATGA TCTGAAAACA AGAAAATTCC ATTCACGATG GTATTAAAAA  1806
AATAAAATAC AAATAAATTT AGCAAAATAA TTATAAAACT TGTACATCGA AAATTTCAAA  1866
```

GCACTCTGAG GGAAATTAAA GATGATCTAA ATAATTGGAG AGACACTCTA TGATCACTGA 1926
TTGGAAAATT CATTCAATAT TGTTAAGATA ACAATTGTCC CCAAATTGAT GCATGCATTC 1986
AATTTAGTCT TCATCAAAAT TCCAGCAGGG TTTTTGCAGA AATTGACAAG CTGTACCCAA 2046
AATGTATATG GAAATGAAAA GACCCAGAAG AGCAAATAAT TTTTTAAAAA CAAAGTTGGA 2106
AAACTTTTAC TTCCTAATTT TAAAACTTAC TATAAACCTA AAGTTATCAA GACCATTTAG 2166
T 2167

(2) INFORMATION FOR SEQ ID NO: 8:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 1334 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: double
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: Genomic DNA

(vi) ORIGINAL SOURCE:
(A) ORGANISM: human
(F) TISSUE TYPE: placenta

(iX) FEATURE:
(A) NAME/KEY: intron
(B) LOCATION: 1..1334
(C) IDENTIFICATION METHODS: E

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 8:

GTATTTTTTT TAATTCGCAA ACATAGAAAT GACTAGCTAC TTCTTCCCAT TCTGTTTTAC 60
TGCTTACATT GTTCCGTGCT AGTCCCAATC CTCAGATGAA AAGTCACAGG AGTGACAATA 120
ATTTCACTTA CAGGAAACTT TATAAGGCAT CCACGTTTTT TAGTTGGGGT AAAAAATTGG 180
ATACAATAAG ACATTGCTAG GGGTCATGCC TCTCTGAGCC TGCCTTTGAA TCACCAATCC 240
CTTTATTGTG ATTGCATTAA CTGTTTAAAA CCTCTATAGT TGGATGCTTA ATCCCTGCTT 300
GTTACAGCTG AAAATGCTGA TAGTTTACCA GGTGTGGTGG CATCTATCTG TAATCCTAGC 360
TACTTGGGAG GCTCAAGCAG GAGGATTGCT TGAGGCCAGG ACTTTGAGGC TGTAGTACAC 420
TGTGATCGTA CCTGTGAATA GCCACTGCAC TCCAGCCTGG GTGATATACA GACCTTGTCT 480
CTAAAATTAA AAAAAAAAAA AAAAAAAACC TTAGGAAAGG AAATTGATCA AGTCTACTGT 540
GCCTTCCAAA ACATGAATTC CAAATATCAA AGTTAGGCTG AGTTGAAGCA GTGAATGTGC 600
ATTCTTTAAA AATACTGAAT ACTTACCTTA ACATATATTT TAAATATTTT ATTTAGCATT 660
TAAAAGTTAA AAACAATCTT TTAGAATTCA TATCTTTAAA ATACTCAAAA AAGTTGCAGC 720
GTGTGTGTTG TAATACACAT TAAACTGTGG GGTTGTTTGT TTGTTTGAGA TGCAGTTTCA 780
CTCTGTCACC CAGGCTGAAG TGCAGTGCAG TGCAGTGGTG TGATCTCGGC TCACTACAAC 840
CTCCACCTCC CACGTTCAAG CGATTCTCAT GCCTCAGTCT CCCGAGTAGG TGGGATTACA 900
GGCATGCACC ACTTACACCC GGCTAATTTT TGTATTTTTA GTAGAGCTGG GGTTTCACCA 960
TGTTGGCCAG GCTGGTCTCA AACCCCTAAC CTCAAGTGAT CTGCCTGCCT CAGCCTCCCA 1020
AACAAACAAA CAACCCCACA GTTTAATATG TGTTACAACA CACATGCTGC AACTTTTATG 1080
AGTATTTTAA TGATATAGAT TATAAAAGGT TGTTTTTAAC TTTTAAATGC TGGGATTACA 1140
GGCATGAGCC ACTGTGCCAG GCCTGAACTG TGTTTTTAAA AATGTCTGAC CAGCTGTACA 1200
TAGTCTCCTG CAGACTGGCC AAGTCTCAAA GTGGGAACAG GTGTATTAAG GACTATCCTT 1260
TGGTTAAATT TCCGCAAATG TTCCTGTGCA AGAATTCTTC TAACTAGAGT TCTCATTTAT 1320
TATATTTATT TCAG 1334

(2) INFORMATION FOR SEQ ID NO: 9:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 4773 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: double
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: Genomic DNA

(vi) ORIGINAL SOURCE:
(A) ORGANISM: human
(F) TISSUE TYPE: placenta

(iX) FEATURE:

(A) NAME/KEY: intron
(B) LOCATION: 1..4773
(C) IDENTIFICATION METHODS: E

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 9:

GTAAGACTGA GCCTTACTTT GTTTTCAATC ATGTTAATAT AATCAATATA ATTAGAAATA 60
TAACATTATT TCTAATGTTA ATATAAGTAA TGTAATTAGA AAACTCAAAT ATCCTCAGAC 120
CAACCTTTTG TCTAGAACAG AAATAACAAG AAGCAGAGAA CCATTAAAGT GAATACTTAC 180
TAAAAATTAT CAAACTCTTT ACCTATTGTG ATAATGATGG TTTTTCTGAG CCTGTCACAG 240
GGGAAGAGGA GATACAACAC TTGTTTTATG ACCTGCATCT CCTGAACAAT CAGTCTTTAT 300
ACAAATAATA ATGTAGAATA CATATGTGAG TTATACATTT AAGAATAACA TGTGACTTTC 360
CAGAATGAGT TCTGCTATGA AGAATGAAGC TAATTATCCT TCTATATTTC TACACCTTTG 420
TAAATTATGA TAATATTTTA ATCCCTAGTT GTTTTGTTGC TGATCCTTAG CCTAAGTCTT 480
AGACACAAGC TTCAGCTTCC AGTTGATGTA TGTTATTTTT AATGTTAATC TAATTGAATA 540
AAAGTTATGA GATCAGCTGT AAAAGTAATG CTATAATTAT CTTCAAGCCA GGTATAAAGT 600
ATTTCTGGCC TCTACTTTTT CTCTATTATT CTCCATTATT ATTCTCTATT ATTTTTCTCT 660
ATTTCCTCCA TTATTGTTAG ATAAACCACA ATTAACTATA GCTACAGACT GAGCCAGTAA 720
GAGTAGCCAG GGATGCTTAC AAATTGGCAA TGCTTCAGAG GAGAATTCCA TGTCATGAAG 780
ACTCTTTTTG AGTGGAGATT TGCCAATAAA TATCCGCTTT CATGCCCACC CAGTCCCCAC 840
TGAAAGACAG TTAGGATATG ACCTTAGTGA AGGTACCAAG GGGCAACTTG GTAGGGAGAA 900
AAAAGCCACT CTAAAATATA ATCCAAGTAA GAACAGTGCA TATGCAACAG ATACAGCCCC 960
CAGACAAATC CCTCAGCTAT CTCCCTCCAA CCAGAGTGCC ACCCCTTCAG GTGACAATTT 1020
GGAGTCCCCA TTCTAGACCT GACAGGCAGC TTAGTTATCA AAATAGCATA AGAGGCCTGG 1080
GATGGAAGGG TAGGGTGGAA AGGGTTAAGC ATGCTGTTAC TGAACAACAT AATTAGAAGG 1140
GAAGGAGATG GCCAAGCTCA AGCTATGTGG GATAGAGGAA AACTCAGCTG CAGAGGCAGA 1200
TTCAGAAACT GGGATAAGTC CGAACCTACA GGTGGATTCT TGTTGAGGGA GACTGGTGAA 1260
AATGTTAAGA AGATGGAAAT AATGCTTGGC ACTTAGTAGG AACTGGGCAA ATCCATATTT 1320
GGGGGAGCCT GAAGTTTATT CAATTTTGAT GGCCCTTTTA AATAAAAAGA ATGTGGCTGG 1380
GCGTGGTGGC TCACACCTGT AATCCCAGCA CTTTGGGAGG CCGAGGGGGG CGGATCACCT 1440
GAAGTCAGGA GTTCAAGACC AGCCTGACCA ACATGGAGAA ACCCCATCTC TACTAAAAAT 1500
ACAAAATTAG CTGGGCGTGG TGGCATATGC CTGTAATCCC AGCTACTCGG GAGGCTGAGG 1560
CAGGAGAATC TTTTGAACCC GGGAGGCAGA GGTTGCGATG AGCCTAGATC GTGCCATTGC 1620
ACTCCAGCCT GGGCAACAAG AGCAAAACTC GGTCTCAAAA AAAAAAAAAA AAAAGTGAAA 1680
TTAACCAAAG GCATTAGCTT AATAATTTAA TACTGTTTTT AAGTAGGGCG GGGGGTGGCT 1740
GGAAGAGATC TGTGTAAATG AGGGAATCTG ACATTTAAGC TTCATCAGCA TCATAGCAAA 1800
TCTGCTTCTG GAAGGAACTC AATAAATATT AGTTGGAGGG GGGGAGAGAG TGAGGGGTGG 1860
ACTAGGACCA GTTTTAGCCC TTGTCTTTAA TCCCTTTTCC TGCCACTAAT AAGGATCTTA 1920
GCAGTGGTTA TAAAAGTGGC CTAGGTTCTA GATAATAAGA TACAACAGGC CAGGCACAGT 1980
GGCTCATGCC TATAATCCCA GCACTTTGGG AGGGCAAGGC GAGTGTCTCA CTTGAGATCA 2040
GGAGTTCAAG ACCAGCCTGG CCAGCATGGC GATACTCTGT CTCTACTAAA AAAAATACAA 2100
AAATTAGCCA GGCATGGTGG CATGCACCTG TAATCCCAGC TACTCGTGAG CCTGAGGCAG 2160
AAGAATCGCT TGAAACCAGG AGGTGTAGGC TGCAGTGAGC TGAGATCGCA CCACTGCACT 2220
CCAGCCTGGG CGACAGAATG AGACTTTGTC TCAAAAAAAG AAAAAGATAC AACAGGCTAC 2280
CCTTATGTGC TCACCTTTCA CTGTTGATTA CTAGCTATAA AGTCCTATAA AGTTCTTTGG 2340
TCAAGAACCT TGACAACACT AAGAGGGATT TGCTTTGAGA GGTTACTGTC AGAGTCTGTT 2400
TCATATATAT ACATATACAT GTATATATGT ATCTATATCC AGGCTTGGCC AGGGTTCCCT 2460
CAGACTTTCC AGTGCACTTG GGAGATGTTA GGTCAATATC AACTTTCCCT GGATTCAGAT 2520
TCAACCCCTT CTGATGTAAA AAAAAAAAAA AAAAAGAAAG AAATCCCTTT CCCCTTGGAG 2580
CACTCAAGTT TCACCAGGTG GGGCTTTCCA AGTTGGGGGT TCTCCAAGGT CATTGGGATT 2640
GCTTTCACAT CCATTTGCTA TGTACCTTCC CTATGATGGC TGGGAGTGGT CAACATCAAA 2700
ACTAGGAAAG CTACTGCCCA AGGATGTCCT TACCTCTATT CTGAAATGTG CAATAAGTGT 2760
GATTAAAGAG ATTGCCTGTT CTACCTATCC ACACTCTCGC TTTCAACTGT AACTTTCTTT 2820
TTTTCTTTTT TTCTTTTTTT CTTTTTTTTT GAAACGGAGT CTCGCTCTGT CGCCCAGGCT 2880
AGAGTGCAGT GGCACGATCT CAGCTCACTG CAAGCTCTGC CTCCCGGGTT CACGCCATTC 2940
TCCTGCCTCA CCCTCCCAAG CAGCTGGGAC TACAGGCGCC TGCCACCATG CCCAGCTAAT 3000
TTTTTGTATT TTTAGTAGAG ACGGGGTTTC ACCGTGTTAG CCAGGATGGT CTCGATCTCC 3060
TGAACTTGTG ATCCGCCCGC CTCAGCCTCC CAAAGTGCTG GGATTACAGG CGTGAGCCAT 3120
CGCACCCGGC TCAACTGTAA CTTTCTATAC TGGTTCATCT TCCCCTGTAA TGTTACTAGA 3180
GCTTTTGAAG TTTTGGCTAT GGATTATTTC TCATTTATAC ATTAGATTTC AGATTAGTTC 3240
CAAATTGATG CCCACAGCTT AGGGTCTCTT CCTAAATTGT ATATTGTAGA CAGCTGCAGA 3300
AGTGGGTGCC AATAGGGGAA CTAGTTTATA CTTTCATCAA CTTAGGACCC ACACTTGTTG 3360
ATAAAGAACA AAGGTCAAGA GTTATGACTA CTGATTCCAC AACTGATTGA GAAGTTGGAG 3420
ATAACCCCGT GACCTCTGCC ATCCAGAGTC TTTCAGGCAT CTTTGAAGGA TGAAGAAATG 3480
CTATTTTAAT TTTGGAGGTT TCTCTATCAG TGCTTAGGAT CATGGGAATC TGTGCTGCCA 3540
TGAGGCCAAA ATTAAGTCCA AAACATCTAC TGGTTCCAGG ATTAACATGG AAGAACCTTA 3600
GGTGGTGCCC ACATGTTCTG ATCCATCCTG CAAAATAGAC ATGCTGCACT AACAGGAAAA 3660

GTGCAGGCAG CACTACCAGT TGGATAACCT GCAAGATTAT AGTTTCAAGT AATCTAACCA 3720
TTTCTCACAA GGCCCTATTC TGTGACTGAA ACATACAAGA ATCTGCATTT GGCCTTCTAA 3780
GGCAGGGCCC AGCCAAGGAG ACCATATTCA GGACAGAAAT TCAAGACTAC TATGGAACTG 3840
GAGTGCTTGG CAGGGAAGAC AGAGTCAAGG ACTGCCAACT GAGCCAATAC AGCAGGCTTA 3900
CACAGGAACC CAGGGCCTAG CCCTACAACA ATTATTGGGT CTATTCACTG TAAGTTTTAA 3960
TTTCAGGCTC CACTGAAAGA GTAAGCTAAG ATTCCTGGCA CTTTCTGTCT CTCTCACAGT 4020
TGGCTCAGAA ATGAGAACTG GTCAGGCCAG GCATGGTGGC TTACACCTGG AATCCCAGCA 4080
CTTTGGGAGG CCGAAGTGGG AGGGTCACTT GAGGCCAGGA GTTCAGGACC AGCTTAGGCA 4140
ACAAAGTGAG ATACCCCCTG ACCCCTTCTC TACAAAAATA AATTTTAAAA ATTAGCCAAA 4200
TGTGGTGGTG TATACTTACA GTCCCAGCTA CTCAGGAGGC TGAGGCAGGG GGATTGCTTG 4260
AGCCCAGGAA TTCAAGGCTG CAGTGAGCTA TGATTTCACC ACTGCACTTC TGGCTGGGCA 4320
ACAGAGCGAG ACCCTGTCTC AAAGCAAAAA GAAAAAGAAA CTAGAACTAG CCTAAGTTTG 4380
TGGGAGGAGG TCATCATCGT CTTTAGCCGT GAATGGTTAT TATAGAGGAC AGAAATTGAC 4440
ATTAGCCCAA AAAGCTTGTG GTCTTTGCTG GAACTCTACT TAATCTTGAG CAAATGTGGA 4500
CACCACTCAA TGGGAGAGGA GAGAAGTAAG CTGTTTGATG TATAGGGGAA AACTAGAGGC 4560
CTGGAACTGA ATATGCATCC CATGACAGGG AGAATAGGAG ATTCGGAGTT AAGAAGGAGA 4620
GGAGGTCAGT ACTGCTGTTC AGAGATTTTT TTTATGTAAC TCTTGAGAAG CAAAACTACT 4680
TTTGTTCTGT TTGGTAATAT ACTTCAAAAC AAACTTCATA TATTCAAATT GTTCATGTCC 4740
TGAAATAATT AGGTAATGTT TTTTTCTCTA TAG 4773

(2) INFORMATION FOR SEQ ID NO: 10:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 8835 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: double
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: Genomic DNA

(vi) ORIGINAL SOURCE:
(A) ORGANISM: human
(F) TISSUE TYPE: placenta

(iX) FEATURE:
(A) NAME/KEY: intron
(B) LOCATION: 1..8835
(C) IDENTIFICATION METHODS: E

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 10:

GTAAGAAATA TCATTCCTCT TTATTTGGAA AGTCAGCCAT GGCAATTAGA GGTAAATAAG 60
CTAGAAAGCA ATTGAGAGGA ATATAAACCA TCTAGCATCA CTACGATGAG CAGTCAGTAT 120
CAACATAAGA AATATAAGCA AAGTCAGAGT AGAATTTTTT TCTTTTATCA GATATGGGAG 180
AGTATCACTT TAGAGGAGAG GTTCTCAAAC TTTTTGCTCT CATGTTCCCT TTACACTAAG 240
CACATCACAT GTTAGCATAA GTAACATTTT TAATTAAAAA TAACTATGTA CTTTTTTAAC 300
AACAAAAAAA AGCATAAAGA GTGACACTTT TTTATTTTTA CAAGTGTTTT AACTGGTTTA 360
ATAGAAGCCA TATAGATCTG CTGGATTCTC ATCTGCTTTG CATTCAGACT ACTGCAATAT 420
TGCACAGAAT GCAGCCTCTG GTAAACTCTG TTGTACACTC ATGAGAGAAT GGGTGAAAAA 480
GACAAATTAC GTCTTAGAAT TATTAGAAAT AGCTTTCACT TTAGGAACTC CCTGAGAATT 540
GCTGCTTTAG AGTGGTAAGA TAAATAAGCT TCTCTTTAAA CGGAATCTCA AGACAGAATC 600
AGTTACATTA AAAGCAAACA AAAAATTTGC CCATGGTTAG TCATCTTGTG AAATCTGCCA 660
CACCTTTGGA CTGGGCTACA ATTGGATAAT ATAGCATTCC CCGAGATAAT TTTCTCTCAC 720
AATTAAGGAA AGGGCTGAAT AAATATCTCT GTTTGAAGTT GAATAACAAA AATTAGGACC 780
CCCTAAATTT TAGGGCTCCT GAAATTCGTC TTTTTGCCTA TATTCAGCTA CTTTACGTTC 840
TATTAAATCT TCTTTCAGGC CAGGTGCACT AGCTCATGCC TAGAATCTCA GGCAGGCCTG 900
AGCCCAGGAA TTTGAGACCA GCCAGGGCAA CACAGTCTCT ACAAAAAAAT AAAAAATTAC 960
CTGGGTGTGT TGGTGCATGC CTGTAGAACT ACTCAGGATG CTGAGGACTG CTTGAGCCCA 1020
GGATAGCCAA ATCTGTGGTG AGTTCAGCCA CTAAACAGAG CGAGACTTTC TCAAAAAAAC 1080
AAACAAAAAA ACAAACAAAC TTCCTTCAAA ATAACTTTTT ATCTGCAATG TTTTCCTATT 1140
GCCTGTGAGA TTAAATTTAC TCTTTTACCT GATTTCCAAA GCCCTCCATA ATCTAATCCG 1200
ACTTTACCTT GTGTTCACTG CAAAATAGCA GGACTGTTCC ACTACAATCC AAAAATCACA 1260
GGTTGGGTGC AGTGGCTCAC TCCTGTAATC CCAACACTTT GGAAGGCCAA GGCAGGTGGA 1320
TTGCTTCAGC TCAGGAGTTC AAGACCAGCC TGGGCAACAT GGCAAAAACC CTGTCTCTCC 1380
AAAACATACA AAAATTAGCC AGATGTGGTA GTATGTGCCT GTAGTCCCAA CTACTCAAAA 1440
GGCTAAGGCA AGAGGATCAC TTGAGCCCAG GAGGTCAAGG CTACAGTGAG CCATGTTTAC 1500
TGTGTCACTG CACTCCAGCC TGGGTGATAG AGCAAGACCA TGTCTCAAAA AAAAAAAAAA 1560

GAAAAGAAAA GAAAAAAACA TCGCTCTATT CAGTTCACCC CCACCACAAC ATTGTTTTGA 1620
TTATCACATA AATGCTGGTC CATTGCCTTC TCTATCTATT CAAATCTTTA AGCATTCTTT 1680
GAGATTCAAC TCAATTCTCC TTTTCAAACT AGGCCATTTA AACTACATCA GTTCCATTTT 1740
GATTTTCTTG CTTTGAGTCT ACAGACTCAA AAACAAAAAC TTAAAAACTT ATTTTTTAAG 1800
TTTTCTGCTA CTCTCACTTC TTCAACACTC ACATACACGC ATTCATAATA AGATGGCAGA 1860
ATGTTCAAGG ATAAAATGAT TTATAGAACT GAAAAGTTAG GTTTTGATCT TGTTGCTGTC 1920
AAGATGACTA CCTACCTGAT CTCAGGTAAT TAATTATGTA GCATGCTCCC TCATTTCATC 1980
CCATACCTAT TCAACAGGAT TGGAATTCCA CAGCAAGGAT AAACATAATC ATAGTTGCTT 2040
TTCAAGTTCA AGGCATTTTA ACTTTTAATC TAGTAGTATG TTTGTTGTTG TTGTTGTTGT 2100
TTGAGATGGA GCCCTGCTGT GTCACCCAGG CTGGAGTGCA GTGGCACGAA CTCGGCTCAC 2160
TGCAACCTCT GCCTCATGGG TTCAATCAGT TATTCTGCCT CAGTGTCCCA AGTAGCTGGG 2220
ACTACAAGGC ACATGCCACC ATGCCTGGCT AATTTTTGTA TTTTTAGTAG AAACAGGGCT 2280
TCACCATGTT GGCCAGGCTG GTCTCGAACT CCTGACCTCA AGTGATCCAG CCGCCTCGGC 2340
CTCCCAAAGT GCTGGGATTA CAGGCATAAG CCACCGTGCC CAGCCTAATA GTATGTTTTT 2400
AAACTCTTAG TGGCTTAACA ATGCTGGTTG TATAATAAAT ATGCCATAAA TATTTACTGT 2460
CTTAGAATTA TGAAGAAGTG GTTACTAGGC CGTTTGCCAC ATATCAATGG TTCTCTCCTT 2520
ACAGCTTTAA TTAGAGTCTA GAATTGCAGG TTGGTAGAGC TGGAACAGAC CTTAAAGATT 2580
GACTAGCCAA CTTCCTTGTC CAAATGAGGG AACTGAGACC CTTAAAATTA AGTGACTTGC 2640
CCCAGACAAA ACTGGAACTC ATGTGTCCTA ATTTCCATCA TGAAATTCTA CCATTCACTA 2700
GCCTCTGGCT AGTTGTCAAA GTATTGCATA ACTAAATTTT TATGTCTGTT TTAAAGAACA 2760
AATTGTCACT GCTTACTCCT GGGAGGGTCT TTCTGAGGTG GTTTATAACT CTTAAAAAAA 2820
AAAAAGTCAG TAGTCTGAGA ATTTTAGACG AAATAGTCAA AGCATTTTTA TCCAATGGAT 2880
CTATAATTTT CATAGATTAG AGTTAAATCA AAGAAACACG GATGAGAAAG GAAGAGGAAA 2940
ATTGAGGAGA GGAGGAATGG GGATGAGAAC ACACTACTTG TAATCAGTCA TAGATGTACT 3000
GAGAACTAAC AAGAAGAATT GTAAGAAAAT AAGAATGAAG AATTCAAAAT CAACACATGA 3060
AATAAAAAGA AACTACTAGG GAAAAATGGA GAAGACATTA GAAAAATTAT TCTATTTTTA 3120
AAATTCTGTT TTCAGGCTTC CCTCCTGTTC TTCCTCCTTC TCATTGGTTT TCAGGTGGAG 3180
GGAAAGTTTA AGATGGAAAA AATATATATA TTCTACACAT CCCTTTCTAC GCTGTTGTCA 3240
TGGCAACAAG GTTTATCATA GCAAACTTTT ATTCATACAA CATTTATTGA GTTCTTACTG 3300
TGTGGTAAGC TCTTTCCAGG TGTTGAAAAT TCAGGGGAAA AAAGACAACT CATTGTCTTA 3360
AAACTCAGAT GAAAGCTGAA CAGACCTATT TTTAATCAAA GTAATCTCAA TTTAGGGTAG 3420
TAAGAGCTAT TTAAGAAGCA TGAACAGGTG TGAAGGAGGT AGGACTCTGA GGAGAGAATA 3480
GTTAGCTAGG AATGAAAGAG CAGAGAAGTT TTCCTAGAGG AACTATTAAA GCTGGGAGTT 3540
ACGGGATGAA AGATGAGGCA GGGTTTGCAG GCAAAAAAAA AAAAAAGGCA GGGGAAGGGG 3600
AAGTTCTGGC CTGGCAGAGA GAATAACTGT GGCAACAATG GAGGAGAGTC TGGAAGCAAG 3660
AAAACCAAGT AGAAGAGTAT TAAAATAGAA GATGCCAGGG GTAATGAGGG CTTGATTTAA 3720
AACAGTGCTG TTGGAGATGG AGAGGAGATA CCAAATTCTG GAGACATTTC TGAGTTAGAA 3780
CCTACAGTAT TTATCAGACA AGGGAAAGAT TAGACAAAGG AGTTAAGAAT GACTCCCAGG 3840
TTTCAGTTTG GGGCAGGTAA CTAGGACATG TTTTGAAAAG TAATGTATTG GATCTCTTAC 3900
CATTGGAACT ATGTATGTGG AGCCAAATTA AAATTTGTAC ATGTATATAA CTCTCCCCCC 3960
ACCACCAGTA ACTACTTCCC TAACTCTCTA CTTTGTAGCC AGACTTCCTA AAAGAATAGT 4020
TTGTAGTCAC TGTCTTTACT TTTCCCCTCC CATTCTGTCC TAGATATTTG TCCACCTACC 4080
ATCTGCTGCC TCCACTTTAC CCAAACTGTT CTACGGTTGC CCAAAACTTC CTAATTGCCA 4140
AATTCAATGA ACAAGTTTAA GCTTATATGT AAATTAGGAG CTCTACAGTT TGATTTCGAG 4200
CAGCCCCTCC TGAAACCCTT TCTCTTTCGA CTTCTGTGAC ACATCTCAGA TTTACAAAAC 4260
TGAACTAATT ATTTTACACT TGAGCTGTAT TTTCGTTCTT CTTTCTTGAT GAATGAGGTA 4320
ACCACTCAAC AAATTGCCCA AGCCAAAAAC TACGAAGTCA TCCTCAGTTC CTCCTTCTTC 4380
TGTTTGACCC ACAACAGATC AGCTGAGAAA TCCCGCTGTT TAGTATCTCT TGAATTCATT 4440
ACCTTAATTT ATAGCCTCAT CAACTCTTAA TTGTTAAAAT TACTTCAGTA GTTGTTGTCT 4500
GACCTCTGTC CAATCTTGTT CAATCAGGTC CATTCTTTTG TTCTTGGTGG TGGTGGTGGT 4560
GTTGACAGAG TTTCGCTTTT GCTGCCCAGG CTGAAGTGCA GTGGAGCACT TCACTGCAAC 4620
CACAGCCTCC TGGGTTTAAG CAGTTCACCC TCCCGAGTAG CTGGGACTAC AGGTATGTGC 4680
CACCACACCC AGCTAATTTT GTGTTTTCAG TAGAGACAGG GTTTCACCAT GTTGGTCAGG 4740
CTGGTCTCAA ACTCCTGACC TCAAGCAATC CACCCACCTC AGCCTCCCAA AGTGCTGGGA 4800
TTACAGGCAT GAGCCACTGC ACACGGACCA GATCCATTGT TTATGTTGCT TCTAGAGTGA 4860
GTTTTTAAAA CACAAATTTG ACCATATCTT TCTCCAATTT AAGTCAGTAT TTTTTTTTTC 4920
AGGAAAAAAC AGTTCAAACT CTTTAGTCTG CTTACACAAG GCCTTTGTAG TCTGACTCTT 4980
CTTTCCAAGC TTTCATCAAA GTATACTGCA AGTTACATTT TATGTGAATT GAATTAGGCA 5040
ACGGTATAAA AATTATAGTT TATATGGGCA AAATGGAAAT AATGTTAACT CTTCCAAATA 5100
GTTTATCTAG AATGACATAA TTTCAAAGCT GTCAGGTCAA ATGAGTTATA AACTGTTAAC 5160
ACTATTGCCA CATGCAAGTG TCTCTTATAC TTGGTAGAAT TATCTGCTTC CATGTCATTA 5220
TTATGTAAAT TAGACTTTAA ATAACTCAGA AGTTCTTCAG ACATACAGGT TATTATTGTG 5280
CTTTTTAAAC ATAATTTTAA ATAATTTTAT ATATGATAAT GTTATCCAAG TGCTAAGGGA 5340
TGTATTGTTA CTGCTGTGCA AAAAAAAAAA AAAAAAAAAC TCCAAATAAA TATGTTGAAA 5400
CCAAGTTTAT ATGCAAGAAA ACAATATTAA AAAGGCCAAA GTACCACCAT AATAGGCTGT 5460
GTGGAGACGG CAGGCTACAA AACACTAGTA ATAATGCTGA GAAAGTTGAA AAAAGAAAGA 5520
AAGCAACAAT ATGCTTTGGT TGTTGTAGGT TTATGTACTC CAAGAATATC TCCTCTCAAA 5580

```
CTTTTACGTT TTTTCCAAAG AAAAGTTAAC TTTGGCTGGG CGCAGTGGCT CTTGCCTGTA 5640
GTCCCAGCCT TTGGGAGGCC AAGGCGGGCA GATCACCTGA GGTCAGGAGT TTGAGACCAG 5700
CCTGACCAAA AATGGAGAAA CCCGCCCCCC TCACTACTAA AAGAATACAA AATTAGGCCG 5760
GGCACAGTGG CTTACCCCTG TGATCCCAGC ACTTTGGGAG GCCGAAGCAG GAAGATCACC 5820
TGAGGTCAGG AGTTCGAGAC CAGCCATGGA GAAACCCGTC TCTACTAAAA ATACAAAATT 5880
AGCCGGGCGT GGTGGTGCAT GACTGTAATC CCAGCTACTC AGGAGGCTAA GGCAGAGAAT 5940
CACTTGAACC CAGGCAGTGG AGGTTGCAGT GAGCCGAGAT CGTGCCATTG CACTCCAGCC 6000
TGGGCAACAA GAGCGAAACT CTGTATCCAA AAAACAAAAG AAAAGAAAAG GTAACCTTGA 6060
ACTATGTGAG ATCTTTAGAA ATGCATTCTT TCTGTAAAAT GTGACTACAT TTGCCTTATT 6120
TATGGTAAAA ATGTTGAGGC CTCAAACAAC CCATATTTTC TCGGTCTCCC CGCTGCCTAG 6180
CCTTTGTTCA CATTGCTTCT TCTTGGTGGA AGCTCTTCCT CTGGCCTTGA AAATGCCTGC 6240
TTCTCTTTCA AGGTAGCACA GTCATCACTT TCTGTGGTAA CCTTCTCCAG CACCATCAAA 6300
CAGAAAGAAT GAATCTCTTG TAAATTCAGC TCTTACGTCA TTCATTACAT TATTTTGTAA 6360
CTCTTTATAG ATTCTTCTCT CCCACTAGAC TCTGAGTCAC TGGAGAGTAG GAGCCAACTC 6420
TCATTCATGT GTGGTTTGGT CAGCTACTGG CCACATTCCT GATGCATAGT TAATGCTCAA 6480
ACCTTAACTG GTGAATCAGC TCAAATATTG TCCTTCTCTA AATCCATTCA CTCATTGACT 6540
AACTATGTAC TCAAAATAGT AAACACCAGT AATTTAATCC AATTCCTGCC CATACTGCTT 6600
GGTACATTTC AGGTGAATTA GTTTGATAAA TATGTGTGTA TTACATAATA TTAAAGTATG 6660
TACAGAAGAT CATGCTAATC ATAATTCACA ACTGATAACT AATCAAACAT AAATGCTCTC 6720
AGGTTAACAA ATGTCTGCCT TCTCAGTTAA TGCAGTCATT AACAAACACC TTCTGATGCT 6780
GATAATAGGG CCTTGTTCAG CAATGAAGCC ATAAAGGTGA ATAAAGAACA TGCCCTCGTG 6840
GAGCTCACAG CCTAGTCATT ATTGTTCTGA TTTTTAATAT TAATGTTGGT TTGGGTTTTG 6900
GTGAAAAATG TTTAGACTTA TCTTAGTGAT CTTTTCATCC TTTGCTATAT TATTTTTCTC 6960
TAAGAGTCTT CCTTATCCCC TCCTTTAAAA AACTAGGTGA TAATTCTAAA TTGTAAATTT 7020
AAATATTATA AATAGCTTAT AAAATTTAAT ATTTATAATA TTTAAATGTT TGATAAATAT 7080
TTAAATTTTA TAATATTTAA ATGTTTATTT AAATTCATTT GTACATCAGT TTTTATTTTA 7140
TTTAAATGTG TTGGCCAGGC ATGGTGGCTG ACACCTATAA TCCCAGAACT TTGAGAGGCC 7200
AAGTCAGGCA AACCATTTGA GCTCAGGAGT TTGAGACCAC CCTGGGCAAC GTGGTGAAAC 7260
CCTGTCTCTA CCAAACATAT GAAAACTTAT CTGGGTGTGG TGGCACGCAT CTGTGGTCCC 7320
AGATGGGAGT CCCAGGCTAA GATGGGAGAA TCGCTTGAAC CCAGGTGAGA GGGGTGGGGT 7380
GGATGTTGCA GTGAGCTGAG ATCGTGCCAC TGCACTCCAA CCTGGGTGAC AGAGTGAGAC 7440
TCCATCTCAA AAAAAAAAAA TGTTATCTAA ATAAGATAAA TTTAATAACT GTTCGCACTT 7500
AGATGAGCAT AAGGAACTAA ACCTAGATAA AACTATCAAA TAAGGCCTGG GTACAGTGAC 7560
TCATGCCTGT AATCTCAAGC ACTTTGGGAG GCCAAAATTA TACAAAGTTA GTTGTATAAC 7620
ACCAACTAAC AACTATTTTG GGGTTAGCTT AATTCAGATT AATTTTTTTT AAACTGAGTT 7680
TTAAATTCCT GCTTACTCTA CCATACATGC TAGGCCTCAT ATTATGCTAG AAAAATTTTG 7740
AGCACAGATT TATGAATACT CTCCTGCATA CCATTTAATT TTTAAACAAA TTTTAATGCA 7800
GTATATATGT GCCTTTTTAC CAACACATTA AATAATAAGA TCTACTGTGA GGACTAAATT 7860
TCTGTAATTT CAAAGTAGTA ATGAGTTTAA ACCATGTCTC AAGATCTCTG CAATAACTGT 7920
AGCACAACAG AAAATAGGTA TTTCTATTAA TGACAGAGTC ACAAGTACTA CTAATAATAC 7980
TGTGGTTTGT TTCCTGCAAC TAATCATGGG AGGAATGCTA AATTTCAGAG GTTGGTGAAA 8040
ATACATGTGT ATTTTTTTCC CCATCCAAGT TCACAGATTT CTCACACTGA GAACTCCTAT 8100
TCCATAACAA AATTCTGGAA GCCTGCACAC CGTATTGGAA GAAGGGCAGA AAGGAAAAGC 8160
AAATGGAAGG ATTTAAATTT TTTTCAAATC CTGTATCCCT TGATTTTACA GCAAGATTGT 8220
ATTTATGTAT TACTTGTGTT AAAAATATAG TATAATCGAG ACTCCAGATC AAAAATCACC 8280
GCAGCTCAGG GAGAAAGAGG GCCACCAAAT GCCAGAGCCC TTCAGCCTTC TCCCACCCTG 8340
CCTGTACCCT CAGATGGAAG CACTTTTTTA TCATTGTTTC ACCTTTAGCA TTTTGACAAT 8400
GAAGTCACAA ACCTTCAGCC TCTCACCCAT AGGAACCCAC TGGTTGTAAG AGAAGGATGA 8460
AGCCAGTCCT TCCTAAAGGG CACGATTAGA TGTGTTTATG GCATCCTCAG GTGAAACTAT 8520
ATTTATATTG ACAATATATT TATATTTCTC AAGGAATACT AGAATAATGA TTCAGTTCAG 8580
TACTAGGCCA TTTATCTACC CTTTATAATA TTGTTTAATG AGAAAATGCT TTCTATCTTC 8640
CAAATATCTG ATGATTTGTA AGAGAACACT TAAACATGGG TATTCATAAG CTGAAACTTC 8700
TGGCATTTAT TGAATGTCAA GATTGTTCAT CAGTATACTA GGTGATTAAC TGACCACTGA 8760
ACTTGAAGGT AGTATAAAGT AGTAGTAAAA GGTACAATCA TTGTCTCTTA ACAGATGGCT 8820
CTTTGCTTTC ATTAG                                                  8835
```

(2) INFORMATION FOR SEQ ID NO:11:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 1371 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: double
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: Genomic DNA

(vi) ORIGINAL SOURCE:

(A) ORGANISM: human
(F) TISSUE TYPE: placenta

(iX) FEATURE:
(A) NAME/KEY: intron
(B) LOCATION: 1..1371
(C) IDENTIFICATION METHODS: E

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 11:

GTAAGGCTAA TGCCATAGAA CAAATACCAG GTTCAGATAA ATCTATTCAA TTAGAAAAGA 60
TGTTGTGAGG TGAACTATTA AGTGACTCTT TGTGTCACCA AATTTCACTG TAATATTAAT 120
GGCTCTTAAA AAAATAGTGG ACCTCTAGAA ATTAACCACA ACATGTCCAA GGTCTCAGCA 180
CCTTGTCACA CCACGTGTCC TGGCACTTTA ATCAGCAGTA GCTCACTCTC CAGTTGGCAG 240
TAAGTGCACA TCATGAAAAT CCCAGTTTTC ATGGGAAAAT CCCAGTTTTC ATTGGATTTC 300
CATGGGAAAA ATCCCAGTAC AAAACTGGGT GCATTCAGGA AATACAATTT CCCAAAGCAA 360
ATTGGCAAAT TATGTAAGAG ATTCTCTAAA TTTAGAGTTC CGTGAATTAC ACCATTTTAT 420
GTAAATATGT TTGACAAGTA AAAATTGATT CTTTTTTTTT TTTTCTGTTG CCCAGGCTGG 480
AGTGCAGTGG CACAATCTCT GCTCACTGCA ACCTCCACCT CCTGGGTTCA AGCAATTCTC 540
CTGCCTCAGC CTTCTGAGTA GCTGGGACTA CAGGTGCATC CCGCCATGCC TGGCTAATTT 600
TTGGGTATTT TTACTAGAGA CAGGGTTTTG GCATGTTGTC CAGGCTGGTC TTGGACTCCT 660
GATCTCAGAT GATCCTCCTG GCTCGGGCTC CCAAAGTGCT GGGATTACAG GCATGAACCA 720
CCACACATGG CCTAAAAATT GATTCTTATG ATTAATCTCC TGTGAACAAT TTGGCTTCAT 780
TTGAAAGTTT GCCTTCATTT GAAACCTTCA TTTAAAAGCC TGAGCAACAA AGTGAGACCC 840
CATCTCTACA AAAAACTGCA AAATATCCTG TGGACACCTC CTACCTTCTG TGGAGGCTGA 900
AGCAGGAGGA TCACTTGAGC CTAGGAATTT GAGCCTGCAG TGAGCTATGA TCCCACCCCT 960
ACACTCCAGC CTGCATGACA GTAGACCCTG ACACACACAC ACAAAAAAAA ACCTTCATAA 1020
AAAATTATTA GTTGACTTTT CTTAGGTGAC TTTCCGTTTA AGCAATAAAT TTAAAAGTAA 1080
AATCTCTAAT TTTAGAAAAT TTATTTTTAG TTACATATTG AAATTTTTAA ACCCTAGGTT 1140
TAAGTTTTAT GTCTAAATTA CCTGAGAACA CACTAAGTCT GATAAGCTTC ATTTTATGGG 1200
CCTTTTGGAT GATTATATAA TATTCTGATG AAAGCCAAGA CAGACCCTTA AACCATAAAA 1260
ATAGGAGTTC GAGAAAGAGG AGTAGCAAAA GTAAAAGCTA GAATGAGATT GAATTCTGAG 1320
TCGAAATACA AAATTTTACA TATTCTGTTT CTCTCTTTTT CCCCCTCTTA G 1371

(2) INFORMATION FOR SEQ ID NO: 12:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 3383 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: double
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: Genomic DNA

(vi) ORIGINAL SOURCE:
(A) ORGANISM: human
(F) TISSUE TYPE: placenta

(iX) FEATURE:
(A) NAME/KEY: intron
(B) LOCATION: 1..3383
(C) IDENTIFICATION METHODS: E

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 12:

GTAAAGTAGA AATGAATTTA TTTTTCTTTG CAAACTAAGT ATCTGCTTGA GACACATCTA 60
TCTCACCATT GTCAGCTGAG GAAAAAAAAA AATGGTTCTC ATGCTACCAA TCTGCCTTCA 120
AAGAAATGTG GACTCAGTAG CACAGCTTTG GAATGAAGAT GATCATAAGA GATACAAAGA 180
AGAACCTCTA GCAAAAGATG CTTCTCTATG CCTTAAAAAA TTCTCCAGCT CTTAGAATCT 240
ACAAAATAGA CTTTGCCTGT TTCATTGGTC CTAAGATTAG CATGAAGCCA TGGATTCTGT 300
TGTAGGGGGA GCGTTGCATA GGAAAAAGGG ATTGAAGCAT TAGAATTGTC CAAAATCAGT 360
AACACCTCCT CTCAGAAATG CTTTGGGAAG AAGCCTGGAA GGTTCCGGGT TGGTGGTGGG 420
GTGGGGCAGA AAATTCTGGA AGTAGAGGAG ATAGGAATGG GTGGGGCAAG AAGACCACAT 480
TCAGAGGCCA AAAGCTGAAA GAAACCATGG CATTTATGAT GAATTCAGGG TAATTCAGAA 540
TGGAAGTAGA GTAGGAGTAG GAGACTGGTG AGAGGAGCTA GAGTGATAAA CAGGGTGTAG 600
AGCAAGACGT TCTCTCACCC CAAGATGTGA AATTTGGACT TTATCTTGGA GATAATAGGG 660
TTAATTAAGC ACAATATGTA TTAGCTAGGG TAAAGATTAG TTTGTTGTAA CAAAGACATC 720

CAAAGATACA GTAGCTGAAT AAGATAGAGA ATTTTTCTCT CAAAGAAAGT CTAAGTAGGC 780
AGCTCAGAAG TAGTATGGCT GGAAGCAACC TGATGATATT GGGACCCCCA ACCTTCTTCA 840
GTCTTGTACC CATCATCCCC TAGTTGTTGA TCTCACTCAC ATAGTTGAAA ATCATCATAC 900
TTCCTGGGTT CATATCCCAG TTATCAAGAA AGGGTCAAGA GAAGTCAGGC TCATTCCTTT 960
CAAAGACTCT AATTGGAAGT TAAACACATC AATCCCCCTC ATATTCCATT GACTAGAATT 1020
TAATCACATG GCCACACCAA GTGCAAGGAA ATCTGGAAAA TATAATCTTT ATTCCAGGTA 1080
GCCATATGAC TCTTTAAAAT TCAGAAATAA TATATTTTTA AAATATCATT CTGGCTTTGG 1140
TATAAAGAAT TGATGGTGTG GGGTGAGGAG GCCAAAATTA AGGGTTGAGA GCCTATTATT 1200
TTAGTTATTA CAAGAAATGA TGGTGTCATG AATTAAGGTA GACATAGGGG AGTGCTGATG 1260
AGGAGCTGTG AATGGATTTT AGAAACACTT GAGAGAATCA ATAGGACATG ATTTAGGGTT 1320
GGATTTGGAA AGGAGAAGAA AGTAGAAAAG ATGATGCCTA CATTTTTCAC TTAGGCAATT 1380
TGTACCATTC AGTGAAATAG GGAACACAGG AGGAAGAGCA GGTTTTGGTG TATACAAAGA 1440
GGAGGATGGA TGACGCATTT CGTTTTGGAT CTGAGATGTC TGTGGAACGT CCTAGTGGAG 1500
ATGTCCACAA ACTCTTCTAC ATGTGGTTCT GAGTTCAGGA CACAGATTTG GGCTGGAGAT 1560
AGAGATATTG TAGGCTTATA CATAGAAATG GCATTTGAAT CTATAGAGAT AAAAAGACAC 1620
ATCAGAGGAA ATGTGTAAAG TGAGAGAGGA AAAGCCAAGT ACTGTGCTGG GGGGAATACC 1680
TACATTTAAA GGATGCAGTA GAAAGAAGCT AATAAACAAC AGAGAGCAGA CTAACCAAAA 1740
GGGGAGAAGA AAAACCAAGA GAATTCCACC GACTCCCAGG AGAGCATTTC AAGATTGAGG 1800
GGATAGGTGT TGTGTTGAAT TTTGCAGCCT TGAGAATCAA GGGCCAGAAC ACAGCTTTTA 1860
GATTTAGCAA CAAGGAGTTT GGTGATCTCA GTGAAAGCAG CTTGATGGTG AAATGGAGGC 1920
AGAGGCAGAT TGCAATGAGT GAAACAGTGA ATGGGAAGTG AAGAAATGAT ACAGATAATT 1980
CTTGCTAAAA GCTTGGCTGT TAAAAGGAGG AGAGAAACAA GACTAGCTGC AAAGTGAGAT 2040
TGGGTTGATG GAGCAGTTTT AAATCTCAAA ATAAAGAGCT TTGTGCTTTT TTGATTATGA 2100
AAATAATGTG TTAATTGTAA CTAATTGAGG CAATGAAAAA AGATAATAAT ATGAAAGATA 2160
AAAATATAAA AACCACCCAG AAATAATGAT AGCTACCATT TTGATACAAT ATTTCTACAC 2220
TCCTTTCTAT GTATATATAC AGACACAGAA ATGCTTATAT TTTTATTAAA AGGGATTGTA 2280
CTATACCTAA GCTGCTTTTT CTAGTTAGTG ATATATATGG ACATCTCTCC ATGGCAACGA 2340
GTAATTGCAG TTATATTAAG TTCATGATAT TTCACAATAA GGGCATATCT TTGCCCTTTT 2400
TATTTAATCA ATTCTTAATT GGTGAATGTT TGTTTCCAGT TTGTTGTTGT TATTAACAAT 2460
GTTCCCATAA GCATTCCTGT ACACCAATGT TCACACATTT GTCTGATTTT TTCTTCAGGA 2520
TAAAACCCAG GAGGTAGAAT TGCTGGGTTG ATAGAAGAGA AAGGATGATT GCCAAATTAA 2580
AGCTTCAGTA GAGGGTACAT GCCGAGCACA AATGGGATCA GCCCTAGATA CCAGAAATGG 2640
CACTTTCTCA TTTCCCCTTG GGACAAAAGG GAGAGAGGCA ATAACTGTGC TGCCAGAGTT 2700
AAATTTGTAC GTGGAGTAGC AGGAAATCAT TTGCTGAAAA TGAAAACAGA GATGATGTTG 2760
TAGAGGTCCT GAAGAGAGCA AAGAAAATTT GAAATTGCGG CTATCAGCTA TGGAAGAGAG 2820
TGCTGAACTG GAAAACAAAA GAAGTATTGA CAATTGGTAT GCTTGTAATG GCACCGATTT 2880
GAACGCTTGT GCCATTGTTC ACCAGCAGCA CTCAGCAGCC AAGTTTGGAG TTTTGTAGCA 2940
GAAAGACAAA TAAGTTAGGG ATTTAATATC CTGGCCAAAT GGTAGACAAA ATGAACTCTG 3000
AGATCCAGCT GCACAGGGAA GGAAGGGAAG ACGGGAAGAG GTTAGATAGG AAATACAAGA 3060
GTCAGGAGAC TGGAAGATGT TGTGATATTT AAGAACACAT AGAGTTGGAG TAAAAGTGTA 3120
AGAAAACTAG AAGGGTAAGA GACCGGTCAG AAAGTAGGCT ATTTGAAGTT AACACTTCAG 3180
AGGCAGAGTA GTTCTGAATG GTAACAAGAA ATTGAGTGTG CCTTTGAGAG TAGGTTAAAA 3240
AACAATAGGC AACTTTATTG TAGCTACTTC TGGAACAGAA GATTGTCATT AATAGTTTTA 3300
GAAAACTAAA ATATATAGCA TACTTATTTG TCAATTAACA AAGAAACTAT GTATTTTTAA 3360
ATGAGATTTA ATGTTTATTG TAG 3383

(2) INFORMATION FOR SEQ ID NO: 13:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 11464 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: double
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: Genomic DNA

(vi) ORIGINAL SOURCE:
(A) ORGANISM: human
(F) TISSUE TYPE: placenta

(iX) FEATURE:
(A) NAME/KEY: 5'UTR
(B) LOCATION: 1..3
(C) IDENTIFICATION METHODS: E
(A) NAME/KEY: leader peptide
(B) LOCATION: 4..82
(C) IDENTIFICATION METHODS: S

(A) NAME/KEY: intron
(B) LOCATION: 83..1453
(C) IDENTIFICATION METHODS: E
(A) NAME/KEY: leader peptide
(B) LOCATION: 1454..1465
(C) IDENTIFICATION METHODS: S
(A) NAME/KEY: intron
(B) LOCATION: 1466..4848
(C) IDENTIFICATION METHODS: E
(A) NAME/KEY: leader peptide
(B) LOCATION: 4849..4865
(C) IDENTIFICATION METHODS: S
(A) NAME/KEY: mat peptide
(B) LOCATION: 4866..4983
(C) IDENTIFICATION METHODS: S
(A) NAME/KEY: intron
(B) LOCATION: 4984..6317
(C) IDENTIFICATION METHODS: E
(A) NAME/KEY: mat peptide
(B) LOCATION: 6318..6451
(C) IDENTIFICATION METHODS: S
(A) NAME/KEY: intron
(B) LOCATION: 6452..11224
(C) IDENTIFICATION METHODS: E
(A) NAME/KEY: mat peptide
(B) LOCATION: 11225..11443
(C) IDENTIFICATION METHODS: S
(A) NAME/KEY: 3'UTR
(B) LOCATION: 11444..11464
(C) IDENTIFICATION METHODS: E

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 13:

```
AAG ATG GCT GCT GAA CCA GTA GAA GAC AAT TGC ATC AAC TTT GTG GCA        48
    Met Ala Ala Glu Pro Val Glu Asp Asn Cys Ile Asn Phe Val Ala
        -35                 -30                 -25
ATG AAA TTT ATT GAC AAT ACG CTT TAC TTT ATA G   GTAAGG CTAATGCCAT      98
Met Lys Phe Ile Asp Asn Thr Leu Tyr Phe Ile Ala
    -20                 -15                 -10
AGAACAAATA CCAGGTTCAG ATAAATCTAT TCAATTAGAA AAGATGTTGT GAGGTGAACT    158
ATTAAGTGAC TCTTTGTGTC ACCAAATTTC ACTGTAATAT TAATGGCTCT TAAAAAAATA    218
GTGGACCTCT AGAAATTAAC CACAACATGT CCAAGGTCTC AGCACCTTGT CACACCACGT    278
GTCCTGGCAC TTTAATCAGC AGTAGCTCAC TCTCCAGTTG GCAGTAAGTG CACATCATGA    338
AAATCCCAGT TTTCATGGGA AAATCCCAGT TTTCATTGGA TTTCCATGGG AAAAATCCCA    398
GTACAAAACT GGGTGCATTC AGGAAATACA ATTTCCCAAA GCAAATTGGC AAATTATGTA    458
AGAGATTCTC TAAATTTAGA GTTCCGTGAA TTACACCATT TTATGTAAAT ATGTTTGACA    518
AGTAAAAATT GATTCTTTTT TTTTTTTTCT GTTGCCCAGG CTGGAGTGCA GTGGCACAAT    578
CTCTGCTCAC TGCAACCTCC ACCTCCTGGG TTCAAGCAAT TCTCCTGCCT CAGCCTTCTG    638
AGTAGCTGGG ACTACAGGTG CATCCCGCCA TGCCTGGCTA ATTTTTGGGT ATTTTTACTA    698
GAGACAGGGT TTTGGCATGT TGTCCAGGCT GGTCTTGGAC TCCTGATCTC AGATGATCCT    758
CCTGGCTCGG GCTCCCAAAG TGCTGGGATT ACAGGCATGA ACCACCACAC ATGGCCTAAA    818
AATTGATTCT TATGATTAAT CTCCTGTGAA CAATTTGGCT TCATTTGAAA GTTTGCCTTC    878
ATTTGAAACC TTCATTTAAA AGCCTGAGCA ACAAAGTGAG ACCCCATCTC TACAAAAAAC    938
TGCAAAATAT CCTGTGGACA CCTCCTACCT TCTGTGGAGG CTGAAGCAGG AGGATCACTT    998
GAGCCTAGGA ATTTGAGCCT GCAGTGAGCT ATGATCCCAC CCCTACACTC CAGCCTGCAT   1058
GACAGTAGAC CCTGACACAC ACACACAAAA AAAAACCTTC ATAAAAAATT ATTAGTTGAC   1118
TTTTCTTAGG TGACTTTCCG TTTAAGCAAT AAATTTAAAA GTAAAATCTC TAATTTTAGA   1178
AAATTTATTT TTAGTTACAT ATTGAAATTT TTAAACCCTA GGTTTAAGTT TTATGTCTAA   1238
ATTACCTGAG AACACACTAA GTCTGATAAG CTTCATTTTA TGGGCCTTTT GGATGATTAT   1298
ATAATATTCT GATGAAAGCC AAGACAGACC CTTAAACCAT AAAAATAGGA GTTCGAGAAA   1358
GAGGAGTAGC AAAAGTAAAA GCTAGAATGA GATTGAATTC TGAGTCGAAA TACAAAATTT   1418
TACATATTCT GTTTCTCTCT TTTTCCCCCT CTTAG   CT GAA GAT GAT G   GTAAA   1470
                                        Ala Glu Asp Asp Glu
                                        -10
GTAGAAATGA ATTTATTTTT CTTTGCAAAC TAAGTATCTG CTTGAGACAC ATCTATCTCA   1530
CCATTGTCAG CTGAGGAAAA AAAAAAATGG TTCTCATGCT ACCAATCTGC CTTCAAAGAA   1590
ATGTGGACTC AGTAGCACAG CTTTGGAATG AAGATGATCA TAAGAGATAC AAAGAAGAAC   1650
```

```
CTCTAGCAAA AGATGCTTCT CTATGCCTTA AAAAATTCTC CAGCTCTTAG AATCTACAAA   1710
ATAGACTTTG CCTGTTTCAT TGGTCCTAAG ATTAGCATGA AGCCATGGAT TCTGTTGTAG   1770
GGGGAGCGTT GCATAGGAAA AAGGGATTGA AGCATTAGAA TTGTCCAAAA TCAGTAACAC   1830
CTCCTCTCAG AAATGCTTTG GGAAGAAGCC TGGAAGGTTC CGGGTTGGTG GTGGGGTGGG   1890
GCAGAAAATT CTGGAAGTAG AGGAGATAGG AATGGGTGGG GCAAGAAGAC CACATTCAGA   1950
GGCCAAAAGC TGAAAGAAAC CATGGCATTT ATGATGAATT CAGGGTAATT CAGAATGGAA   2010
GTAGAGTAGG AGTAGGAGAC TGGTGAGAGG AGCTAGAGTG ATAAACAGGG TGTAGAGCAA   2070
GACGTTCTCT CACCCCAAGA TGTGAAATTT GGACTTTATC TTGGAGATAA TAGGGTTAAT   2130
TAAGCACAAT ATGTATTAGC TAGGGTAAAG ATTAGTTTGT TGTAACAAAG ACATCCAAAG   2190
ATACAGTAGC TGAATAAGAT AGAGAATTTT TCTCTCAAAG AAAGTCTAAG TAGGCAGCTC   2250
AGAAGTAGTA TGGCTGGAAG CAACCTGATG ATATTGGGAC CCCCAACCTT CTTCAGTCTT   2310
GTACCCATCA TCCCCTAGTT GTTGATCTCA CTCACATAGT TGAAAATCAT CATACTTCCT   2370
GGGTTCATAT CCCAGTTATC AAGAAAGGGT CAAGAGAAGT CAGGCTCATT CCTTTCAAAG   2430
ACTCTAATTG GAAGTTAAAC ACATCAATCC CCCTCATATT CCATTGACTA GAATTTAATC   2490
ACATGGCCAC ACCAAGTGCA AGGAAATCTG GAAAATATAA TCTTTATTCC AGGTAGCCAT   2550
ATGACTCTTT AAAATTCAGA AATAATATAT TTTTAAAATA TCATTCTGGC TTTGGTATAA   2610
AGAATTGATG GTGTGGGGTG AGGAGGCCAA AATTAAGGGT TGAGAGCCTA TTATTTTAGT   2670
TATTACAAGA AATGATGGTG TCATGAATTA AGGTAGACAT AGGGGAGTGC TGATGAGGAG   2730
CTGTGAATGG ATTTTAGAAA CACTTGAGAG AATCAATAGG ACATGATTTA GGGTTGGATT   2790
TGGAAAGGAG AAGAAAGTAG AAAAGATGAT GCCTACATTT TTCACTTAGG CAATTTGTAC   2850
CATTCAGTGA AATAGGGAAC ACAGGAGGAA GAGCAGGTTT TGGTGTATAC AAAGAGGAGG   2910
ATGGATGACG CATTTCGTTT TGGATCTGAG ATGTCTGTGG AACGTCCTAG TGGAGATGTC   2970
CACAAACTCT TCTACATGTG GTTCTGAGTT CAGGACACAG ATTTGGGCTG GAGATAGAGA   3030
TATTGTAGGC TTATACATAG AAATGGCATT TGAATCTATA GAGATAAAAA GACACATCAG   3090
AGGAAATGTG TAAAGTGAGA GAGGAAAAGC CAAGTACTGT GCTGGGGGGA ATACCTACAT   3150
TTAAAGGATG CAGTAGAAAG AAGCTAATAA ACAACAGAGA GCAGACTAAC CAAAAGGGGA   3210
GAAGAAAAAC CAAGAGAATT CCACCGACTC CCAGGAGAGC ATTTCAAGAT TGAGGGGATA   3270
GGTGTTGTGT TGAATTTTGC AGCCTTGAGA ATCAAGGGCC AGAACACAGC TTTTAGATTT   3330
AGCAACAAGG AGTTTGGTGA TCTCAGTGAA AGCAGCTTGA TGGTGAAATG GAGGCAGAGG   3390
CAGATTGCAA TGAGTGAAAC AGTGAATGGG AAGTGAAGAA ATGATACAGA TAATTCTTGC   3450
TAAAAGCTTG GCTGTTAAAA GGAGGAGAGA AACAAGACTA GCTGCAAAGT GAGATTGGGT   3510
TGATGGAGCA GTTTTAAATC TCAAAATAAA GAGCTTTGTG CTTTTTTGAT TATGAAAATA   3570
ATGTGTTAAT TGTAACTAAT TGAGGCAATG AAAAAAGATA ATAATATGAA AGATAAAAAT   3630
ATAAAAACCA CCCAGAAATA ATGATAGCTA CCATTTTGAT ACAATATTTC TACACTCCTT   3690
TCTATGTATA TATACAGACA CAGAAATGCT TATATTTTTA TTAAAAGGGA TTGTACTATA   3750
CCTAAGCTGC TTTTTCTAGT TAGTGATATA TATGGACATC TCTCCATGGC AACGAGTAAT   3810
TGCAGTTATA TTAAGTTCAT GATATTTCAC AATAAGGGCA TATCTTTGCC CTTTTTATTT   3870
AATCAATTCT TAATTGGTGA ATGTTTGTTT CCAGTTTGTT GTTGTTATTA ACAATGTTCC   3930
CATAAGCATT CCTGTACACC AATGTTCACA CATTTGTCTG ATTTTTTCTT CAGGATAAAA   3990
CCCAGGAGGT AGAATTGCTG GGTTGATAGA AGAGAAAGGA TGATTGCCAA ATTAAAGCTT   4050
CAGTAGAGGG TACATGCCGA GCACAAATGG GATCAGCCCT AGATACCAGA AATGGCACTT   4110
TCTCATTTCC CCTTGGGACA AAAGGGAGAG AGGCAATAAC TGTGCTGCCA GAGTTAAATT   4170
TGTACGTGGA GTAGCAGGAA ATCATTTGCT GAAAATGAAA ACAGAGATGA TGTTGTAGAG   4230
GTCCTGAAGA GAGCAAAGAA AATTTGAAAT TGCGGCTATC AGCTATGGAA GAGAGTGCTG   4290
AACTGGAAAA CAAAAGAAGT ATTGACAATT GGTATGCTTG TAATGGCACC GATTTGAACG   4350
CTTGTGCCAT TGTTCACCAG CAGCACTCAG CAGCCAAGTT TGGAGTTTTG TAGCAGAAAG   4410
ACAAATAAGT TAGGGATTTA ATATCCTGGC CAAATGGTAG ACAAAATGAA CTCTGAGATC   4470
CAGCTGCACA GGGAAGGAAG GGAAGACGGG AAGAGGTTAG ATAGGAAATA CAAGAGTCAG   4530
GAGACTGGAA GATGTTGTGA TATTTAAGAA CACATAGAGT TGGAGTAAAA GTGTAAGAAA   4590
ACTAGAAGGG TAAGAGACCG GTCAGAAAGT AGGCTATTTG AAGTTAACAC TTCAGAGGCA   4650
GAGTAGTTCT GAATGGTAAC AAGAAATTGA GTGTGCCTTT GAGAGTAGGT TAAAAAACAA   4710
TAGGCAACTT TATTGTAGCT ACTTCTGGAA CAGAAGATTG TCATTAATAG TTTTAGAAAA   4770
CTAAAATATA TAGCATACTT ATTTGTCAAT TAACAAAGAA ACTATGTATT TTTAAATGAG   4830
ATTTAATGTT TATTGTAG  AA AAC CTG GAA TCA GAT TAC TTT GGC AAG CTT      4880
                    Glu Asn Leu Glu Ser Asp Tyr Phe Gly Lys Leu
                        -5                  1                   5
GAA TCT AAA TTA TCA GTC ATA AGA AAT TTG AAT GAC CAA GTT CTC TTC      4928
Glu Ser Lys Leu Ser Val Ile Arg Asn Leu Asn Asp Gln Val Leu Phe
                10                  15                  20
ATT GAC CAA GGA AAT CGG CCT CTA TTT GAA GAT ATG ACT GAT TCT GAC      4976
Ile Asp Gln Gly Asn Arg Pro Leu Phe Glu Asp Met Thr Asp Ser Asp
            25                  30                  35
TGT AGA G   GTATTTTTT TTAATTCGCA AACATAGAAA TGACTAGCTA CTTCTTCCCA   5032
Cys Arg Asp
        40
TTCTGTTTTA CTGCTTACAT TGTTCCGTGC TAGTCCCAAT CCTCAGATGA AAAGTCACAG   5092
GAGTGACAAT AATTTCACTT ACAGGAAACT TTATAAGGCA TCCACGTTTT TTAGTTGGGG   5152
```

```
TAAAAAATTG GATACAATAA GACATTGCTA GGGGTCATGC CTCTCTGAGC CTGCCTTTGA   5212
ATCACCAATC CCTTTATTGT GATTGCATTA ACTGTTTAAA ACCTCTATAG TTGGATGCTT   5272
AATCCCTGCT TGTTACAGCT GAAAATGCTG ATAGTTTACC AGGTGTGGTG GCATCTATCT   5332
GTAATCCTAG CTACTTGGGA GGCTCAAGCA GGAGGATTGC TTGAGGCCAG GACTTTGAGG   5392
CTGTAGTACA CTGTGATCGT ACCTGTGAAT AGCCACTGCA CTCCAGCCTG GGTGATATAC   5452
AGACCTTGTC TCTAAAATTA AAAAAAAAAA AAAAAAAAAC CTTAGGAAAG GAAATTGATC   5512
AAGTCTACTG TGCCTTCCAA AACATGAATT CCAAATATCA AAGTTAGGCT GAGTTGAAGC   5572
AGTGAATGTG CATTCTTTAA AAATACTGAA TACTTACCTT AACATATATT TTAAATATTT   5632
TATTTAGCAT TTAAAAGTTA AAAACAATCT TTTAGAATTC ATATCTTTAA AATACTCAAA   5692
AAAGTTGCAG CGTGTGTGTT GTAATACACA TTAAACTGTG GGGTTGTTTG TTTGTTTGAG   5752
ATGCAGTTTC ACTCTGTCAC CCAGGCTGAA GTGCAGTGCA GTGCAGTGGT GTGATCTCGG   5812
CTCACTACAA CCTCCACCTC CCACGTTCAA GCGATTCTCA TGCCTCAGTC TCCCGAGTAG   5872
GTGGGATTAC AGGCATGCAC CACTTACACC CGGCTAATTT TTGTATTTTT AGTAGAGCTG   5932
GGGTTTCACC ATGTTGGCCA GGCTGGTCTC AAACCCCTAA CCTCAAGTGA TCTGCCTGCC   5992
TCAGCCTCCC AAACAAACAA ACAACCCCAC AGTTTAATAT GTGTTACAAC ACACATGCTG   6052
CAACTTTTAT GAGTATTTTA ATGATATAGA TTATAAAAGG TTGTTTTTAA CTTTTAAATG   6112
CTGGGATTAC AGGCATGAGC CACTGTGCCA GGCCTGAACT GTGTTTTTAA AAATGTCTGA   6172
CCAGCTGTAC ATAGTCTCCT GCAGACTGGC CAAGTCTCAA AGTGGGAACA GGTGTATTAA   6232
GGACTATCCT TTGGTTAAAT TTCCGCAAAT GTTCCTGTGC AAGAATTCTT CTAACTAGAG   6292
TTCTCATTTA TTATATTTAT TTCAG  AT AAT GCA CCC CGG ACC ATA TTT ATT      6343
                            Asp Asn Ala Pro Arg Thr Ile Phe Ile
                            40                  45
ATA AGT ATG TAT AAA GAT AGC CAG CCT AGA GGT ATG GCT GTA ACT ATC      6391
Ile Ser Met Tyr Lys Asp Ser Gln Pro Arg Gly Met Ala Val Thr Ile
    50                  55                  60
TCT GTG AAG TGT GAG AAA ATT TCA ACT CTC TCC TGT GAG AAC AAA ATT      6439
Ser Val Lys Cys Glu Lys Ile Ser Thr Leu Ser Cys Glu Asn Lys Ile
65                  70                  75                  80
ATT TCC TTT AAG GTAAG ACTGAGCCTT ACTTTGTTTT CAATCATGTT AATATAATCA    6496
Ile Ser Phe Lys
ATATAATTAG AAATATAACA TTATTTCTAA TGTTAATATA AGTAATGTAA TTAGAAAACT   6556
CAAATATCCT CAGACCAACC TTTTGTCTAG AACAGAAATA ACAAGAAGCA GAGAACCATT   6616
AAAGTGAATA CTTACTAAAA ATTATCAAAC TCTTTACCTA TTGTGATAAT GATGGTTTTT   6676
CTGAGCCTGT CACAGGGGAA GAGGAGATAC AACACTTGTT TTATGACCTG CATCTCCTGA   6736
ACAATCAGTC TTTATACAAA TAATAATGTA GAATACATAT GTGAGTTATA CATTTAAGAA   6796
TAACATGTGA CTTTCCAGAA TGAGTTCTGC TATGAAGAAT GAAGCTAATT ATCCTTCTAT   6856
ATTTCTACAC CTTTGTAAAT TATGATAATA TTTTAATCCC TAGTTGTTTT GTTGCTGATC   6916
CTTAGCCTAA GTCTTAGACA CAAGCTTCAG CTTCCAGTTG ATGTATGTTA TTTTTAATGT   6976
TAATCTAATT GAATAAAAGT TATGAGATCA GCTGTAAAAG TAATGCTATA ATTATCTTCA   7036
AGCCAGGTAT AAAGTATTTC TGGCCTCTAC TTTTTCTCTA TTATTCTCCA TTATTATTCT   7096
CTATTATTTT TCTCTATTTC CTCCATTATT GTTAGATAAA CCACAATTAA CTATAGCTAC   7156
AGACTGAGCC AGTAAGAGTA GCCAGGGATG CTTACAAATT GGCAATGCTT CAGAGGAGAA   7216
TTCCATGTCA TGAAGACTCT TTTTGAGTGG AGATTTGCCA ATAAATATCC GCTTTCATGC   7276
CCACCCAGTC CCCACTGAAA GACAGTTAGG ATATGACCTT AGTGAAGGTA CCAAGGGGCA   7336
ACTTGGTAGG GAGAAAAAAG CCACTCTAAA ATATAATCCA AGTAAGAACA GTGCATATGC   7396
AACAGATACA GCCCCCAGAC AAATCCCTCA GCTATCTCCC TCCAACCAGA GTGCCACCCC   7456
TTCAGGTGAC AATTTGGAGT CCCCATTCTA GACCTGACAG GCAGCTTAGT TATCAAAATA   7516
GCATAAGAGG CCTGGGATGG AAGGGTAGGG TGGAAAGGGT TAAGCATGCT GTTACTGAAC   7576
AACATAATTA GAAGGGAAGG AGATGGCCAA GCTCAAGCTA TGTGGGATAG AGGAAAACTC   7636
AGCTGCAGAG GCAGATTCAG AAACTGGGAT AAGTCCGAAC CTACAGGTGG ATTCTTGTTG   7696
AGGGAGACTG GTGAAAATGT TAAGAAGATG GAAATAATGC TTGGCACTTA GTAGGAACTG   7756
GGCAAATCCA TATTTGGGGG AGCCTGAAGT TTATTCAATT TTGATGGCCC TTTTAAATAA   7816
AAAGAATGTG GCTGGGCGTG GTGGCTCACA CCTGTAATCC CAGCACTTTG GGAGGCCGAG   7876
GGGGGCGGAT CACCTGAAGT CAGGAGTTCA AGACCAGCCT GACCAACATG GAGAAACCCC   7936
ATCTCTACTA AAAATACAAA ATTAGCTGGG CGTGGTGGCA TATGCCTGTA ATCCCAGCTA   7996
CTCGGGAGGC TGAGGCAGGA GAATCTTTTG AACCCGGGAG GCAGAGGTTG CGATGAGCCT   8056
AGATCGTGCC ATTGCACTCC AGCCTGGGCA ACAAGAGCAA AACTCGGTCT CAAAAAAAAA   8116
AAAAAAAAAG TGAAATTAAC CAAAGGCATT AGCTTAATAA TTTAATACTG TTTTTAAGTA   8176
GGGCGGGGGG TGGCTGGAAG AGATCTGTGT AAATGAGGGA ATCTGACATT TAAGCTTCAT   8236
CAGCATCATA GCAAATCTGC TTCTGGAAGG AACTCAATAA ATATTAGTTG GAGGGGGGGA   8296
GAGAGTGAGG GGTGGACTAG GACCAGTTTT AGCCCTTGTC TTTAATCCCT TTTCCTGCCA   8356
CTAATAAGGA TCTTAGCAGT GGTTATAAAA GTGGCCTAGG TTCTAGATAA TAAGATACAA   8416
CAGGCCAGGC ACAGTGGCTC ATGCCTATAA TCCCAGCACT TTGGGAGGGC AAGGCGAGTG   8476
TCTCACTTGA GATCAGGAGT TCAAGACCAG CCTGGCCAGC ATGGCGATAC TCTGTCTCTA   8536
CTAAAAAAAA TACAAAAATT AGCCAGGCAT GGTGGCATGC ACCTGTAATC CCAGCTACTC   8596
GTGAGCCTGA GGCAGAAGAA TCGCTTGAAA CCAGGAGGTG TAGGCTGCAG TGAGCTGAGA   8656
TCGCACCACT GCACTCCAGC CTGGGCGACA GAATGAGACT TTGTCTCAAA AAAAGAAAAA   8716
```

```
GATACAACAG GCTACCCTTA TGTGCTCACC TTTCACTGTT GATTACTAGC TATAAAGTCC   8776
TATAAAGTTC TTTGGTCAAG AACCTTGACA ACACTAAGAG GGATTTGCTT TGAGAGGTTA   8836
CTGTCAGAGT CTGTTTCATA TATATACATA TACATGTATA TATGTATCTA TATCCAGGCT   8896
TGGCCAGGGT TCCCTCAGAC TTTCCAGTGC ACTTGGGAGA TGTTAGGTCA ATATCAACTT   8956
TCCCTGGATT CAGATTCAAC CCCTTCTGAT GTAAAAAAAA AAAAAAAAAA GAAAGAAATC   9016
CCTTTCCCCT TGGAGCACTC AAGTTTCACC AGGTGGGGCT TTCCAAGTTG GGGGTTCTCC   9076
AAGGTCATTG GGATTGCTTT CACATCCATT TGCTATGTAC CTTCCCTATG ATGGCTGGGA   9136
GTGGTCAACA TCAAAACTAG GAAAGCTACT GCCCAAGGAT GTCCTTACCT CTATTCTGAA   9196
ATGTGCAATA AGTGTGATTA AAGAGATTGC CTGTTCTACC TATCCACACT CTCGCTTTCA   9256
ACTGTAACTT TCTTTTTTTC TTTTTTTCTT TTTTTCTTTT TTTTTGAAAC GGAGTCTCGC   9316
TCTGTCGCCC AGGCTAGAGT GCAGTGGCAC GATCTCAGCT CACTGCAAGC TCTGCCTCCC   9376
GGGTTCACGC CATTCTCCTG CCTCACCCTC CCAAGCAGCT GGGACTACAG GCGCCTGCCA   9436
CCATGCCCAG CTAATTTTTT GTATTTTTAG TAGAGACGGG GTTTCACCGT GTTAGCCAGG   9496
ATGGTCTCGA TCTCCTGAAC TTGTGATCCG CCCGCCTCAG CCTCCCAAAG TGCTGGGATT   9556
ACAGGCGTGA GCCATCGCAC CCGGCTCAAC TGTAACTTTC TATACTGGTT CATCTTCCCC   9616
TGTAATGTTA CTAGAGCTTT TGAAGTTTTG GCTATGGATT ATTTCTCATT TATACATTAG   9676
ATTTCAGATT AGTTCCAAAT TGATGCCCAC AGCTTAGGGT CTCTTCCTAA ATTGTATATT   9736
GTAGACAGCT GCAGAAGTGG GTGCCAATAG GGGAACTAGT TTATACTTTC ATCAACTTAG   9796
GACCCACACT TGTTGATAAA GAACAAAGGT CAAGAGTTAT GACTACTGAT TCCACAACTG   9856
ATTGAGAAGT TGGAGATAAC CCCGTGACCT CTGCCATCCA GAGTCTTTCA GGCATCTTTG   9916
AAGGATGAAG AAATGCTATT TTAATTTTGG AGGTTTCTCT ATCAGTGCTT AGGATCATGG   9976
GAATCTGTGC TGCCATGAGG CCAAAATTAA GTCCAAAACA TCTACTGGTT CCAGGATTAA  10036
CATGGAAGAA CCTTAGGTGG TGCCCACATG TTCTGATCCA TCCTGCAAAA TAGACATGCT  10096
GCACTAACAG GAAAAGTGCA GGCAGCACTA CCAGTTGGAT AACCTGCAAG ATTATAGTTT  10156
CAAGTAATCT AACCATTTCT CACAAGGCCC TATTCTGTGA CTGAAACATA CAAGAATCTG  10216
CATTTGGCCT TCTAAGGCAG GGCCCAGCCA AGGAGACCAT ATTCAGGACA GAAATTCAAG  10276
ACTACTATGG AACTGGAGTG CTTGGCAGGG AAGACAGAGT CAAGGACTGC CAACTGAGCC  10336
AATACAGCAG GCTTACACAG GAACCCAGGG CCTAGCCCTA CAACAATTAT TGGGTCTATT  10396
CACTGTAAGT TTTAATTTCA GGCTCCACTG AAAGAGTAAG CTAAGATTCC TGGCACTTTC  10456
TGTCTCTCTC ACAGTTGGCT CAGAAATGAG AACTGGTCAG GCCAGGCATG GTGGCTTACA  10516
CCTGGAATCC CAGCACTTTG GGAGGCCGAA GTGGGAGGGT CACTTGAGGC CAGGAGTTCA  10576
GGACCAGCTT AGGCAACAAA GTGAGATACC CCCTGACCCC TTCTCTACAA AAATAAATTT  10636
TAAAAATTAG CCAAATGTGG TGGTGTATAC TTACAGTCCC AGCTACTCAG GAGGCTGAGG  10696
CAGGGGGATT GCTTGAGCCC AGGAATTCAA GGCTGCAGTG AGCTATGATT TCACCACTGC  10756
ACTTCTGGCT GGGCAACAGA GCGAGACCCT GTCTCAAAGC AAAAAGAAAA AGAAACTAGA  10816
ACTAGCCTAA GTTTGTGGGA GGAGGTCATC ATCGTCTTTA GCCGTGAATG GTTATTATAG  10876
AGGACAGAAA TTGACATTAG CCCAAAAAGC TTGTGGTCTT TGCTGGAACT CTACTTAATC  10936
TTGAGCAAAT GTGGACACCA CTCAATGGGA GAGGAGAGAA GTAAGCTGTT TGATGTATAG  10996
GGGAAAACTA GAGGCCTGGA ACTGAATATG CATCCCATGA CAGGGAGAAT AGGAGATTCG  11056
GAGTTAAGAA GGAGAGGAGG TCAGTACTGC TGTTCAGAGA TTTTTTTTAT GTAACTCTTG  11116
AGAAGCAAAA CTACTTTTGT TCTGTTTGGT AATATACTTC AAAACAAACT TCATATATTC  11176
AAATTGTTCA TGTCCTGAAA TAATTAGGTA ATGTTTTTTT CTCTATAG GAA ATG AAT   11233
                                                    Glu Met Asn
                                                    85

CCT CCT GAT AAC ATC AAG GAT ACA AAA AGT GAC ATC ATA TTC TTT CAG    11281
Pro Pro Asp Asn Ile Lys Asp Thr Lys Ser Asp Ile Ile Phe Phe Glu
        90                  95                  100
AGA AGT GTC CCA GGA CAT GAT AAT AAG ATG CAA TTT GAA TCT TCA TCA    11329
Arg Ser Val Pro Gly His Asp Asn Lys Met Gln Phe Glu Ser Ser Ser
    105                 110                 115
TAC GAA GGA TAC TTT CTA GCT TGT GAA AAA GAG AGA GAC CTT TTT AAA    11377
Tyr Glu Gly Tyr Phe Leu Ala Cys Glu Lys Glu Arg Asp Leu Phe Lys
120                 125                 130                 135
CTC ATT TTG AAA AAA GAG GAT GAA TTG GGG GAT AGA TCT ATA ATG TTC    11425
Leu Ile Leu Lys Lys Glu Asp Glu Leu Gly Asp Arg Ser Ile Met Phe
                140                 145                 150
ACT GTT CAA AAC GAA GAC TAGCTATTAA AATTTCATGC C                    11464
Thr Val Gln Asn Glu Asp
            155
```

(2) INFORMATION FOR SEQ ID NO:14:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 28994 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: double
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: Genomic DNA

(vi) ORIGINAL SOURCE:
(A) ORGANISM: human
(F) TISSUE TYPE: placenta

(iX) FEATURE:
(A) NAME/KEY: 5'UTR
(B) LOCATION: 1..15606
(C) IDENTIFICATION METHODS: E
(A) NAME/KEY: leader peptide
(B) LOCATION: 15607..15685
(C) IDENTIFICATION METHODS: S
(A) NAME/KEY: intron
(B) LOCATION: 15686..17056
(C) IDENTIFICATION METHODS: E
(A) NAME/KEY: leader peptide
(B) LOCATION: 17057..17068
(C) IDENTIFICATION METHODS: S
(A) NAME/KEY: intron
(B) LOCATION: 17069..20451
(C) IDENTIFICATION METHODS: E
(A) NAME/KEY: leader peptide
(B) LOCATION: 20452..20468
(C) IDENTIFICATION METHODS: S
(A) NAME/KEY: mat peptide
(B) LOCATION: 20469..20586
(C) IDENTIFICATION METHODS: S
(A) NAME/KEY: intron
(B) LOCATION: 20587..21920
(C) IDENTIFICATION METHODS: E
(A) NAME/KEY: mat peptide
(B) LOCATION: 21921..22054
(C) IDENTIFICATION METHODS: S
(A) NAME/KEY: intron
(B) LOCATION: 22055..26827
(C) IDENTIFICATION METHODS: E
(A) NAME/KEY: mat peptide
(B) LOCATION: 26828..27046
(C) IDENTIFICATION METHODS: S
(A) NAME/KEY: 3'UTR
(B) LOCATION: 27047..28994
(C) IDENTIFICATION METHODS: E

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 14:

```
ACTTGCCTTA AAAGCTTTGC ATAGGTAGAC AACATTAGAT TAATTTCCTT GCTCACATCT     60
GTTCAAGAAA AATCATTTAA GTTATAAAAT ATAACAAACC TTCTGCATTA TAAGACTGAT    120
GTTTAGAAAT ATAAACATTT TATACATCAC CATTTAAATC TTTCTCCAAG GCTTCATCTT    180
TATAAAATAG TCCGGAAATT TCAGAGAAAG ATGAATCTGA TTTTCCAAGA GAGGACAGCT    240
GTGGACTATC TGGCACTGGA GACTAAATAA AGAAAGCAGG TACAGTCAAT AAGATCTTCA    300
GGACATATAC ATTTTGTTTA TTAAGAAAAA GCAAATAAAA CATTTTTCAG AAAAAGGCAA    360
ACATGCTAGA AAGCATATGA CTTAGTCATT TGAGTTTTTA TTATTAAGGA AATTTACAGG    420
CCCAAGAAAC ACCTTGCTCA ATATATTAAA TTTTATTTTG GTTTTCAACT AGACTTTGCT    480
TTTCATTTGT TTGTTTTTGT GACAAGTTCT CGCTCTGTCA CCTAGGCCAA AGTGTAGTGA    540
CACAATCTTA GCTCACTGTA GCCTCCTAGA TTCAAGTGAT CCTCCTGTCT CAGACTCCTG    600
AGTAGCTAGG ACTACAGGAA CATTCCACCA TGCCCAGCTA ATTTTGTTTT GTTTTGTTTT    660
GTTTTCAGAG ACAATGTATT GCAGCGTTGC CCAGGCTGAT CTGAAACTCT TAGCCTCAAA    720
CGATACTCCT GCCTCAGCCT CCCAAAGCAC TAGGATTACA GACATGAGCC AATGCGCCCA    780
GCCTTAAATT AGACTTTAAA TGTGGTTTTA AACTCCTGTT GAAAAAGCGT CTGGTATCTT    840
GAACCAGTAG ATGTTTTCAT AGCAATGAAG CTAAACTGTA ATTTAGACAG TAGCCAAATG    900
CTTGTGAAAT TTTGCTAAAT AATATAATCT TCAAGGGAGC AAATCATGTC CCAAATGCAA    960
AAGATCAACT GGTGGGGGCA GTAGTAAAAG ACAGGATACT GTGCTCTTTA AAAGGTCAGT   1020
AACTATAGTA CCTAGTTATC TTACTTATCA CAGCAAAATA ATTACATAAA ATCCTATGGA   1080
TCATAAAGGC ACAGACTCAC TTCTGTCTCT AGATCTCAAG CTACCAAAAA GAAATCTCCC   1140
AATAGTTTCT TGGAGGCCTA TACTTAGTGA AAAAGCAGCT GGAATCAACA TAGTTCCTCC   1200
TATGTTGTAG GACAATCCTA GCTCTGGGCA TACGAATACA TTAAATCCCA CTTATCTATA   1260
```

GAGCTTTCTT AAAGGGAAGA AATTTGAGTA GTATGTAAAA CAGAATAAAA GATTAAGGCT 1320
CCATAGGCAT ACAGCTTACC TCCAATTCTC TTGGCCTCTT GCAATTTCTA TTATCAGGCT 1380
TTACAAGGTG ATTTGCCATC ATATTCCGAA GGCACCAGCT ACAAAGCTTA GAACAATGCC 1440
AGATTTAGGT ACAAACTCCA TGCTACAAGC TCTCTGGAAT CCTTCCCTGT TTCCCACTCC 1500
TACTGCTGAT GTTAATTTAG ACTGTCATTA TCTGTCACTT TCCTAAACTC AATTTCTCCC 1560
TCCTCTAAAT CATTCTATCA ACTGCTATTT GGGTAATCTT TCAAAACTTT GATTACTGCA 1620
TTCCTTTAAC TCAAAAACTT TCATTGTTCC AGAATAAGTT GAAATTCCAT GATATGGCCT 1680
TCAAGGTCCT GTATTATCTG GTGCAAGCCT ACTAGTCCCA TCATTTTCAA CTACTCCTCT 1740
CTATGTACTT AGCCAAATGA GTCTCTCTGG CAATTCTGCC TTGTTTCAGG ACTGGCTCAG 1800
TTAAGATTCT TTTATCTTCG GCCGGGCGCG CTGGCTCACG GCTGTAATCC CAGCACTTTG 1860
GGAAGCTGAG GCAGGAAGAT CACCTGAGGT CGGGAGTTCG AGACCAGCCT GGCCAGCATG 1920
GTGAAACCCT GTGTCTACTA AAAATCCAAA CATTAGCCAG GCGTGGTGGC AGGCGCCTGT 1980
AATCCCAGCT ACTTGGGAAG CTGAGGTGAG AGAATCGCTT GAACCCAGGA GAGGGAGGTT 2040
GCAGTGAGCC GAGATTGTGC CATTGCACTC CAGCCTGGGC AACAGAGCGA GACTCCACCT 2100
CAAAAAAAAA AAGGATTCTT CTATCTTCAC AAAATCTTAA TGTTTAAACA GGTCTTACAG 2160
TTCATCTAAT TCAATCTCAT TTTTTACAAG TGAGAAAACA GGGACAGTGA CGGTGGATCA 2220
AGTGACACCA GTAAGACTGA GCTAAATTAG AACCGAGATC TCACTCGAGT CTGAGGTTAT 2280
TCCCACTGTC CAACCTTACT TTAAAGTAGC TTCAAATTTT ACTTTTACTT TTCCATAAAT 2340
TCGGAAGGGA TTTTCCCTAG GAGTCCAAAT GTTGAAACCT GGAAGGGTAT AGTCTCTGTG 2400
TCTTTGAGAT GAGGGGAGCC CTGTCCATAT TCAAGTTATC AATTGACTTT GTTGTTTTTG 2460
AGAAACGATG CTGATTTGGG TAACTTTAAC ACATCTGTTT GATTAGTCCT ATAAAATATG 2520
CATATATAGA AGACAGAAAG AGCAACAACA AATTTGAAAG ATGCTTGTTA AGTAAATTCT 2580
GTATCGTACG TGTCCATTCC TGCCAGTACC TTTATAGTAT GTAAGTTTAC GTGCTGTAAT 2640
AGTATTAATA GTATCTAGAA AATACTACAC ATGCACAGCA GTGCTAACTT TGCCTTGGGA 2700
GTTGGAAAAT ACTTCAGAGA AGCCAACAGG CAGATTTTTC TCTCTTCCCT TCCCCTTCTA 2760
ATTTTCCCTT TCCCCTTCAC CCCCTTCTCT TCTCTCCCCA AGTAACACTG TGCACCTATG 2820
TCAAACGAAA ACTTATAATC AAGTAACTGT TTCTGCAAAA ATAAGTTCGT TTTCCTGTCA 2880
TGGCTCAAGG CCTCAGCAGA TCCAGGCCTG GTGGACGGGC TGGTCTTCGT CGTGTGCCAA 2940
ACACTGACCA CTGCCCTGGC TCTGCCATCT TAGGCTTAGT GACCTGGCTG TTACTAAGCA 3000
CTGTCCCCTC TGCCCCATGC AGCTGTCTCC TTCTAGTCTT CTCCCTCTTC TCAACGCGAT 3060
CCTAGCCCCT CAGGCCATTT CACCTCCATT TTCCCTCACT TCCCGCCGCC CCTCCGCACT 3120
TCCTCCCTAC TGTTGTTTCC GCCCCACTAG AGCCCCTCAG AGAAAGTTTC CATCCTCGCA 3180
CCCTTCCTTG TGTCACAGCC CGTCACATTC TCACAGGCGC CCATCCCTCC AGCCCCACCC 3240
CAAGGCCAAT GTACTTCGCG GTATGGGGAC CTTCCTCGTC AGCGAACGCG AGGGAGTGAA 3300
GACCCTGGGC GCGGGGTGCT CGGACTTCGG GGGTGGAGGT GGGAAGCGCG CCGCACTCCC 3360
AGCAGCCCCT GCACGAGTCA CGTGACAGCT CTCCCACCAC CACCCCCCCC AACTTCCCCA 3420
CCGTAGCCTC CCAGAGCCAG GCCCCACGGA AAGGCAGCTT TTTCCCGGTT TTCTCCCGCT 3480
CTTTCCCCTC CACTTGGAAT ACTCGTGAAA CAAAAATCTC TCCCTGCCAC CCTGTGTGTG 3540
TTTGAACCAG GAAAAAATCT GAAACTGGTC AAGAAAGAAC AAGGAAGACT TGCCAAAGCA 3600
AGGCCGGTGT GTGTCCCAGC AGCTTAGAAT CTCAGCAAAG GAACACAAAA TAGCACATCC 3660
ACGGCCTCTT TTCGAGTAAA ATTTACTTGG TTTGTTTGCA GGAAGGGTTT AAAACTGCGT 3720
TTGCAGATGC TCTGTTTGCA GGAAGGCTTT AATCACGTGT TCCCCTGGCC CACAAGCAAG 3780
GCTTTTAGAT CCAGAGCCTC AGTTACTGCC CCCTCTTCCT CTTTGGTGCA ACCAAACGTT 3840
CAGAATCACG CCTTCTTAGA AAATTCTTAC CCCGGGTGTG TCAATAAGTT AAGTCTAATT 3900
GGCAACAGCT ATCAAAAAGT GTTGCATAAC ACACATGGCT CACATAATTG TAGCTTTGCC 3960
TCATCGGGTG TTTTAATGCG GAGGCTTTGA CCTGCAATTT CAAAGATATA CATTCCAAGC 4020
TTACGCCCAG TTAGTGGATG TGGAAGAAAA AAAAAAGCAA ATTACCTCAT AACACAAAGG 4080
TCAATAACAC ACATCCATAA GCTCCAGGTA CAAAATCTTA CATCTTAGAG AACTATATTT 4140
AACATTTACA TACATTACTA AGGTTTTTTT TTTCCTTTTG CTTGATTAAA TGTTAGTTAT 4200
CATTAAGTCT TGGAATTATT CTGTGTGTGT ATATTTATTT GCTGTTTGTG AAGAAGCCGG 4260
TTGTTTTAAA TAAGTTCCTA GAAAATAAGC GCTCAATGTG TTTAATCTGA GTTGCTAATA 4320
TTGTGAAATA TAGGCCACAT AATACTAGCC TAGATAACTA TGGCGAAGTA AGGAGTCTCA 4380
AACACTGTCC CAGAACAATA GCAATCTGTG TTGAATTTTT ACCCTCTGTG GTAAAATGAA 4440
GGGAAAAGGA ATGAAGTTTT AGTTTGCCTT AATTTTTATC TTTATTGTTT CAGACTCTTC 4500
AGCAGTATAA AGTTTTCATC AAGTCAAATA TATTCACTTT AAAGTGACTG TGCTTTATTC 4560
TGATACCATG TCCTTCCTAA TTTGGGGGGC CAGGTGAGAT AAGTTTTATG AAATAAAAAG 4620
ATTAAAAATT CTTACATTTT TAGTGTCCTT CCTTGGTAAA ATGTAGAGTT GTCCACTGTG 4680
TTTATCTCCT CCTCCTTATT ATCATGGTTG CTGTTATTAT TTTTAATGGT TCATTAAACC 4740
CAAGGGTCTG GGAAATACTC ATGGAATTCA TCTCACAGCC TTCACACTGT ATGATATTTA 4800
AACAGGTGGT TGTCCATCTG ATTCTTAAAA TATTTCCAAG AAAAATGATT CCACCTAATG 4860
CATAAATGCT TTCATCAGAT TAAGAGAACA CCATGGACAT TTTATTTTAT TTTATTTTTT 4920
AAATATTAAC TTCCATTGCA TAAGCTAAAT GGGTAGGAAT AAGTGAGATG ATATTGTTAT 4980
CTAGAGCTTT AAAATATTCA AAGGGCTGTC ATCATTATCT CATTTAATCT TTGAAAACAA 5040
CTCTATGAAG TACAAAGGAC ACTGAGACAT TTGTTGCTCT ATATCAAAGA AAAAAGTGTT 5100
TGTCCCAAAA CTTCAAAATG TGTAAATTAC ACATTCTGCA TCTTTACAGC TGGAGAAAAT 5160
TCACTGGCAA TGGAATATTT AAAATTAGAG CTTGCTTAGT GTGCTGCTTC TGATCACTAC 5220
TTGATCCCAC TTCGTGCTTT CATGTTAATT GGCCCAATTG GACTCTACAG TTGGAAGGTG 5280

AAAACTTACT ATTTCAACTT GAGTCACGTA TGTATTCTTA TCATATACTT CTTAAAGGTA 5340
CTATTTTTTT TCTTCTGATA GTCACCACAC CAAGCACTTC CAGCCACCCT GCCACAGACT 5400
TCCTTTGTAA TCACTGTTGA AGGACATGAT GTTTTTATGA CTTCCCGAAA TGAAAACCCT 5460
ATCTTGTTTT TAAAACAAAC AAACCAACAA AAAGTAGTGT TTATGTAAGC ATTTTGTTCC 5520
CTGACTCTAG GAACCCCTCT GTTTTTATAT CAACTCTGTA CTGGCAAAAC ACAAAAACAA 5580
AATGCCACCT TGCTAATTCC CTTCCTAGCA AAGTAATACA GTTTAGCACA TGTTCAAGAA 5640
AAAAATGGCT AAGAAATTTT GTTTCCACTA ATTATTTTCA AGACTGTGAT ATTTACACTC 5700
TGCTCTTCAA ACGTTACATT TTATAAGACT ATTTTTTAAC ATGTTGAACA TAAGCCCTAA 5760
ATATATGTAT CCTTAAATTG TATTTCAAAT ATTTTAGGTC AGTCTTTGCT ATCATTCCAG 5820
GAATAGAAAG TTTTAACACT GGAAACTGCA AGTAAATATT TGCCCTCTTA CCTGAATTTT 5880
GGTAGCCCTC TCCCCAAGCT TACTTTCTGT TGCAGAAAGT GTAAAAATTA TTACATAAAA 5940
TTCTAATGAT GGTATCCGTG TGGCTTGCAT CTGATACAGC AGATAAAGAA GTTTTATGAA 6000
AATGGACTCC TGTTCCACTG AAAAGTAAAT CTTAATGGCC TGTATCAACT ATCCTTTGAC 6060
ACCATATTGA GCTTGGGAGG AAGGGGAAGT CCTGAATGAG GTTATAAAGT AAAAGAAAAT 6120
ATTTGCAAAA TGTTCCTTTT TTTAAAATGT TACATTTTAG AAATATTTTA AGTGTTGTAA 6180
CATTGTAGGA ATTACCCCAA TAGGACTGAT TATTCCGCAT TGTAAAATAA GAAAAAGTTT 6240
TGTGCTGAAG TGTGACCAGG AAGTCTGAAA ATGAAGAGAG ACAGATGACA AAAGAAGATG 6300
CTTCTAATGG ACTAAGGAGG TGCTTTCTTA AAGTCAGAAA GAGATACTCA GAAAGAGGTA 6360
CAGGTTTTGG AAGGCACAGA GCCCCAACTT TTACGGAAGA AAAGATTTCA TGAAAATAGT 6420
GATATTACAT TAAAAGAAGT ACTCGTATCC TCTGCCACTT TATTTCGACT TCCATTGCCC 6480
TAGGAAAGAG CCTGTTTGAA GGCGGGCCCA AGGAGTGCCG ACAGCAGTCT CCTCCCTCCA 6540
CCTTCTTCCT CATTCTCTCC CCAGCTTGCT GAGCCCTTTG CTCCCCTGGC GACTGCCTGG 6600
ACAGTCAGCA AGGAATTGTC TCCCAGTGCA TTTTGCCCTC CTGGCTGCCA ACTCTGGCTG 6660
CTAAAGCGGC TGCCACCTGC TGCAGTCTAC ACAGCTTCGG GAAGAGGAAA GGAACCTCAG 6720
ACCTTCCAGA TCGCTTCCTC TCGCAACAAA CTATTTGTCG CAGGTAAGAA ATATCATTCC 6780
TCTTTATTTG GAAAGTCAGC CATGGCAATT AGAGGTAAAT AAGCTAGAAA GCAATTGAGA 6840
GGAATATAAA CCATCTAGCA TCACTACGAT GAGCAGTCAG TATCAACATA AGAAATATAA 6900
GCAAAGTCAG AGTAGAATTT TTTTCTTTTA TCAGATATGG GAGAGTATCA CTTTAGAGGA 6960
GAGGTTCTCA AACTTTTTGC TCTCATGTTC CCTTTACACT AAGCACATCA CATGTTAGCA 7020
TAAGTAACAT TTTTAATTAA AAATAACTAT GTACTTTTTT AACAACAAAA AAAAGCATAA 7080
AGAGTGACAC TTTTTTATTT TTACAAGTGT TTTAACTGGT TTAATAGAAG CCATATAGAT 7140
CTGCTGGATT CTCATCTGCT TTGCATTCAG ACTACTGCAA TATTGCACAG AATGCAGCCT 7200
CTGGTAAACT CTGTTGTACA CTCATGAGAG AATGGGTGAA AAAGACAAAT TACGTCTTAG 7260
AATTATTAGA AATAGCTTTC ACTTTAGGAA CTCCCTGAGA ATTGCTGCTT TAGAGTGGTA 7320
AGATAAATAA GCTTCTCTTT AAACGGAATC TCAAGACAGA ATCAGTTACA TTAAAAGCAA 7380
ACAAAAAATT TGCCCATGGT TAGTCATCTT GTGAAATCTG CCACACCTTT GGACTGGGCT 7440
ACAATTGGAT AATATAGCAT TCCCCGAGAT AATTTTCTCT CACAATTAAG GAAAGGGCTG 7500
AATAAATATC TCTGTTTGAA GTTGAATAAC AAAAATTAGG ACCCCCTAAA TTTTAGGGCT 7560
CCTGAAATTC GTCTTTTTGC CTATATTCAG CTACTTTACG TTCTATTAAA TCTTCTTTCA 7620
GGCCAGGTGC ACTAGCTCAT GCCTAGAATC TCAGGCAGGC CTGAGCCCAG GAATTTGAGA 7680
CCAGCCAGGG CAACACAGTC TCTACAAAAA AATAAAAAAT TACCTGGGTG TGTTGGTGCA 7740
TGCCTGTAGA ACTACTCAGG ATGCTGAGGA CTGCTTGAGC CCAGGATAGC CAAATCTGTG 7800
GTGAGTTCAG CCACTAAACA GAGCGAGACT TTCTCAAAAA AACAAACAAA AAAACAAACA 7860
AACTTCCTTC AAAATAACTT TTTATCTGCA ATGTTTTCCT ATTGCCTGTG AGATTAAATT 7920
TACTCTTTTA CCTGATTTCC AAAGCCCTCC ATAATCTAAT CCGACTTTAC CTTGTGTTCA 7980
CTGCAAAATA GCAGGACTGT TCCACTACAA TCCAAAAATC ACAGGTTGGG TGCAGTGGCT 8040
CACTCCTGTA ATCCCAACAC TTTGGAAGGC CAAGGCAGGT GGATTGCTTC AGCTCAGGAG 8100
TTCAAGACCA GCCTGGGCAA CATGGCAAAA ACCCTGTCTC TCCAAAACAT ACAAAAATTA 8160
GCCAGATGTG GTAGTATGTG CCTGTAGTCC CAACTACTCA AAAGGCTAAG GCAAGAGGAT 8220
CACTTGAGCC CAGGAGGTCA AGGCTACAGT GAGCCATGTT TACTGTGTCA CTGCACTCCA 8280
GCCTGGGTGA TAGAGCAAGA CCATGTCTCA AAAAAAAAAA AAAGAAAAGA AAAGAAAAAA 8340
ACATCGCTCT ATTCAGTTCA CCCCCACCAC AACATTGTTT TGATTATCAC ATAAATGCTG 8400
GTCCATTGCC TTCTCTATCT ATTCAAATCT TTAAGCATTC TTTGAGATTC AACTCAATTC 8460
TCCTTTTCAA ACTAGGCCAT TTAAACTACA TCAGTTCCAT TTTGATTTTC TTGCTTTGAG 8520
TCTACAGACT CAAAAACAAA AACTTAAAAA CTTATTTTTT AAGTTTTCTG CTACTCTCAC 8580
TTCTTCAACA CTCACATACA CGCATTCATA ATAAGATGGC AGAATGTTCA AGGATAAAAT 8640
GATTTATAGA ACTGAAAAGT TAGGTTTTGA TCTTGTTGCT GTCAAGATGA CTACCTACCT 8700
GATCTCAGGT AATTAATTAT GTAGCATGCT CCCTCATTTC ATCCCATACC TATTCAACAG 8760
GATTGGAATT CCACAGCAAG GATAAACATA ATCATAGTTG CTTTTCAAGT TCAAGGCATT 8820
TTAACTTTTA ATCTAGTAGT ATGTTTGTTG TTGTTGTTGT TGTTTGAGAT GGAGCCCTGC 8880
TGTGTCACCC AGGCTGGAGT GCAGTGGCAC GAACTCGGCT CACTGCAACC TCTGCCTCAT 8940
GGGTTCAATC AGTTATTCTG CCTCAGTGTC CCAAGTAGCT GGGACTACAA GGCACATGCC 9000
ACCATGCCTG GCTAATTTTT GTATTTTTAG TAGAAACAGG GCTTCACCAT GTTGGCCAGG 9060
CTGGTCTCGA ACTCCTGACC TCAAGTGATC CAGCCGCCTC GGCCTCCCAA AGTGCTGGGA 9120
TTACAGGCAT AAGCCACCGT GCCCAGCCTA ATAGTATGTT TTTAAACTCT TAGTGGCTTA 9180
ACAATGCTGG TTGTATAATA AATATGCCAT AAATATTTAC TGTCTTAGAA TTATGAAGAA 9240
GTGGTTACTA GGCCGTTTGC CACATATCAA TGGTTCTCTC CTTACAGCTT TAATTAGAGT 9300

CTAGAATTGC AGGTTGGTAG AGCTGGAACA GACCTTAAAG ATTGACTAGC CAACTTCCTT 9360
GTCCAAATGA GGGAACTGAG ACCCTTAAAA TTAAGTGACT TGCCCCAGAC AAAACTGGAA 9420
CTCATGTGTC CTAATTTCCA TCATGAAATT CTACCATTCA CTAGCCTCTG GCTAGTTGTC 9480
AAAGTATTGC ATAACTAAAT TTTTATGTCT GTTTTAAAGA ACAAATTGTC ACTGCTTACT 9540
CCTGGGAGGG TCTTTCTGAG GTGGTTTATA ACTCTTAAAA AAAAAAAAGT CAGTAGTCTG 9600
AGAATTTTAG ACGAAATAGT CAAAGCATTT TTATCCAATG GATCTATAAT TTTCATAGAT 9660
TAGAGTTAAA TCAAAGAAAC ACGGATGAGA AAGGAAGAGG AAAATTGAGG AGAGGAGGAA 9720
TGGGGATGAG AACACACTAC TTGTAATCAG TCATAGATGT ACTGAGAACT AACAAGAAGA 9780
ATTGTAAGAA AATAAGAATG AAGAATTCAA AATCAACACA TGAAATAAAA AGAAACTACT 9840
AGGGAAAAAT GGAGAAGACA TTAGAAAAAT TATTCTATTT TTAAAATTCT GTTTTCAGGC 9900
TTCCCTCCTG TTCTTCCTCC TTCTCATTGG TTTTCAGGTG GAGGGAAAGT TTAAGATGGA 9960
AAAAATATAT ATATTCTACA CATCCCTTTC TACGCTGTTG TCATGGCAAC AAGGTTTATC 10020
ATAGCAAACT TTTATTCATA CAACATTTAT TGAGTTCTTA CTGTGTGGTA AGCTCTTTCC 10080
AGGTGTTGAA AATTCAGGGG AAAAAAGACA ACTCATTGTC TTAAAACTCA GATGAAAGCT 10140
GAACAGACCT ATTTTTAATC AAAGTAATCT CAATTTAGGG TAGTAAGAGC TATTTAAGAA 10200
GCATGAACAG GTGTGAAGGA GGTAGGACTC TGAGGAGAGA ATAGTTAGCT AGGAATGAAA 10260
GAGCAGAGAA GTTTTCCTAG AGGAACTATT AAAGCTGGGA GTTACGGGAT GAAAGATGAG 10320
GCAGGGTTTG CAGGCAAAAA AAAAAAAAAG GCAGGGGAAG GGGAAGTTCT GGCCTGGCAG 10380
AGAGAATAAC TGTGGCAACA ATGGAGGAGA GTCTGGAAGC AAGAAAACCA AGTAGAAGAG 10440
TATTAAAATA GAAGATGCCA GGGGTAATGA GGGCTTGATT TAAAACAGTG CTGTTGGAGA 10500
TGGAGAGGAG ATACCAAATT CTGGAGACAT TTCTGAGTTA GAACCTACAG TATTTATCAG 10560
ACAAGGGAAA GATTAGACAA AGGAGTTAAG AATGACTCCC AGGTTTCAGT TTGGGGCAGG 10620
TAACTAGGAC ATGTTTTGAA AAGTAATGTA TTGGATCTCT TACCATTGGA ACTATGTATG 10680
TGGAGCCAAA TTAAAATTTG TACATGTATA TAACTCTCCC CCCACCACCA GTAACTACTT 10740
CCCTAACTCT CTACTTTGTA GCCAGACTTC CTAAAAGAAT AGTTTGTAGT CACTGTCTTT 10800
ACTTTTCCCC TCCCATTCTG TCCTAGATAT TTGTCCACCT ACCATCTGCT GCCTCCACTT 10860
TACCCAAACT GTTCTACGGT TGCCCAAAAC TTCCTAATTG CCAAATTCAA TGAACAAGTT 10920
TAAGCTTATA TGTAAATTAG GAGCTCTACA GTTTGATTTC GAGCAGCCCC TCCTGAAACC 10980
CTTTCTCTTT CGACTTCTGT GACACATCTC AGATTTACAA AACTGAACTA ATTATTTTAC 11040
ACTTGAGCTG TATTTTCGTT CTTCTTTCTT GATGAATGAG GTAACCACTC AACAAATTGC 11100
CCAAGCCAAA AACTACGAAG TCATCCTCAG TTCCTCCTTC TTCTGTTTGA CCCACAACAG 11160
ATCAGCTGAG AAATCCCGCT GTTTAGTATC TCTTGAATTC ATTACCTTAA TTTATAGCCT 11220
CATCAACTCT TAATTGTTAA AATTACTTCA GTAGTTGTTG TCTGACCTCT GTCCAATCTT 11280
GTTCAATCAG GTCCATTCTT TTGTTCTTGG TGGTGGTGGT GGTGTTGACA GAGTTTCGCT 11340
TTTGCTGCCC AGGCTGAAGT GCAGTGGAGC ACTTCACTGC AACCACAGCC TCCTGGGTTT 11400
AAGCAGTTCA CCCTCCCGAG TAGCTGGGAC TACAGGTATG TGCCACCACA CCCAGCTAAT 11460
TTTGTGTTTT CAGTAGAGAC AGGGTTTCAC CATGTTGGTC AGGCTGGTCT CAAACTCCTG 11520
ACCTCAAGCA ATCCACCCAC CTCAGCCTCC CAAAGTGCTG GGATTACAGG CATGAGCCAC 11580
TGCACACGGA CCAGATCCAT TGTTTATGTT GCTTCTAGAG TGAGTTTTTA AAACACAAAT 11640
TTGACCATAT CTTTCTCCAA TTTAAGTCAG TATTTTTTTT TTCAGGAAAA AACAGTTCAA 11700
ACTCTTTAGT CTGCTTACAC AAGGCCTTTG TAGTCTGACT CTTCTTTCCA AGCTTTCATC 11760
AAAGTATACT GCAAGTTACA TTTTATGTGA ATTGAATTAG GCAACGGTAT AAAAATTATA 11820
GTTTATATGG GCAAAATGGA AATAATGTTA ACTCTTCCAA ATAGTTTATC TAGAATGACA 11880
TAATTTCAAA GCTGTCAGGT CAAATGAGTT ATAAACTGTT AACACTATTG CCACATGCAA 11940
GTGTCTCTTA TACTTGGTAG AATTATCTGC TTCCATGTCA TTATTATGTA AATTAGACTT 12000
TAAATAACTC AGAAGTTCTT CAGACATACA GGTTATTATT GTGCTTTTTA AACATAATTT 12060
TAAATAATTT TATATATGAT AATGTTATCC AAGTGCTAAG GGATGTATTG TTACTGCTGT 12120
GCAAAAAAAA AAAAAAAAAA AACTCCAAAT AAATATGTTG AAACCAAGTT TATATGCAAG 12180
AAAACAATAT TAAAAAGGCC AAAGTACCAC CATAATAGGC TGTGTGGAGA CGGCAGGCTA 12240
CAAAACACTA GTAATAATGC TGAGAAAGTT GAAAAAAGAA AGAAAGCAAC AATATGCTTT 12300
GGTTGTTGTA GGTTTATGTA CTCCAAGAAT ATCTCCTCTC AAACTTTTAC GTTTTTTCCA 12360
AAGAAAAGTT AACTTTGGCT GGGCGCAGTG GCTCTTGCCT GTAGTCCCAG CCTTTGGGAG 12420
GCCAAGGCGG GCAGATCACC TGAGGTCAGG AGTTTGAGAC CAGCCTGACC AAAAATGGAG 12480
AAACCCGCCC CCCTCACTAC TAAAAGAATA CAAAATTAGG CCGGGCACAG TGGCTTACCC 12540
CTGTGATCCC AGCACTTTGG GAGGCCGAAG CAGGAAGATC ACCTGAGGTC AGGAGTTCGA 12600
GACCAGCCAT GGAGAAACCC GTCTCTACTA AAAATACAAA ATTAGCCGGG CGTGGTGGTG 12660
CATGACTGTA ATCCCAGCTA CTCAGGAGGC TAAGGCAGAG AATCACTTGA ACCCAGGCAG 12720
TGGAGGTTGC AGTGAGCCGA GATCGTGCCA TTGCACTCCA GCCTGGGCAA CAAGAGCGAA 12780
ACTCTGTATC CAAAAAACAA AAGAAAAGAA AAGGTAACCT TGAACTATGT GAGATCTTTA 12840
GAAATGCATT CTTTCTGTAA AATGTGACTA CATTTGCCTT ATTTATGGTA AAAATGTTGA 12900
GGCCTCAAAC AACCCATATT TTCTCGGTCT CCCCGCTGCC TAGCCTTTGT TCACATTGCT 12960
TCTTCTTGGT GGAAGCTCTT CCTCTGGCCT TGAAAATGCC TGCTTCTCTT TCAAGGTAGC 13020
ACAGTCATCA CTTTCTGTGG TAACCTTCTC CAGCACCATC AAACAGAAAG AATGAATCTC 13080
TTGTAAATTC AGCTCTTACG TCATTCATTA CATTATTTTG TAACTCTTTA TAGATTCTTC 13140
TCTCCCACTA GACTCTGAGT CACTGGAGAG TAGGAGCCAA CTCTCATTCA TGTGTGGTTT 13200
GGTCAGCTAC TGGCCACATT CCTGATGCAT AGTTAATGCT CAAACCTTAA CTGGTGAATC 13260
AGCTCAAATA TTGTCCTTCT CTAAATCCAT TCACTCATTG ACTAACTATG TACTCAAAAT 13320

```
AGTAAACACC AGTAATTTAA TCCAATTCCT GCCCATACTG CTTGGTACAT TTCAGGTGAA  13380
TTAGTTTGAT AAATATGTGT GTATTACATA ATATTAAAGT ATGTACAGAA GATCATGCTA  13440
ATCATAATTC ACAACTGATA ACTAATCAAA CATAAATGCT CTCAGGTTAA CAAATGTCTG  13500
CCTTCTCAGT TAATGCAGTC ATTAACAAAC ACCTTCTGAT GCTGATAATA GGGCCTTGTT  13560
CAGCAATGAA GCCATAAAGG TGAATAAAGA ACATGCCCTC GTGGAGCTCA CAGCCTAGTC  13620
ATTATTGTTC TGATTTTTAA TATTAATGTT GGTTTGGGTT TTGGTGAAAA ATGTTTAGAC  13680
TTATCTTAGT GATCTTTTCA TCCTTTGCTA TATTATTTTT CTCTAAGAGT CTTCCTTATC  13740
CCCTCCTTTA AAAAACTAGG TGATAATTCT AAATTGTAAA TTTAAATATT ATAAATAGCT  13800
TATAAAATTT AATATTTATA ATATTTAAAT GTTTGATAAA TATTTAAATT TTATAATATT  13860
TAAATGTTTA TTTAAATTCA TTTGTACATC AGTTTTTATT TTATTTAAAT GTGTTGGCCA  13920
GGCATGGTGG CTGACACCTA TAATCCCAGA ACTTTGAGAG GCCAAGTCAG GCAAACCATT  13980
TGAGCTCAGG AGTTTGAGAC CACCCTGGGC AACGTGGTGA AACCCTGTCT CTACCAAACA  14040
TATGAAAACT TATCTGGGTG TGGTGGCACG CATCTGTGGT CCCAGATGGG AGTCCCAGGC  14100
TAAGATGGGA GAATCGCTTG AACCCAGGTG AGAGGGGTGG GGTGGATGTT GCAGTGAGCT  14160
GAGATCGTGC CACTGCACTC CAACCTGGGT GACAGAGTGA GACTCCATCT CAAAAAAAAA  14220
AAATGTTATC TAAATAAGAT AAATTTAATA ACTGTTCGCA CTTAGATGAG CATAAGGAAC  14280
TAAACCTAGA TAAAACTATC AAATAAGGCC TGGGTACAGT GACTCATGCC TGTAATCTCA  14340
AGCACTTTGG GAGGCCAAAA TTATACAAAG TTAGTTGTAT AACACCAACT AACAACTATT  14400
TTGGGGTTAG CTTAATTCAG ATTAATTTTT TTTAAACTGA GTTTTAAATT CCTGCTTACT  14460
CTACCATACA TGCTAGGCCT CATATTATGC TAGAAAAATT TTGAGCACAG ATTTATGAAT  14520
ACTCTCCTGC ATACCATTTA ATTTTTAAAC AAATTTTAAT GCAGTATATA TGTGCCTTTT  14580
TACCAACACA TTAAATAATA AGATCTACTG TGAGGACTAA ATTTCTGTAA TTTCAAAGTA  14640
GTAATGAGTT TAAACCATGT CTCAAGATCT CTGCAATAAC TGTAGCACAA CAGAAAATAG  14700
GTATTTCTAT TAATGACAGA GTCACAAGTA CTACTAATAA TACTGTGGTT TGTTTCCTGC  14760
AACTAATCAT GGGAGGAATG CTAAATTTCA GAGGTTGGTG AAAATACATG TGTATTTTTT  14820
TCCCCATCCA AGTTCACAGA TTTCTCACAC TGAGAACTCC TATTCCATAA CAAAATTCTG  14880
GAAGCCTGCA CACCGTATTG GAAGAAGGGC AGAAAGGAAA AGCAAATGGA AGGATTTAAA  14940
TTTTTTTCAA ATCCTGTATC CCTTGATTTT ACAGCAAGAT TGTATTTATG TATTACTTGT  15000
GTTAAAAATA TAGTATAATC GAGACTCCAG ATCAAAAATC ACCGCAGCTC AGGGAGAAAG  15060
AGGGCCACCA AATGCCAGAG CCCTTCAGCC TTCTCCCACC CTGCCTGTAC CCTCAGATGG  15120
AAGCACTTTT TTATCATTGT TTCACCTTTA GCATTTTGAC AATGAAGTCA CAAACCTTCA  15180
GCCTCTCACC CATAGGAACC CACTGGTTGT AAGAGAAGGA TGAAGCCAGT CCTTCCTAAA  15240
GGGCACGATT AGATGTGTTT ATGGCATCCT CAGGTGAAAC TATATTTATA TTGACAATAT  15300
ATTTATATTT CTCAAGGAAT ACTAGAATAA TGATTCAGTT CAGTACTAGG CCATTTATCT  15360
ACCCTTTATA ATATTGTTTA ATGAGAAAAT GCTTTCTATC TTCCAAATAT CTGATGATTT  15420
GTAAGAGAAC ACTTAAACAT GGGTATTCAT AAGCTGAAAC TTCTGGCATT TATTGAATGT  15480
CAAGATTGTT CATCAGTATA CTAGGTGATT AACTGACCAC TGAACTTGAA GGTAGTATAA  15540
AGTAGTAGTA AAAGGTACAA TCATTGTCTC TTAACAGATG GCTCTTTGCT TTCATTAGGA  15600

ATAAAG ATG GCT GCT GAA CCA GTA GAA GAC AAT TGC ATC AAC TTT GTG GCA 15651
       Met Ala Ala Glu Pro Val Glu Asp Asn Cys Ile Asn Phe Val Ala
           -35                 -30                 -25
ATG AAA TTT ATT GAC AAT ACG CTT TAC TTT ATA G   GTAAGGC TAATGCCATA 15702
Met Lys Phe Ile Asp Asn Thr Leu Tyr Phe Ile Ala
    -20                 -15                 -10
GAACAAATAC CAGGTTCAGA TAAATCTATT CAATTAGAAA AGATGTTGTG AGGTGAACTA  15762
TTAAGTGACT CTTTGTGTCA CCAAATTTCA CTGTAATATT AATGGCTCTT AAAAAAATAG  15822
TGGACCTCTA GAAATTAACC ACAACATGTC CAAGGTCTCA GCACCTTGTC ACACCACGTG  15882
TCCTGGCACT TTAATCAGCA GTAGCTCACT CTCCAGTTGG CAGTAAGTGC ACATCATGAA  15942
AATCCCAGTT TTCATGGGAA AATCCCAGTT TTCATTGGAT TTCCATGGGA AAAATCCCAG  16002
TACAAAACTG GGTGCATTCA GGAAATACAA TTTCCCAAAG CAAATTGGCA AATTATGTAA  16062
GAGATTCTCT AAATTTAGAG TTCCGTGAAT TACACCATTT TATGTAAATA TGTTTGACAA  16122
GTAAAAATTG ATTCTTTTTT TTTTTTTCTG TTGCCCAGGC TGGAGTGCAG TGGCACAATC  16182
TCTGCTCACT GCAACCTCCA CCTCCTGGGT TCAAGCAATT CTCCTGCCTC AGCCTTCTGA  16242
GTAGCTGGGA CTACAGGTGC ATCCCGCCAT GCCTGGCTAA TTTTTGGGTA TTTTTACTAG  16302
AGACAGGGTT TTGGCATGTT GTCCAGGCTG GTCTTGGACT CCTGATCTCA GATGATCCTC  16362
CTGGCTCGGG CTCCCAAAGT GCTGGGATTA CAGGCATGAA CCACCACACA TGGCCTAAAA  16422
ATTGATTCTT ATGATTAATC TCCTGTGAAC AATTTGGCTT CATTTGAAAG TTTGCCTTCA  16482
TTTGAAACCT TCATTTAAAA GCCTGAGCAA CAAAGTGAGA CCCCATCTCT ACAAAAAACT  16542
GCAAAATATC CTGTGGACAC CTCCTACCTT CTGTGGAGGC TGAAGCAGGA GGATCACTTG  16602
AGCCTAGGAA TTTGAGCCTG CAGTGAGCTA TGATCCCACC CCTACACTCC AGCCTGCATG  16662
ACAGTAGACC CTGACACACA CACACAAAAA AAAACCTTCA TAAAAAATTA TTAGTTGACT  16722
TTTCTTAGGT GACTTTCCGT TTAAGCAATA AATTTAAAAG TAAAATCTCT AATTTTAGAA  16782
AATTTATTTT TAGTTACATA TTGAAATTTT TAAACCCTAG GTTTAAGTTT TATGTCTAAA  16842
TTACCTGAGA ACACACTAAG TCTGATAAGC TTCATTTTAT GGGCCTTTTG GATGATTATA  16902
TAATATTCTG ATGAAAGCCA AGACAGACCC TTAAACCATA AAAATAGGAG TTCGAGAAAG  16962
AGGAGTAGCA AAAGTAAAAG CTAGAATGAG ATTGAATTCT GAGTCGAAAT ACAAAATTTT  17022
```

```
ACATATTCTG TTTCTCTCTT TTTCCCCCTC TTAG  CT GAA GAT GAT G   GTAAAGT  17075
                                      Ala Glu Asp Asp Glu
                                      -10
AGAAATGAAT TTATTTTTCT TTGCAAACTA AGTATCTGCT TGAGACACAT CTATCTCACC  17135
ATTGTCAGCT GAGGAAAAAA AAAAATGGTT CTCATGCTAC CAATCTGCCT TCAAAGAAAT  17195
GTGGACTCAG TAGCACAGCT TTGGAATGAA GATGATCATA AGAGATACAA AGAAGAACCT  17255
CTAGCAAAAG ATGCTTCTCT ATGCCTTAAA AAATTCTCCA GCTCTTAGAA TCTACAAAAT  17315
AGACTTTGCC TGTTTCATTG GTCCTAAGAT TAGCATGAAG CCATGGATTC TGTTGTAGGG  17375
GGAGCGTTGC ATAGGAAAAA GGGATTGAAG CATTAGAATT GTCCAAAATC AGTAACACCT  17435
CCTCTCAGAA ATGCTTTGGG AAGAAGCCTG GAAGGTTCCG GGTTGGTGGT GGGGTGGGGC  17495
AGAAAATTCT GGAAGTAGAG GAGATAGGAA TGGGTGGGGC AAGAAGACCA CATTCAGAGG  17555
CCAAAAGCTG AAAGAAACCA TGGCATTTAT GATGAATTCA GGGTAATTCA GAATGGAAGT  17615
AGAGTAGGAG TAGGAGACTG GTGAGAGGAG CTAGAGTGAT AAACAGGGTG TAGAGCAAGA  17675
CGTTCTCTCA CCCCAAGATG TGAAATTTGG ACTTTATCTT GGAGATAATA GGGTTAATTA  17735
AGCACAATAT GTATTAGCTA GGGTAAAGAT TAGTTTGTTG TAACAAAGAC ATCCAAAGAT  17795
ACAGTAGCTG AATAAGATAG AGAATTTTTC TCTCAAAGAA AGTCTAAGTA GGCAGCTCAG  17855
AAGTAGTATG GCTGGAAGCA ACCTGATGAT ATTGGGACCC CCAACCTTCT TCAGTCTTGT  17915
ACCCATCATC CCCTAGTTGT TGATCTCACT CACATAGTTG AAAATCATCA TACTTCCTGG  17975
GTTCATATCC CAGTTATCAA GAAAGGGTCA AGAGAAGTCA GGCTCATTCC TTTCAAAGAC  18035
TCTAATTGGA AGTTAAACAC ATCAATCCCC CTCATATTCC ATTGACTAGA ATTTAATCAC  18095
ATGGCCACAC CAAGTGCAAG GAAATCTGGA AAATATAATC TTTATTCCAG GTAGCCATAT  18155
GACTCTTTAA AATTCAGAAA TAATATATTT TTAAAATATC ATTCTGGCTT TGGTATAAAG  18215
AATTGATGGT GTGGGGTGAG GAGGCCAAAA TTAAGGGTTG AGAGCCTATT ATTTTAGTTA  18275
TTACAAGAAA TGATGGTGTC ATGAATTAAG GTAGACATAG GGGAGTGCTG ATGAGGAGCT  18335
GTGAATGGAT TTTAGAAACA CTTGAGAGAA TCAATAGGAC ATGATTTAGG GTTGGATTTG  18395
GAAAGGAGAA GAAAGTAGAA AAGATGATGC CTACATTTTT CACTTAGGCA ATTTGTACCA  19455
TTCAGTGAAA TAGGGAACAC AGGAGGAAGA GCAGGTTTTG GTGTATACAA AGAGGAGGAT  18515
GGATGACGCA TTTCGTTTTG GATCTGAGAT GTCTGTGGAA CGTCCTAGTG GAGATGTCCA  18575
CAAACTCTTC TACATGTGGT TCTGAGTTCA GGACACAGAT TTGGGCTGGA GATAGAGATA  18635
TTGTAGGCTT ATACATAGAA ATGGCATTTG AATCTATAGA GATAAAAAGA CACATCAGAG  18695
GAAATGTGTA AAGTGAGAGA GGAAAAGCCA AGTACTGTGC TGGGGGGAAT ACCTACATTT  18755
AAAGGATGCA GTAGAAAGAA GCTAATAAAC AACAGAGAGC AGACTAACCA AAAGGGGAGA  18815
AGAAAAACCA AGAGAATTCC ACCGACTCCC AGGAGAGCAT TTCAAGATTG AGGGGATAGG  18875
TGTTGTGTTG AATTTTGCAG CCTTGAGAAT CAAGGGCCAG AACACAGCTT TTAGATTTAG  18935
CAACAAGGAG TTTGGTGATC TCAGTGAAAG CAGCTTGATG GTGAAATGGA GGCAGAGGCA  18995
GATTGCAATG AGTGAAACAG TGAATGGGAA GTGAAGAAAT GATACAGATA ATTCTTGCTA  19055
AAAGCTTGGC TGTTAAAAGG AGGAGAGAAA CAAGACTAGC TGCAAAGTGA GATTGGGTTG  19115
ATGGAGCAGT TTTAAATCTC AAAATAAAGA GCTTTGTGCT TTTTTGATTA TGAAAATAAT  19175
GTGTTAATTG TAACTAATTG AGGCAATGAA AAAAGATAAT AATATGAAAG ATAAAAATAT  19235
AAAAACCACC CAGAAATAAT GATAGCTACC ATTTTGATAC AATATTTCTA CACTCCTTTC  19295
TATGTATATA TACAGACACA GAAATGCTTA TATTTTTATT AAAAGGGATT GTACTATACC  19355
TAAGCTGCTT TTTCTAGTTA GTGATATATA TGGACATCTC TCCATGGCAA CGAGTAATTG  19415
CAGTTATATT AAGTTCATGA TATTTCACAA TAAGGGCATA TCTTTGCCCT TTTTATTTAA  19475
TCAATTCTTA ATTGGTGAAT GTTTGTTTCC AGTTTGTTGT TGTTATTAAC AATGTTCCCA  19535
TAAGCATTCC TGTACACCAA TGTTCACACA TTTGTCTGAT TTTTTCTTCA GGATAAAACC  19595
CAGGAGGTAG AATTGCTGGG TTGATAGAAG AGAAAGGATG ATTGCCAAAT TAAAGCTTCA  19655
GTAGAGGGTA CATGCCGAGC ACAAATGGGA TCAGCCCTAG ATACCAGAAA TGGCACTTTC  19715
TCATTTCCCC TTGGGACAAA AGGGAGAGAG GCAATAACTG TGCTGCCAGA GTTAAATTTG  19775
TACGTGGAGT AGCAGGAAAT CATTTGCTGA AAATGAAAAC AGAGATGATG TTGTAGAGGT  19835
CCTGAAGAGA GCAAAGAAAA TTTGAAATTG CGGCTATCAG CTATGGAAGA GAGTGCTGAA  19895
CTGGAAAACA AAAGAAGTAT TGACAATTGG TATGCTTGTA ATGGCACCGA TTTGAACGCT  19955
TGTGCCATTG TTCACCAGCA GCACTCAGCA GCCAAGTTTG GAGTTTTGTA GCAGAAAGAC  20015
AAATAAGTTA GGGATTTAAT ATCCTGGCCA AATGGTAGAC AAAATGAACT CTGAGATCCA  20075
GCTGCACAGG GAAGGAAGGG AAGACGGGAA GAGGTTAGAT AGGAAATACA AGAGTCAGGA  20135
GACTGGAAGA TGTTGTGATA TTTAAGAACA CATAGAGTTG GAGTAAAAGT GTAAGAAAAC  20195
TAGAAGGGTA AGAGACCGGT CAGAAAGTAG GCTATTTGAA GTTAACACTT CAGAGGCAGA  20255
GTAGTTCTGA ATGGTAACAA GAAATTGAGT GTGCCTTTGA GAGTAGGTTA AAAAACAATA  20315
GGCAACTTTA TTGTAGCTAC TTCTGGAACA GAAGATTGTC ATTAATAGTT TTAGAAAACT  20375
AAAATATATA GCATACTTAT TTGTCAATTA ACAAAGAAAC TATGTATTTT TAAATGAGAT  20435
TTAATGTTTA TTGTAG  AA AAC CTG GAA TCA GAT TAC TTT GGC AAG CTT GAA   20486
                  Glu Asn Leu Glu Ser Asp Tyr Phe Gly Lys Leu Glu
                  -5                  1                   5
TCT AAA TTA TCA GTC ATA AGA AAT TTG AAT GAC CAA GTT CTC TTC ATT    20534
Ser Lys Leu Ser Val Ile Arg Asn Leu Asn Asp Gln Val Leu Phe Ile
          10                  15                  20
GAC CAA GGA AAT CGG CCT CTA TTT GAA GAT ATG ACT GAT TCT GAC TGT    20582
Asp Gln Gly Asn Arg Pro Leu Phe Glu Asp Met Thr Asp Ser Asp Cys
```

```
        25                  30                  35
AGA G   GT ATTTTTTTTA ATTCGCAAAC ATAGAAATGA CTAGCTACTT CTTCCCATTC  20638
Arg Asp
    40
TGTTTTACTG CTTACATTGT TCCGTGCTAG TCCCAATCCT CAGATGAAAA GTCACAGGAG  20698
TGACAATAAT TTCACTTACA GGAAACTTTA TAAGGCATCC ACGTTTTTTA GTTGGGGTAA  20758
AAAATTGGAT ACAATAAGAC ATTGCTAGGG GTCATGCCTC TCTGAGCCTG CCTTTGAATC  20818
ACCAATCCCT TTATTGTGAT TGCATTAACT GTTTAAAACC TCTATAGTTG GATGCTTAAT  20878
CCCTGCTTGT TACAGCTGAA AATGCTGATA GTTTACCAGG TGTGGTGGCA TCTATCTGTA  20938
ATCCTAGCTA CTTGGGAGGC TCAAGCAGGA GGATTGCTTG AGGCCAGGAC TTTGAGGCTG  20998
TAGTACACTG TGATCGTACC TGTGAATAGC CACTGCACTC CAGCCTGGGT GATATACAGA  21058
CCTTGTCTCT AAAATTAAAA AAAAAAAAAA AAAAAACCTT AGGAAAGGAA ATTGATCAAG  21118
TCTACTGTGC CTTCCAAAAC ATGAATTCCA AATATCAAAG TTAGGCTGAG TTGAAGCAGT  21178
GAATGTGCAT TCTTTAAAAA TACTGAATAC TTACCTTAAC ATATATTTTA AATATTTTAT  21238
TTAGCATTTA AAAGTTAAAA ACAATCTTTT AGAATTCATA TCTTTAAAAT ACTCAAAAAA  21298
GTTGCAGCGT GTGTGTTGTA ATACACATTA AACTGTGGGG TTGTTTGTTT GTTTGAGATG  21358
CAGTTTCACT CTGTCACCCA GGCTGAAGTG CAGTGCAGTG CAGTGGTGTG ATCTCGGCTC  21418
ACTACAACCT CCACCTCCCA CGTTCAAGCG ATTCTCATGC CTCAGTCTCC CGAGTAGGTG  21478
GGATTACAGG CATGCACCAC TTACACCCGG CTAATTTTTG TATTTTTAGT AGAGCTGGGG  21538
TTTCACCATG TTGGCCAGGC TGGTCTCAAA CCCCTAACCT CAAGTGATCT GCCTGCCTCA  21598
GCCTCCCAAA CAAACAAACA ACCCCACAGT TTAATATGTG TTACAACACA CATGCTGCAA  21658
CTTTTATGAG TATTTTAATG ATATAGATTA TAAAAGGTTG TTTTTAACTT TTAAATGCTG  21718
GGATTACAGG CATGAGCCAC TGTGCCAGGC CTGAACTGTG TTTTTAAAAA TGTCTGACCA  21778
GCTGTACATA GTCTCCTGCA GACTGGCCAA GTCTCAAAGT GGGAACAGGT GTATTAAGGA  21838
CTATCCTTTG GTTAAATTTC CGCAAATGTT CCTGTGCAAG AATTCTTCTA ACTAGAGTTC  21898
TCATTTATTA TATTTATTTC AG  AT AAT GCA CCC CGG ACC ATA TTT ATT ATA   21949
                        Asp Asn Ala Pro Arg Thr Ile Phe Ile Ile
                        40                  45
AGT ATG TAT AAA GAT AGC CAG CCT AGA GGT ATG GCT GTA ACT ATC TCT    21997
Ser Met Tyr Lys Asp Ser Gln Pro Arg Gly Met Ala Val Thr Ile Ser
50                  55                  60                  65
GTG AAG TGT GAG AAA ATT TCA ACT CTC TCC TGT GAG AAC AAA ATT ATT    22045
Val Lys Cys Glu Lys Ile Ser Thr Leu Ser Cys Glu Asn Lys Ile Ile
                70                  75                  80
TCC TTT AAG GTAAGACTG AGCCTTACTT TGTTTTCAAT CATGTTAATA TAATCAATAT  22103
Ser Phe Lys
AATTAGAAAT ATAACATTAT TTCTAATGTT AATATAAGTA ATGTAATTAG AAAACTCAAA  22163
TATCCTCAGA CCAACCTTTT GTCTAGAACA GAAATAACAA GAAGCAGAGA ACCATTAAAG  22223
TGAATACTTA CTAAAAATTA TCAAACTCTT TACCTATTGT GATAATGATG GTTTTTCTGA  22283
GCCTGTCACA GGGGAAGAGG AGATACAACA CTTGTTTTAT GACCTGCATC TCCTGAACAA  22323
TCAGTCTTTA TACAAATAAT AATGTAGAAT ACATATGTGA GTTATACATT TAAGAATAAC  22403
ATGTGACTTT CCAGAATGAG TTCTGCTATG AAGAATGAAG CTAATTATCC TTCTATATTT  22463
CTACACCTTT GTAAATTATG ATAATATTTT AATCCCTAGT TGTTTTGTTG CTGATCCTTA  22523
GCCTAAGTCT TAGACACAAG CTTCAGCTTC CAGTTGATGT ATGTTATTTT TAATGTTAAT  22583
CTAATTGAAT AAAAGTTATG AGATCAGCTG TAAAAGTAAT GCTATAATTA TCTTCAAGCC  22643
AGGTATAAAG TATTTCTGGC CTCTACTTTT TCTCTATTAT TCTCCATTAT TATTCTCTAT  22703
TATTTTTCTC TATTTCCTCC ATTATTGTTA GATAAACCAC AATTAACTAT AGCTACAGAC  22763
TGAGCCAGTA AGAGTAGCCA GGGATGCTTA CAAATTGGCA ATGCTTCAGA GGAGAATTCC  22823
ATGTCATGAA GACTCTTTTT GAGTGGAGAT TTGCCAATAA ATATCCGCTT TCATGCCCAC  22883
CCAGTCCCCA CTGAAAGACA GTTAGGATAT GACCTTAGTG AAGGTACCAA GGGGCAACTT  22943
GGTAGGGAGA AAAAAGCCAC TCTAAAATAT AATCCAAGTA AGAACAGTGC ATATGCAACA  23003
GATACAGCCC CCAGACAAAT CCCTCAGCTA TCTCCCTCCA ACCAGAGTGC CACCCCTTCA  23063
GGTGACAATT TGGAGTCCCC ATTCTAGACC TGACAGGCAG CTTAGTTATC AAAATAGCAT  23123
AAGAGGCCTG GGATGGAAGG GTAGGGTGGA AAGGGTTAAG CATGCTGTTA CTGAACAACA  23183
TAATTAGAAG GGAAGGAGAT GGCCAAGCTC AAGCTATGTG GGATAGAGGA AAACTCAGCT  23243
GCAGAGGCAG ATTCAGAAAC TGGGATAAGT CCGAACCTAC AGGTGGATTC TTGTTGAGGG  23303
AGACTGGTGA AAATGTTAAG AAGATGGAAA TAATGCTTGG CACTTAGTAG GAACTGGGCA  23363
AATCCATATT TGGGGGAGCC TGAAGTTTAT TCAATTTTGA TGGCCCTTTT AAATAAAAAG  23423
AATGTGGCTG GGCGTGGTGG CTCACACCTG TAATCCCAGC ACTTTGGGAG GCCGAGGGGG  23483
GCGGATCACC TGAAGTCAGG AGTTCAAGAC CAGCCTGACC AACATGGAGA AACCCCATCT  23543
CTACTAAAAA TACAAAATTA GCTGGGCGTG GTGGCATATG CCTGTAATCC CAGCTACTCG  23603
GGAGGCTGAG GCAGGAGAAT CTTTTGAACC CGGGAGGCAG AGGTTGCGAT GAGCCTAGAT  23663
CGTGCCATTG CACTCCAGCC TGGGCAACAA GAGCAAAACT CGGTCTCAAA AAAAAAAAAA  23723
AAAAAGTGAA ATTAACCAAA GGCATTAGCT TAATAATTTA ATACTGTTTT TAAGTAGGGC  23783
GGGGGGTGGC TGGAAGAGAT CTGTGTAAAT GAGGGAATCT GACATTTAAG CTTCATCAGC  23843
ATCATAGCAA ATCTGCTTCT GGAAGGAACT CAATAAATAT TAGTTGGAGG GGGGGAGAGA  23903
GTGAGGGGTG GACTAGGACC AGTTTTAGCC CTTGTCTTTA ATCCCTTTTC CTGCCACTAA  23963
```

```
TAAGGATCTT AGCAGTGGTT ATAAAAGTGG CCTAGGTTCT AGATAATAAG ATACAACAGG  24023
CCAGGCACAG TGGCTCATGC CTATAATCCC AGCACTTTGG GAGGGCAAGG CGAGTGTCTC  24083
ACTTGAGATC AGGAGTTCAA GACCAGCCTG GCCAGCATGG CGATACTCTG TCTCTACTAA  24143
AAAAAATACA AAAATTAGCC AGGCATGGTG GCATGCACCT GTAATCCCAG CTACTCGTGA  24203
GCCTGAGGCA GAAGAATCGC TTGAAACCAG GAGGTGTAGG CTGCAGTGAG CTGAGATCGC  24263
ACCACTGCAC TCCAGCCTGG GCGACAGAAT GAGACTTTGT CTCAAAAAAA GAAAAAGATA  24323
CAACAGGCTA CCCTTATGTG CTCACCTTTC ACTGTTGATT ACTAGCTATA AAGTCCTATA  24383
AAGTTCTTTG GTCAAGAACC TTGACAACAC TAAGAGGGAT TTGCTTTGAG AGGTTACTGT  24443
CAGAGTCTGT TTCATATATA TACATATACA TGTATATATG TATCTATATC CAGGCTTGGC  24503
CAGGGTTCCC TCAGACTTTC CAGTGCACTT GGGAGATGTT AGGTCAATAT CAACTTTCCC  24563
TGGATTCAGA TTCAACCCCT TCTGATGTAA AAAAAAAAAA AAAAAAGAAA GAAATCCCTT  24623
TCCCCTTGGA GCACTCAAGT TTCACCAGGT GGGGCTTTCC AAGTTGGGGG TTCTCCAAGG  24683
TCATTGGGAT TGCTTTCACA TCCATTTGCT ATGTACCTTC CCTATGATGG CTGGGAGTGG  24743
TCAACATCAA AACTAGGAAA GCTACTGCCC AAGGATGTCC TTACCTCTAT TCTGAAATGT  24803
GCAATAAGTG TGATTAAAGA GATTGCCTGT TCTACCTATC CACACTCTCG CTTTCAACTG  24863
TAACTTTCTT TTTTTCTTTT TTTCTTTTTT TCTTTTTTTT TGAAACGGAG TCTCGCTCTG  24923
TCGCCCAGGC TAGAGTGCAG TGGCACGATC TCAGCTCACT GCAAGCTCTG CCTCCCGGGT  24983
TCACGCCATT CTCCTGCCTC ACCCTCCCAA GCAGCTGGGA CTACAGGCGC CTGCCACCAT  25043
GCCCAGCTAA TTTTTTGTAT TTTTAGTAGA GACGGGGTTT CACCGTGTTA GCCAGGATGG  25103
TCTCGATCTC CTGAACTTGT GATCCGCCCG CCTCAGCCTC CCAAAGTGCT GGGATTACAG  25163
GCGTGAGCCA TCGCACCCGG CTCAACTGTA ACTTTCTATA CTGGTTCATC TTCCCCTGTA  25223
ATGTTACTAG AGCTTTTGAA GTTTTGGCTA TGGATTATTT CTCATTTATA CATTAGATTT  25283
CAGATTAGTT CCAAATTGAT GCCCACAGCT TAGGGTCTCT TCCTAAATTG TATATTGTAG  25343
ACAGCTGCAG AAGTGGGTGC CAATAGGGGA ACTAGTTTAT ACTTTCATCA ACTTAGGACC  25403
CACACTTGTT GATAAAGAAC AAAGGTCAAG AGTTATGACT ACTGATTCCA CAACTGATTG  25463
AGAAGTTGGA GATAACCCCG TGACCTCTGC CATCCAGAGT CTTTCAGGCA TCTTTGAAGG  25523
ATGAAGAAAT GCTATTTTAA TTTTGGAGGT TTCTCTATCA GTGCTTAGGA TCATGGGAAT  25583
CTGTGCTGCC ATGAGGCCAA AATTAAGTCC AAAACATCTA CTGGTTCCAG GATTAACATG  25643
GAAGAACCTT AGGTGGTGCC CACATGTTCT GATCCATCCT GCAAAATAGA CATGCTGCAC  25703
TAACAGGAAA AGTGCAGGCA GCACTACCAG TTGGATAACC TGCAAGATTA TAGTTTCAAG  25763
TAATCTAACC ATTTCTCACA AGGCCCTATT CTGTGACTGA AACATACAAG AATCTGCATT  25823
TGGCCTTCTA AGGCAGGGCC CAGCCAAGGA GACCATATTC AGGACAGAAA TTCAAGACTA  25883
CTATGGAACT GGAGTGCTTG GCAGGGAAGA CAGAGTCAAG GACTGCCAAC TGAGCCAATA  25943
CAGCAGGCTT ACACAGGAAC CCAGGGCCTA GCCCTACAAC AATTATTGGG TCTATTCACT  26003
GTAAGTTTTA ATTTCAGGCT CCACTGAAAG AGTAAGCTAA GATTCCTGGC ACTTTCTGTC  26063
TCTCTCACAG TTGGCTCAGA AATGAGAACT GGTCAGGCCA GGCATGGTGG CTTACACCTG  26123
GAATCCCAGC ACTTTGGGAG GCCGAAGTGG GAGGGTCACT TGAGGCCAGG AGTTCAGGAC  26183
CAGCTTAGGC AACAAAGTGA GATACCCCCT GACCCCTTCT CTACAAAAAT AAATTTTAAA  26243
AATTAGCCAA ATGTGGTGGT GTATACTTAC AGTCCCAGCT ACTCAGGAGG CTGAGGCAGG  26303
GGGATTGCTT GAGCCCAGGA ATTCAAGGCT GCAGTGAGCT ATGATTTCAC CACTGCACTT  26363
CTGGCTGGGC AACAGAGCGA GACCCTGTCT CAAAGCAAAA AGAAAAAGAA ACTAGAACTA  26423
GCCTAAGTTT GTGGGAGGAG GTCATCATCG TCTTTAGCCG TGAATGGTTA TTATAGAGGA  26483
CAGAAATTGA CATTAGCCCA AAAAGCTTGT GGTCTTTGCT GGAACTCTAC TTAATCTTGA  26543
GCAAATGTGG ACACCACTCA ATGGGAGAGG AGAGAAGTAA GCTGTTTGAT GTATAGGGGA  26603
AAACTAGAGG CCTGGAACTG AATATGCATC CCATGACAGG GAGAATAGGA GATTCGGAGT  26663
TAAGAAGGAG AGGAGGTCAG TACTGCTGTT CAGAGATTTT TTTTATGTAA CTCTTGAGAA  26723
GCAAAACTAC TTTTGTTCTG TTTGGTAATA TACTTCAAAA CAAACTTCAT ATATTCAAAT  26783
TGTTCATGTC CTGAAATAAT TAGGTAATGT TTTTTTCTCT ATAG GAA ATG AAT CCT   26839
                                              Glu Met Asn Pro
                                              85
CCT GAT AAC ATC AAG GAT ACA AAA AGT GAC ATC ATA TTC TTT CAG AGA    26887
Pro Asp Asn Ile Lys Asp Thr Lys Ser Asp Ile Ile Phe Phe Gln Arg
    90                  95                  100
AGT GTC CCA GGA CAT GAT AAT AAG ATG CAA TTT GAA TCT TCA TCA TAC    26935
Ser Val Pro Gly His Asp Asn Lys Met Gln Phe Glu Ser Ser Ser Tyr
105                 110                 115                 120
GAA GGA TAC TTT CTA GCT TGT GAA AAA GAG AGA GAC CTT TTT AAA CTC    26983
Glu Gly Tyr Phe Leu Ala Cys Glu Lys Glu Arg Asp Leu Phe Lys Leu
                125                 130                 135
ATT TTG AAA AAA GAG GAT GAA TTG GGG GAT AGA TCT ATA ATG TTC ACT    27031
Ile Leu Lys Lys Glu Asp Glu Leu Gly Asp Arg Ser Ile Met Phe Thr
            140                 145                 150
GTT CAA AAC GAA GAC T AGCTATTAAA ATTTCATGCC GGGCGCAGTG GCTCACGCCT  27087
Val Gln Asn Glu Asp
        155
GTAATCCCAG CCCTTTGGGA GGCTGAGGCG GGCAGATCAC CAGAGGTCAG GTGTTCAAGA  27147
CCAGCCTGAC CAACATGGTG AAACCTCATC TCTACTAAAA ATACAAAAAA TTAGCTGAGT  27207
```

GTAGTGACCC ATGCCCTCAA TCCCAGCTAC TCAAGAGGCT GAGGCAGGAG AATCACTTGC 27267
ACTCCGGAGG TGGAGGTTGT GGTGAGCCGA GATTGCACCA TTGCGCTCTA GCCTGGGCAA 27327
CAACAGCAAA ACTCCATCTC AAAAAATAAA ATAAATAAAT AAACAAATAA AAAATTCATA 27387
ATGTGAACTG TCTGAATTTT TATGTTTAGA AAGATTATGA GATTATTAGT CTATAATTGT 27447
AATGGTGAAA TAAAATAAAT ACCAGTCTTG AAAAACATCA TTAAGAAATG AATGAACTTT 27507
CACAAAAGCA AACAAACAGA CTTTCCCTTA TTTAAGTGAA TAAAATAAAA TAAAATAAAA 27567
TAATGTTTAA AAAATTCATA GTTTGAAAAC ATTCTACATT GTTAATTGGC ATATTAATTA 27627
TACTTAATAT AATTATTTTT AAATCTTTTG GGTTATTAGT CCTAATGACA AAAGATATTG 27687
ATATTTGAAC TTTCTAATTT TTAAGAATAT CGTTAAACCA TCAATATTTT TATAAGGAGG 27747
CCACTTCACT TGACAAATTT CTGAATTTCC TCCAAAGTCA GTATATTTTT AAAATTCAGT 27807
TTGATCCTGA ATCCAGCAAT ATATAAAAGG GATTATATAC TCTGGCCAAC TGACATTCAT 27867
CCTAGGAATG CAAAGATGGT TTAATATCCT AAAATCAATT AACATAACAT ACTATATTAA 27927
TAAAGTATCA AAACAGTATT CTCATCTTTT TTTCTTTTTT CACAATTCCT TGGTTACACT 27987
ATCATCTCAA TAGATGCAGA AAAAGCATTT GACAAAATCC AATTCATAAT AAAAATTCTC 28047
AAACTTGAAA GAGAACATCA TAAAGGCATC TATGAAAAAC CTACAGCTAA TATCATACTT 28107
AACGATGAAA AACTGAATTA TTTTACCCTA AGATCAAGAA TAATGCAAGC ATGTCAGCTC 28167
TTGCAACTTC TATTCAACAT TGTACTGGAG GTTCTAGCCA GAGCAACCAT ACAATAAATA 28227
AAAATAAAAG GCACCCAGAT TAGAAAGGAA GTCTTTATTT GCAGACAACA TGGTTCTTTA 28287
TGCAGAAAAC CGTCAGGAAT ACACACACAT GTTAGAACTA ATAAGTTCAG CAAGGTTGCA 28347
GGTTGCAATA TCAATATGCA AAAATACATT GAAGGCTGGG CTCAGTGGAG ATGGCATGTA 28407
CCTTTCGTCC CAGCTACTTG GGAGGCTGAG GTAGGAGGAT CACTTGAGGT GAGGAGTTTG 28467
AGGCTATAGT GCAATGTGAT CTTGCCTGTG AATAGCCACT GCACTCGAGC CTAGGCAACA 28527
AAGTGAGACC CCGTCTCCAA AAAAAAAAAT GGTATATTGG TATTTCTGTA TATGAACAAT 28587
GAATGATCTG AAAACAAGAA AATTCCATTC ACGATGGTAT TAAAAAAATA AAATACAAAT 28647
AAATTTAGCA AAATAATTAT AAAACTTGTA CATCGAAAAT TTCAAAGCAC TCTGAGGGAA 28707
ATTAAAGATG ATCTAAATAA TTGGAGAGAC ACTCTATGAT CACTGATTGG AAAATTCATT 28767
CAATATTGTT AAGATAACAA TTGTCCCCAA ATTGATGCAT GCATTCAATT TAGTCTTCAT 28827
CAAAATTCCA GCAGGGTTTT TGCAGAAATT GACAAGCTGT ACCCAAAATG TATATGGAAA 28887
TGAAAAGACC CAGAAGAGCA AATAATTTTT TAAAAACAAA GTTGGAAAAC TTTTACTTCC 28947
TAATTTTAAA ACTTACTATA AACCTAAAGT TATCAAGACC ATTTAGT 28994

(15) INFORMATION FOR SEQ ID NO: 15:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 10 amino acids
(B) TYPE: amino acid
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(v) FRAGMENT TYPE: N-terminal fragment

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 15:

Tyr Phe Gly Lys Leu Glu Ser Lys Leu Ser
1 5 10

(2) INFORMATION FOR SEQ ID NO:16:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 27 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:16:

CCATCCTAAT ACGACTCACT ATAGGGC 27

(2) INFORMATION FOR SEQ ID NO:17:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 28 base pairs

(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:17:

TTCCTCTTCC CGAAGCTGTG TAGACTGC 28

(2) INFORMATION FOR SEQ ID NO:18:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 18 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:18:

CTATAGGGCA CGCGTGGT 18

(2) INFORMATION FOR SEQ ID NO:19:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 28 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:19:

TTCCTCTTCC CGAAGCTGTG TAGACTGC 28

(2) INFORMATION FOR SEQ ID NO:20:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 30 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:20:

GTAAGTTTTC ACCTTCCAAC TGTAGAGTCC 30

(2) INFORMATION FOR SEQ ID NO:21:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 30 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:21:

GGGATCAAGT CGTGATCAGA AGCAGCACAC 30

(2) INFORMATION FOR SEQ ID NO:22:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 30 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:22:

CCTGGCTGCC AACTCTGGCT GCTAAAGCGG 30

(2) INFORMATION FOR SEQ ID NO:23:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 33 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:23:

GTATTGTCAA TAAATTTCAT TGCCACAAAG TTG 33

(2) INFORMATION FOR SEQ ID NO:24:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 33 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:24:

AAGATGGCTG CTGAACCAGT AGAAGACAAT TGC 33

(2) INFORMATION FOR SEQ ID NO:25:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 27 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:25:

TCCTTGGTCA ATGAAGAGAA CTTGGTC 27

(2) INFORMATION FOR SEQ ID NO:26:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 33 base pairs

(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:26:

CCTGGAATCA GATTACTTTG GCAAGCTTGA ATC 33

(2) INFORMATION FOR SEQ ID NO:27:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 32 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:27:

GGAAATAATT TTGTTCTCAC AGGAGAGAGT TG 32

(2) INFORMATION FOR SEQ ID NO:28:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 31 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:28:

GCCAGCCTAG AGGTATGGCT GTAACTATCT C 31

(2) INFORMATION FOR SEQ ID NO:29:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 33 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:29:

GGCATGAAAT TTTAATAGCT AGTCTTCGTT TTG 33

(2) INFORMATION FOR SEQ ID NO:30:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 30 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:30:

GTGACATCAT ATTCTTTCAG AGAAGTGTCC 30

(2) INFORMATION FOR SEQ ID NO:31:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 31 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:31:

GCAATTTGAA TCTTCATCAT ACGAAGGATA C 31

(2) INFORMATION FOR SEQ ID NO:32:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 31 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:32:

TCCGAAGCTT AAGATGGCTG CTGAACCAGT A 31

(2) INFORMATION FOR SEQ ID NO:33:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 32 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:33:

GGAAATAATT TTGTTCTCAC AGGAGAGAGT TG 32

(2) INFORMATION FOR SEQ ID NO:34:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 37 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:34:

ATGTAGCGGC CGCGGCATGA AATTTTAATA GCTAGTC 37

(2) INFORMATION FOR SEQ ID NO:35:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 33 base pairs

(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:35:

CCTGGAATCA GATTACTTTG GCAAGCTTGA ATC 33